

SECTION 1: Identification of the Substance/Mixture and of the Company/Undertaking

- 1.1 Product Name:** Sage, Dalmatian, Essential Oil
Product Code: 302-111X
- 1.2 Intended Use:** Compound used in customer substance/mixture/product.
- 1.3 Supplier:** Majestic Mountain Sage Inc
2490 S 1350 W
Nibley, Utah 84321 - United States of America
T 435.755.0863 - F 435.755.2108
www.TheSage.com
- 1.4 Emergency Telephone Number**
No additional information available.

SECTION 2: Hazards Identification

2.1 Classification of the Substance or Mixture

Flammable Liquids, Category 3	H226: Flammable liquid and vapor.
Acute Oral Toxicity, Category 5	H303: May be harmful if swallowed.
Skin Corrosion/Irritation, Category 3	H316: Causes mild skin irritation.
Skin Sensitization, Category 1	H317: May cause an allergic skin reaction.
Eye Damage/Irritation, Category 2	H319: Causes serious eye irritation.
Specific Target Organ Toxicity (Single Exposure), Category 2	H371: May cause damage to organs.
Acute Aquatic Toxicity, Category 2	H401: Toxic to aquatic life.
Chronic Aquatic Toxicity, Category 2	H411: Toxic to aquatic life with long lasting effects.

Classification According to EU Directives 67/548/EEC or 1999/45/EC

For the full text of the R-phrases mentioned in this Section, see Section 16.

Symbol(s): Xn - Harmful
N - Dangerous for the environment

R-Code(s): R10 - Muta. Cat. 3; R68 - Xn; R22 - R43 - N; R51/53

2.2 Label Elements, Including Precautionary Statements

Hazard Pictograms



Signal Word: Warning.

Hazard Statements

H226	Flammable liquid and vapor.
H303	May be harmful if swallowed.
H316	Causes mild skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H371	May cause damage to organs.
H401	Toxic to aquatic life.
H411	Toxic to aquatic life with long lasting effects.

Precautionary Statements

P210	Keep away from heat/sparks/open flames/hot surfaces. - No smoking.
P260	Do not breathe dust/fume/gas/mist/vapors/spray.
P280	Wear eye protection/face protection.
P321	Specific treatment (see supplement first aid instructions on this label.)
P370+P378	In case of fire: Use dry sand, dry chemical or alcohol-resistant foam for extinction.

2.3 Hazards Not Otherwise Classified (HNOC) and Other Information

No information available.

SECTION 3: Composition/Information on Ingredients**3.1 Substances**

Chemical Name	EC Number	CAS Number	Weight %	Classification
Camphor	207-355-2	464-49-3	15-20%	H228; H303; H316; H332; H371; H402 R11, XN; R20, XN; R68/22;
Pinenes	201-291-9	80-56-8	5-10%	H226; H303; H304; H315; H317; H400; H410 R10, XI; R43, N; R50/53, XN; R65;
Camphene	201-234-8	78-92-5	5-10%	H228; H316; H319; H400; H410 R11, XI; R36, N; R50/53;
Limonene	227-813-5	5959-27-5	1-5%	H226; H304; H316; H317; H400; H410 R10, XI; R38, XI; R43, N; R50/53;
Terpinen-4-ol	209-235-5	562-74-3	1-5%	H227; H302; H316; H319; H402 XN; R22, XI; R38
Myrcene	204-622-5	123-35-3	1-5%	H304; H315; H319
P-Cymene	202-795-7	99-87-6	1-5%	H226; H303; H304; H316; H401; H411 R10, N; R51/53, XN; R65;

For the full text of the R-Phrases and H-Statements, see Section 16.

SECTION 4: First Aid Measures**4.1 Description of First Aid Measures**

General Advice: Immediate medical attention is required. Show this material safety data sheet to the doctor in attendance. If symptoms persist, call a physician.

Eye Contact: Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes. Keep eyes wide open while rinsing. If symptoms persist, call a physician.

Skin Contact: Immediate medical attention is not required. Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. If skin irritation persists, call a physician.

Ingestion: Clean mouth with water and afterwards drink plenty of water. Do not induce vomiting. Never give anything by mouth to an unconscious person. If symptoms persist, call a physician.

Inhalation: Immediate medical attention is not required. Move to fresh air in case of accidental inhalation of vapors or decomposition products. If symptoms persist, call a physician.

Self Protection of the First Aider: Remove all sources of ignition. Use personal protective equipment.

4.2 Most Important Symptoms and Effects, Both Acute and Delayed

Main Symptoms: No information available.

4.3 Indication of Any Immediate Medical Attention and Special Treatment Needed

Note to Physicians: Treat symptomatically. May cause sensitization in susceptible persons.

SECTION 5: Firefighting Measures

5.1 Extinguishing Media

Suitable: Use dry chemical, Carbon Dioxide (CO₂), alcohol-resistant foam.

Unsuitable: Do not use solid water stream as it may scatter and spread fire.

5.2 Special Hazards Arising from the Substance or Mixture

No information available.

5.3 Protective Equipment and Precautions for Firefighters

As in any fire, wear a self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

SECTION 6: Accidental Release Measures

6.1 Personal Precautions, Protective Equipment and Emergency Procedures

Evacuate personnel to safe areas. Remove all sources of ignition. Ensure adequate ventilation. Use personal protective equipment. Keep people away from and upwind of spill/leak. Pay attention to flashback. Take precautionary measures against static discharges.

6.2 Environmental Precautions

Prevent further leakage or spillage if safe to do so. Prevent product from entering drains. Do not flush into surface water or sanitary sewer system. Beware of vapors accumulating to form explosive concentrations. Vapors can accumulate in low areas.

6.3 Methods and Material for Containment and Cleaning Up

Containment: Prevent further leakage or spillage if safe to do so.

Cleaning Up: Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Take up mechanically and collect in suitable container for disposal.

SECTION 7: Handling and Storage

7.1 Precautions for Safe Handling

Ensure adequate ventilation. Keep away from open flames, hot surfaces and sources of ignition. Take precautionary measures against static discharges. Use only in an area containing flame proof equipment. To avoid ignition of vapors by static electricity discharge, all metal parts of the equipment must be grounded. Use only in area provided with appropriate exhaust ventilation. Keep away from heat, sparks and open flame. No smoking. Use personal protective equipment as required. Do not breathe dust/fume/gas/mist/vapors/spray. Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapors).

7.2 Conditions for Safe Storage, Including Any Incompatibilities

Keep tightly closed in a dry, cool, and well-ventilated place. Keep away from heat. Keep in properly labeled containers. Keep out of reach of children.

SECTION 8: Exposure Controls/Personal Protection

8.1 Control Parameters

Exposure Guidelines:

This product, as supplied, does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies.

Chemical Name	European Union	The United Kingdom	France	Spain	Germany
Camphor 76-22-2		STEL: 3 ppm STEL: 19 mg/m ³ TWA: 2 ppm TWA: 13 mg/m ³	TWA: 2 ppm TWA: 12 mg/m ³	STEL: 3 ppm STEL: 19 mg/m ³ TWA: 2 ppm TWA: 13 mg/m ³	TWA: 2 ppm TWA: 13 mg/m ³ Ceiling/Peak: 4 ppm Ceiling/Peak: 26 mg/m ³
Pinenes 80-56-8				VLA-ED: 20 ppm VLA-ED: 113 mg/m ³	
Camphene 79-92-5			TWA: 1000 mg/m ³ STEL: 1500 mg/m ³		
Limonene 5989-27-5					MAK: 20 ppm MAK: 110 mg/m ³ Ceiling/Peak: 40 ppm Ceiling/Peak: 220 mg/m ³ TWA: 20 ppm TWA: 110 mg/m ³
Myrcene 123-35-3			TWA: 1000 mg/m ³ STEL: 1500 mg/m ³		

Chemical Name	Italy	Portugal	The Netherlands	Finland	Denmark
Camphor 76-22-2		STEL: 3 ppm TWA: 2 ppm		TWA: 0.3 ppm TWA: 1.9 mg/m ³ STEL: 0.9 ppm STEL: 5.7 mg/m ³	TWA: 2 ppm TWA: 12 mg/m ³
Pinenes 80-56-8		TWA: 20 ppm			
Limonene 5989-27-5				TWA: 25 ppm TWA: 140 mg/m ³ STEL: 50 ppm STEL: 280 mg/m ³	
P-Cymene 99-87-6					TWA: 25 ppm TWA: 135 mg/m ³

Chemical Name	Austria	Sweden	Switzerland	Poland	Norway
Camphor 76-22-2	TWA: 2 ppm TWA: 13 mg/m ³		TWA: 2 ppm TWA: 13 mg/m ³	STEL: 18 mg/m ³ TWA: 12 mg/m ³	TWA: 2 ppm TWA: 12 mg/m ³ STEL: 4 ppm STEL: 18 mg/m ³
Pinenes 80-56-8		25 ppm NGV 150 mg/m ³ NGV			TWA: 25 ppm TWA: 140 mg/m ³ Skin STEL 37.5 ppm STEL 175 mg/m ³
Limonene 5989-27-5			STEL: 40 ppm STEL: 220 mg/m ³ MAK: 20 ppm MAK: 110 mg/m ³		TWA: 25 ppm TWA: 140 mg/m ³ STEL: 37.5 ppm STEL: 175 mg/m ³
Myrcene 123-35-3					TWA: 40 ppm TWA: 275 mg/m ³ STEL: 60 ppm STEL: 343.75 mg/m ³

Chemical Name	Austria	Sweden	Switzerland	Poland	Norway
P-Cymene 99-87-6		25 ppm NGV 140 mg/m ³ NGV			

Derived No Effect Level (DNEL): No information available.

Predicted No Effect Concentration (PNEC): No information available.

8.2 Exposure Controls

Engineering Controls: Ensure adequate ventilation, especially in confined areas.

8.3 Personal Protective Equipment

Eye/Face Protection: Tightly fitting safety goggles

Skin and Body Protection: Protective gloves. Antistatic boots. Wear fire/flame resistant/retardant clothing. Chemical resistant apron. Long sleeved clothing.

Respiratory Protection: When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.

General Hygiene Considerations: When using, do not eat, drink or smoke. Wash contaminated clothing before reuse. Provide regular cleaning of equipment, work area and clothing. Do not allow material to contaminate ground water system.

SECTION 9: Physical and Chemical Properties

9.1 Information on Basic Physical and Chemical Properties

Physical State @ 20°C:	Liquid
Appearance:	Clear
Odor:	Warm camphoraceous and thujone like
Odor Threshold:	No information available
Color:	Yellowish or greenish yellow
pH:	No information available
Melting Point/Range:	No information available
Freezing Point:	No information available
Initial Boiling Point:	No information available
Boiling Point/Range:	No information available
Flash Point:	124°F / 51°C
Evaporation Rate:	No information available
Flammability Limits in Air:	No information available
Explosive Properties:	No information available
Oxidizing Properties:	No information available
Vapor Pressure @ 20°C:	No information available
Vapor Density:	No information available
Specific Gravity @ 25°C:	0.9030 - 0.9250
Specific Gravity @ 20°C:	0.906 - 0.928
Refractive Index:	1.4570 - 1.4700
Water Solubility:	No information available
Solubility:	No information available
Partition Coefficient:	No information available
Autoignition Temperature:	No information available
Decomposition Temperature:	No information available
Viscosity, Dynamic:	No information available
Molecular Weight:	No information available
VOC Content (%):	6

SECTION 10: Stability and Reactivity

10.1 Reactivity

No information available.

10.2 Chemical Stability

Stable under normal conditions.

10.3 Possibility of Hazardous Reactions

No information available.

10.4 Conditions to Avoid

Heat, flames and sparks.

10.5 Incompatible Materials

No materials to be especially mentioned.

10.6 Hazardous Decomposition Products

None under normal use conditions.

SECTION 11: Toxicological Information
--

11.1 Information on Toxicological Effects and Likely Routes of Exposure

Inhalation:	There is no data available for this product.
Eye Contact:	There is no data available for this product.
Skin Contact:	There is no data available for this product.
Ingestion:	There is no data available for this product.
Acute Toxicity:	11.08% of the mixture consists of ingredient(s) of unknown toxicity.

The following values are calculated bases on Chapter 3.1 of the GHS document.

Oral:	4,753.00 mg/kg
Dermal:	15,331.00 mg/kg
Inhalation:	
Vapor:	48.91 mg/l

Skin Corrosion/Irritation:	No information available.
Eye Damage/Irritation:	No information available.
Sensitization:	No information available.
Germ Cell Mutagenicity:	No information available.
Carcinogenicity:	No information available.
Specific Target Organ Systemic Toxicity (Single Exposure):	No information available.
Specific Target Organ Systemic Toxicity (Repeated Exposure):	No information available.
Target Organ Effects:	No information available.
Aspiration Hazard:	No information available.

SECTION 12: Ecological Information

12.1 Ecotoxicity

Ecotoxicity Effects: Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Chemical Name	Toxicity to Algae	Toxicity to Fish	Toxicity to Daphnia and Other Aquatic Invertebrates
Pinenes		0.28: 96 h Pimephales promelas mg/L LC50 static	41: 48 h Daphnia magna mg/L LC50
Camphene	1000: 72 h Desmodesmus subspicatus mg/L EC50	0.72: 96 h Brachydanio rerio mg/L LC50 flow-through 150: 96 h Brachydanio rerio mg/L LC50 static	22: 48 h Daphnia magna mg/L EC50
Limonene		0.619-0.796: 96 h Pimephales promelas mg/L LC50 flow-through 35: 96 h Oncorhynchus mykiss mg/L LC50	

12.2 Persistence and Degradability

No information available.

12.3 Bioaccumulative Potential

No information available.

Chemical Name	log Pow
Pinenes	4.1
P-Cymene	4.1

12.4 Mobility in Soil

No information available.

12.5 Results of PBT and vPvB Assessment

No information available.

12.6 Other Adverse Effects

No information available.

SECTION 13: Disposal Considerations

13.1 Waste Treatment Methods

Waste Disposal Methods:	Dispose of in accordance with local regulations.
Contaminated Packaging:	Empty containers should be taken to an approved waste handling site for recycling or disposal.

SECTION 14: Transport Information

14.1 Transport Information

<u>DOT</u>	Not regulated. (If shipped in NON BULK packaging by ground transport.)
UN/ID No:	1993
Proper Shipping Name:	Flammable Liquid, N.O.S. (Camphene, pinenes)
Hazard Class:	3
Packing Group:	III
ERG Code:	128
<u>IMDG/IMO</u>	
Proper Shipping Name:	Flammable Liquid, N.O.S. (Camphene, pinenes)
Hazard Class:	3
UN/ID No:	1993
Packing Group:	III
Marine Pollutant:	This product contains a chemical which is listed as a marine pollutant according to IMDG/IMO.

ICAO/IATA

UN/ID No: 1993
Proper Shipping Name: Flammable Liquid, N.O.S. (Camphene, pinenes)
Hazard Class: 3
Packing Group: III
Marine Pollutant: P

SECTION 15: Regulatory Information

15.1 International Regulations

WGK Classification

Chemical Name	Germany - Water Classification (VwVwS) - Annex 2 - Water Hazard Classes
Camphor 464-49-3	Hazard Class 1

International Inventories

TSCA -
DSL/NDSL -
EINECS/ELINCS -
ENCS -
IECSC -
KECL -
PICCS -
AICS -

Legend

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory
DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List
EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances
ENCS - Japan Existing and New Chemical Substance
IECSC - China Inventory of Existing chemical Substances
KECL - Korean Existing and Evaluated Chemical Substances
PICCS - Philippines Inventory of Chemicals and Chemical Substances
AICS - Australian Inventory of Chemical Substances

SECTION 16: Other Information

16.1 Full Text of H-Statements Referred to Under Sections 2 and 3

H226: Flammable liquid and vapor.	H227: Combustible liquid.
H228: Flammable solid.	H302: Harmful if swallowed.
H304: May be fatal if swallowed and enters airways.	H303: May be harmful if swallowed.
H317: May cause an allergic skin reaction.	H315: Causes skin irritation.
H332: Harmful if inhaled.	H316: Causes mild skin irritation.
H400: Very toxic to aquatic life.	H319: Causes serious eye irritation.
H402: Harmful to aquatic life.	H371: May cause damage to organs.
H411: Toxic to aquatic life with long lasting effects.	H401: Toxic to aquatic life.
	H410: Very toxic to aquatic life with long lasting effects.

16.2 Full Text of Risk Combination Phrases

R10: Flammable.	R11: Highly flammable.
R20: Harmful by inhalation.	R22: Harmful if swallowed
R38: Irritating to skin.	R36: Irritating to eyes.
R50/53: Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.	R43: May cause sensitization by skin contact.
R65: Harmful: may cause lung damage if swallowed.	R51/53: Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
H68/22: Harmful: possible risk of irreversible effects if swallowed.	

WARNING/DISCLAIMER:

This ingredient(s) has not been tested, nor has it been deemed safe, for inhalation or use in electronic smoking devices, electronic nicotine delivery systems, electronic cigarettes or other similar devices (collectively "E-Cigarettes"). In supplying this ingredient, Majestic Mountain Sage instructs, and by receiving the ingredient recipient confirms, that this ingredient will not be used in connection with the manufacture and distribution of E-Cigarettes or any component thereof.

Notes:

This safety data sheet is based on the properties of the material known at the time the data sheet was issued. The safety data sheet is intended to provide information for a health and safety assessment of the material and the circumstances, under which it is packaged, stored or applied in the workplace. For such a safety assessment holds no responsibility. This document is not intended for quality assurance purposes.