

Spearmint Essential Oil

Safety Data Sheet

SECTION 1: Identification of the Substance/Mixture and of the Company/Undertaking

1.1 Product Name: Spearmint Essential Oil

Product Code: 302-508X

1.2 Intended Use: Compound used in customer substance/mixture/product.

1.3 Supplier: Majestic Mountain Sage Inc

2490 S 1350 W

Nibley, Utah 84321 - United States of America

T 435.755.0863 - F 435.755.2108

www.TheSage.com

1.4 Emergency Telephone Number

No additional information available.

SECTION 2: Hazards Identification

2.1 Classification of the Substance or Mixture

Flammable Liquids, Category 4 H227: Combustible liquid. Acute Oral Toxicity, Category 4 H302: Harmful if swallowed.

Aspiration Toxicity, Category 1 H304: May be fatal if swallowed and

enters airways.

Acute Dermal Toxicity, Category 5 H313: May be harmful in contact with

skin.

Skin Corrosion/Irritation, Category 2 H315: Causes skin irritation.

Skin Sensitization, Category 1 H317: May cause an allergic skin

reaction.

Eye Damage/Irritation, Category 2 H319: Causes serious eye irritation.

Acute Aguatic Toxicity, Category 2 H401: Toxic to aguatic life.

Chronic Aquatic Toxicity, Category 2 H411: Toxic to aquatic life with long

lasting effects.

Classification According to EU Directives 67/548/EEC or 1999/45/EC

For the full text of the R-phrases mentioned in this Section, see Section 16.

Symbol(s): Xn - Harmful

N - Dangerous for the environment

R-Code(s): Xn;R22 - Xi;R38 - R43 - N;R51/53

2.2 Label Elements, Including Precautionary Statements

Hazard Pictograms



Signal Word: Danger.

Hazard Statements

H227	Combustible liquid.
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H313	May be harmful in contact with skin.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H401	Toxic to aquatic life.
H411	Toxic to aquatic life with long lasting effects.

Precautionary Statements

P210	Keep away from heat/sparks/open flames/hot surfaces No
D 000	smoking.
P280	Wear eye protection/face protection.
P301+P310	IF SWALLOWED: Immediately call a poison center or
	doctor/physician.
P321	Specific treatment (See supplemental first aid instructions on
	this label).
P331	Do NOT induce vomiting.
P370+P378	In case of fire: Use dry sand, dry chemical or alcohol-
	resistant foam for extinction.
P403+P235	Store in a well-ventilated place. Keep cool.

2.3 Hazards Not Otherwise Classified (HNOC) and Other Information

No information available.

SECTION 3: Composition/Information on Ingredients

3.1 Substances

Chemical Name	EC Number	CAS Number	Weight %	Classification
Carvone	202-759-5	99-49-0	50-90%	H302; H313; H316; H317; H402 XN; R22, XI; R43;
Limonene	227-813-5	5959-27-5	20-30%	H226; H304; H316; H317; H400; H410 R10, XI; R38, XI; R43, N; R50/53;
Pinenes	201-291-9	80-56-8	1-5%	H226; H302; H304; H315; H317; H400; H410 R10, XI; R43, N; R50/53, XN; R65

For the full text of the R-Phrases and H-Statements, see Section 16.

SECTION 4: First Aid Measures

4.1 Description of First Aid Measures

General Advice: If symptoms persists, call a physician. Do not breathe

dust/fume/gas/mist/vapors/spray. Do not get in eyes,

on skin, or on clothing.

Eye Contact: Immediately flush with plenty of water. After initial

flushing, remove any contact lenses and continue flushing for at least 15 minutes. Keep eyes wide open while rinsing. If symptoms persist, call a physician.

Skin Contact: Immediate medical attention is not required. Wash off

immediately with soap and plenty of water while removing all contaminated clothes and shoes. If skin

irritation persists, call a physician.

Ingestion: Clean mouth with water and afterwards drink plenty of

water. Do not induce vomiting. Never give anything by

mouth to an unconscious person. Consult a

physician.

Inhalation: Immediate medical attention is not required. Move to

fresh air in case of accidental inhalation of vapors or decomposition products. If symptoms persist, call a

physician.

Self Protection

of the First Aider: Use personal protective equipment.

4.2 Most Important Symptoms and Effects, Both Acute and Delayed

Main Symptoms: No information available.

4.3 Indication of Any Immediate Medial Attention and Special Treatment Needed

Note to Physicians: May cause sensitization in susceptible persons. Treat

symptomatically.

SECTION 5: Firefighting Measures

5.1 Extinguishing Media

Suitable: Use dry chemical, Carbon Dioxide (CO₂), alcohol-resistant

foam.

Unsuitable: Do not use solid water stream as it may scatter and spread

fire.

5.2 Special Hazards Arising from the Substance or Mixture

No information available.

5.3 Protective Equipment and Precautions for Firefighters

As in any fire, wear a self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

SECTION 6: Accidental Release Measures

6.1 Personal Precautions, Protective Equipment and Emergency Procedures

Avoid contact with skin, eyes and clothing. Use personal protective equipment. Remove all sources of ignition. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak. Pay attention to flashback. Take precautionary measures against static discharges.

6.2 Environmental Precautions

Prevent entry into waterways, sewers, basements or confined areas. Do not flush into surface water or sanitary sewer system. Prevent further leakage or spillage if safe to do so. Prevent product from entering drains. Beware of vapors accumulating to form explosive concentrations. Vapors can accumulate in low areas.

6.3 Methods and Material for Containment and Cleaning Up

Containment: Prevent further leakage or spillage if safe to do so.

Cleaning Up: Soak up with inert absorbent material (e.g. sand, silica gel,

acid binder, universal binder, sawdust). Take up

mechanically and collect in suitable container for disposal.

SECTION 7: Handling and Storage

7.1 Precautions for Safe Handling

Avoid contact with skin, eyes and clothing. Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Use personal protective equipment as required. Do not breathe dust/fume/gas/mist/vapors/spray. Use only in area provided with appropriate exhaust ventilation. To avoid ignition of vapors by static electricity discharge, all metal parts of the equipment must be grounded. Keep away from heat, sparks and open flame. No smoking. Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapors).

7.2 Conditions for Safe Storage, Including Any Incompatibilities

Keep tightly closed in a dry, cool, and well-ventilated place. Keep away from heat and sources of ignition. Keep in properly labeled containers. Keep out of reach of children.

7.3 Specific End Use(s)

Exposure Scenario: N/A
Other Guidelines: N/A

SECTION 8: Exposure Controls/Personal Protection

8.1 Control Parameters

Exposure Guidelines:

This product, as supplied, does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies.

Chemical Name	European Union	The United Kingdom	France	Spain	Germany
Limonene 5989-27-5					MAK: 20 ppm MAK: 110 mg/m³ Ceiling/Peak: 40 ppm Ceiling/Peak: 220 mg/m³ TWA: 20 ppm TWA: 110 mg/m³
Pinenes 80-56-8				VLA-ED: 20 ppm VLA-ED: 113 mg/m³	

Chemical Name	Italy	Portugal	The Netherlands	Finland	Denmark
Limonene 5989-27-5				TWA: 25 ppm TWA: 140 mg/m³ STEL: 50 ppm STEL: 280 mg/m³	
Pinenes 80-56-8		TWA: 20 ppm			

Chemical Name	Austria	Sweden	Switzerland	Poland	Norway
Limonene 5989-27-5			STEL: 40 ppm STEL: 220 mg/m ³ MAK: 20 ppm MAK: 110 mg/m ³		TWA: 25 ppm TWA: 140 mg/m ³ STEL: 37.5 ppm STEL: 175 mg/m ³
Pinenes 80-56-8		25 ppm NGV 150 mg/m³ NGV			TWA: 25 ppm TWA: 140 mg/m³ Skin STEL: 37.5 ppm STEL: 175 mg/m³

Derived No Effect Level (DNEL):No information available.

Predicted No Effect Concentration (PNEC): No information available.

8.2 Exposure Controls

Engineering Controls: Ensure adequate ventilation, especially in

confined areas.

8.3 Personal Protective Equipment

Eye/Face Protection: Tightly fitting safety goggles

Skin and Body Protection: Protective gloves. Antistatic boots. Wear

fire/flame resistant/retardant clothing. Chemical

resistant apron. Long sleeved clothing.

Respiratory Protection: When workers are facing concentrations above

the exposure limit they must use appropriate

certified respirators.

General Hygiene Considerations:

When using, do not eat, drink or smoke. Wash contaminated clothing before reuse. Provide regular cleaning of equipment, work area and clothing.

Environmental Exposure Controls:

Do not allow material to contaminated ground water system.

SECTION 9: Physical and Chemical Properties

9.1 Information on Basic Physical and Chemical Properties

Physical State @ 20°C: Liquid Appearance: Clear

Odor: Spearmint/carvone

Odor Threshold:

Color:
Water white to pale yellow
No information available

Flash Point: 144°F / 62°C

Evaporation Rate:
Flammability Limits in Air:
No information available

Specific Gravity @ 25°C: 0.9170 - 0.9340
Specific Gravity @ 20°C: 0.92 - 0.937
Refractive Index: 1.4840 - 1.4910
Water Solubility: Insoluble in water

Solubility:

Partition Coefficient:

Autoignition Temperature:

Decomposition Temperature:

Viscosity, Dynamic:

Molecular Weight:

No information available
No information available
No information available
No information available

VOC Content (%): 22

SECTION 10: Stability and Reactivity

10.1 Reactivity

No information available.

10.2 Chemical Stability

Stable under normal conditions.

10.3 Possibility of Hazardous Reactions

No information available.

10.4 Conditions to Avoid

Heat, flames and sparks.

10.5 Incompatible Materials

No materials to be especially mentioned.

10.6 Hazardous Decomposition Products

None under normal use conditions.

SECTION 11: Toxicological Information

11.1 Information on Toxicological Effects and Likely Routes of Exposure

Inhalation:There is no data available for this product.Eye Contact:There is no data available for this product.Skin Contact:There is no data available for this product.Ingestion:There is no data available for this product.Acute Toxicity:18% of the mixture consists of ingredient(s) of

unknown toxicity.

The following values are calculated bases on Chapter 3.1 of the GHS document.

Oral: 1,948.50 mg/kg **Dermal:** 2,383.70 mg/kg

Skin Corrosion/Irritation:No information available.Eye Damage/Irritation:No information available.Sensitization:No information available.Germ Cell Mutagenicity:No information available.Carcinogenicity:No information available.

Specific Target Organ Systemic

Toxicity (Single Exposure):No information available.

Specific Target Organ Systemic

Toxicity (Repeated Exposure):No information available.Target Organ Effects:No information available.Aspiration Hazard:No information available.

SECTION 12: Ecological Information

12.1 Ecotoxicity

Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Chemical Name	Toxicity to Algae	Toxicity to Fish	Toxicity to Daphnia and Other Aquatic Invertebrates
Limonene		0.619-0.796: 96 h Pimephales promelas mg/L LC50 flow-through 35: 96 h Oncorhynchus mykiss mg/L LC50	
Pinenes		0.28: 96 h Pimephales promelas mg/L LC50 static	41: 48 h Daphnia magna mg/L LC50

12.2 Persistence and Degradability

No information available.

12.3 Bioaccumulative Potential

No information available.

Chemical Name	log Pow
Pinenes	4.1

12.4 Mobility in Soil

No information available.

12.5 Results of PBT and vPvB Assessment

No information available.

12.6 Other Adverse Effects

No information available.

SECTION 13: Disposal Considerations

13.1 Waste Treatment Methods

Waste Disposal Methods: Dispose of in accordance with local

regulations.

Contaminated Packaging: Empty containers should be taken to an

approved waste handling site for

recycling or disposal.

SECTION 14: Transport Information

14.1 Transport Information

DOT Not regulated. (If shipped in NON BULK packaging by ground transport.

UN/ID No: 3082

Proper Shipping Name: ENVIRONMENTALLY HAZARDOUS

SUBSTANCE, LIQUID, N.O.S. (LIMONENE)

Hazard Class: 9
Packing Group: III
ERG Code: 171

IMDG/IMO

Proper Shipping Name: ENVIRONMENTALLY HAZARDOUS

SUBSTANCE, LIQUID, N.O.S. (LIMONENE)

Hazard Class: 9
UN/ID No: 3082
Packing Group: III

Marine Pollutant: This product contains a chemical which is

listed as a marine pollutant according to

IMDG/IMO.

ICAO/IATA

UN/ID No: 3082

Proper Shipping Name: ENVIRONMENTALLY HAZARDOUS

SUBSTANCE, LIQUID, N.O.S. (LIMONENE)

Hazard Class: 9
Packing Group: III
Marine Pollutant: P

SECTION 15: Regulatory Information

15.1 Safety, Health and Environmental Regulations/Legislation Specific for the Substances or Mixture

WGK Classification

No information available.

International Inventories

TSCA: Complies DSL/NDSL: Complies Complies **EINECS/ELINCS: ENCS**: Complies **IECSC:** Complies KECL: Complies PICCS: Complies AICS: Complies

Legend

TSCA: United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL: Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS: European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS: Japan Existing and New Chemical Substance **IECSC:** China Inventory of Existing chemical Substances **KECL:** Korean Existing and Evaluated Chemical Substances

PICCS: Philippines Inventory of Chemicals and Chemical Substances

AICS: Australian Inventory of Chemical Substances

SECTION 16: Other Information

16.1 Full Text of H-Statements Referred to Under Sections 2 and 3

H226: Flammable liquid and vapor. H227: Combustible liquid.

H302: Harmful if swallowed. H304: May be fatal if swallowed and enters

H313: May be harmful in contact with skin. airways.

H315: Causes skin irritation. H316: Causes mild skin irritation. H317: May cause an allergic skin reaction. H319: Causes serious eye irritation.

H400: Very toxic to aquatic life. H401: Toxic to aquatic life.

H402: Harmful to aquatic life. H410: Very toxic to aquatic life with long

H411: Toxic to aquatic life with long lasting lasting effects.

effects.

16.2 Full Text of Risk Combination Phrases

R10: Flammable. R22: Harmful if swallowed.

R38: Irritating to skin. R43: May cause sensitization by skin

R50/53: Very toxic to aquatic organisms, contact.

may cause long-term adverse effects in the R51/53: Toxic to aquatic organisms, may

aquatic environment. cause long-term adverse effects in the

R65: Harmful: may cause lung damage if aquatic environment.

swallowed.

WARNING/DISCLAIMER:

This ingredient(s) has not been tested, nor has it been deemed safe, for inhalation or use in electronic smoking devices, electronic nicotine delivery systems, electronic cigarettes or other similar devices (collectively "E-Cigarettes"). In supplying this ingredient, Majestic Mountain Sage instructs, and by receiving the ingredient recipient confirms, that this ingredient will not be used in connection with the manufacture and distribution of E-Cigarettes or any component thereof.

Notes:

This safety data sheet is based on the properties of the material known at the time the data sheet was issued. The safety data sheet is intended to provide information for a health and safety assessment of the material and the circumstances, under which it is packaged, stored or applied in the workplace. For such a safety assessment holds no responsibility. This document is not intended for quality assurance purposes.