

SECTION 1: Identification of the Substance/Mixture and of the Company/Undertaking

- 1.1 Product Name:** Green Tea Fragrance Oil
Product Code: 303-139X
- 1.2 Intended Use:** Compound used in customer substance/mixture/product.
- 1.3 Supplier:** Majestic Mountain Sage Inc
2490 S 1350 W
Nibley, Utah 84321 - United States of America
T 435.755.0863 - F 435.755.2108
www.TheSage.com
- 1.4 Emergency Telephone Number**
No additional information available.

SECTION 2: Hazards Identification

2.1 Classification of the Substance or Mixture

This mixture has not been tested as a whole. The effects, listed below, are based on evaluation of individual components in accordance with the provisions of the regulation(s) noted below.

Classification According to GHS and (EC) No 1272/2008 (CLP)

| | |
|---------------------------------------|---|
| Flammable Liquids, Category 3 | H226: Flammable liquid and vapor. |
| Acute Toxicity Oral, Category 5 | H303: May be harmful if swallowed. |
| Aspiration Hazard, Category 1 | H304: May be fatal if swallowed and enters airways. |
| Acute Toxicity Dermal, Category 5 | H313: May be harmful in contact with skin. |
| Skin Corrosion/Irritation, Category 2 | H315: Causes skin irritation. |
| Sensitization, Skin, Category 1A | H317: May cause an allergic skin reaction. |
| Eye Damage/Irritation, Category 2A | H319: Causes serious eye irritation. |
| Acute Toxicity Inhalation, Category 5 | H333: May be harmful if inhaled. |
| Reproductive Toxicology, Category 1B | H360: May damage fertility or the unborn child. |
| Aquatic Acute Toxicity, Category 1 | H400: Very toxic to aquatic life. |

Aquatic Chronic Toxicity, Category 2 H411: Toxic to aquatic life with long lasting effects.

Classification OSHA (Provision 1910.1200 of title 29)

| | |
|---------------------------------------|---|
| Flammable Liquids, Category 3 | H226: Flammable liquid and vapor. |
| Aspiration Hazard, Category 1 | H304: May be fatal if swallowed and enters airways. |
| Skin Corrosion/Irritation, Category 2 | H315: Causes skin irritation. |
| Sensitization, Skin, Category 1A | H317: May cause an allergic skin reaction. |
| Eye Damage/Irritation, Category 2A | H319: Causes serious eye irritation. |
| Reproductive Toxicology, Category 1B | H360: May damage fertility or the unborn child. |
| Aquatic Acute Toxicity, Category 1 | H400: Very toxic to aquatic life. |

Classification Other

Carcinogenicity

This mixture contains ingredients identified as carcinogens, at 0.1% or greater, by the following: None [] ACGIH [] IARC [X] NTP [] OSHA []

2.2 Label Elements

Labeling (REGULATION (EC) No 1272/2008)

Hazard Pictograms



Signal Word: Danger.

Hazard Statements

| | |
|------|--|
| H226 | Flammable liquid and vapor. |
| H303 | May be harmful if swallowed. |
| H304 | May be fatal if swallowed and enters airways. |
| H313 | May be harmful in contact with skin. |
| H315 | Causes skin irritation. |
| H317 | May cause an allergic skin reaction. |
| H319 | Causes serious eye irritation. |
| H333 | May be harmful if inhaled. |
| H360 | May damage fertility or the unborn child. |
| H400 | Very toxic to aquatic life. |
| H411 | Toxic to aquatic life with long lasting effects. |

Precautionary Statements

Prevention:

| | |
|------|---|
| P201 | Obtain special instructions before use. |
| P202 | Do not handle until all safety precautions have been read and understood. |
| P233 | Keep container tightly closed. |
| P235 | Keep cool. |
| P240 | Ground/bond container and receiving equipment. |
| P241 | Use explosion-proof electrical/ventilating/lighting/equipment. |
| P242 | Use only non-sparking tools. |
| P243 | Take precautionary measures against static discharge. |
| P264 | Wash hands thoroughly after handling. |
| P272 | Contaminated work clothing should not be allowed out of the workplace. |
| P273 | Avoid release to the environment. |
| P281 | Use personal protective equipment. |

Response:

| | |
|----------------|--|
| P301+P310+P331 | IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician. Do NOT induce vomiting. |
| P302+P352 | IF ON SKIN: Wash with soap and water. |
| P303+P361+P353 | IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin with water/shower. |
| P304+P312 | IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell. |
| P305+P351+P338 | IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing. |
| P308+P313 | IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell. |
| P312 | Call a POISON CENTER or doctor/physician if you feel unwell. |
| P333+P313 | If skin irritation or a rash occurs: Get medical advice/attention. |
| P337+P313 | If eye irritation persists: Get medical advice/attention. |
| P352 | Wash with soap and water. |
| P362 | Take off contaminated clothing and wash before reuse. |
| P363 | Wash contaminated clothing before reuse. |
| P370+P378 | In case of fire: Use Carbon dioxide (CO ₂), dry chemical, or foam for extinction. Do not use a direct water jet on burning material. |
| P391 | Collect spillage. |

2.3 Other Hazards

No data available.

SECTION 3: Composition/Information on Ingredients

3.1 Mixtures

This product is a complex mixture of ingredients, which contains among others the following substance(s), presenting a health or environmental hazard within the meaning of the UN Globally Harmonized System of Classification and Labeling of Chemicals (GHS):

| CAS # Ingredient | EC# | Conc. Range | GHS Class. |
|--------------------------------|-----------|----------------|--|
| 24851-98-7 | 246-495-9 | 20-30% | H402 |
| <i>Methyl Dihydrojasmonate</i> | | | |
| 120-51-4 | 204-402-9 | 10-20% | H302; H313; H400; H411 |
| <i>Benzyl Benzoate</i> | | | |
| 5989-27-5 | 227-813-5 | 10-20% | H226; H304; H315; H317; H400; H410 |
| <i>Limonene</i> | | | |
| 115-95-7 | 204-116-4 | 5-10% | H227; H315; H317; H320; H402 |
| <i>Linalyl Acetate</i> | | | |
| 78-70-6 | 201-134-4 | 5-10% | H227; H303; H315; H317; H319; H402 |
| <i>Linalool</i> | | | |
| 127-91-3 | 204-872-5 | 5-10% | H226; H304; H315; H317; H400; H410 |
| <i>beta Pinene</i> | | | |
| 99-85-4 | 202-794-6 | 2-5% | H226; H303; H304; H316 |
| <i>gamma-Terpinene</i> | | | |
| 80-56-8 | 201-291-9 | 2-5% | H226; H302; H304; H315; H317; H400; H410 |
| <i>pinene</i> | | | |

| CAS # Ingredient | EC# | Conc. Range | GHS Class. |
|---|------------|------------------------|---|
| 21145-77-7 | 244-240-6 | 2-5% | H302; H400; H410 |
| <i>Acetyl hexamethyl tetralin</i> | | | |
| 63500-71-0 | 405-040-6 | 1-2% | H319 |
| <i>Isobutyl Methyl Tetrahydropyranol</i> | | | |
| 31906-04-4 | 250-863-4 | 1-2% | H317; H402 |
| <i>Hydroxyisohexyl 3-cyclohexene carboxaldehyde</i> | | | |
| 80-54-6 | 201-289-8 | 1-2% | H227; H302; H315; H317; H361; H401; H412 |
| <i>Butylphenyl Methylpropional</i> | | | |
| 14901-07-6 | 238-969-9 | 1-2% | H316; H401; H411 |
| <i>Ionone</i> | | | |
| 93-92-5 | 202-288-5 | 1-2% | H227; H402 |
| <i>methylbenzyl acetate</i> | | | |
| 4180-23-8 | 224-052-0 | 1-2% | H303; H316; H317; H401 |
| <i>Anethole</i> | | | |
| 106-24-1 | 203-377-1 | 0.1-1.0% | H303; H315; H317; H318; H402 |
| <i>Geraniol</i> | | | |
| 68737-61-1 | 272-113-5 | 0.1-1.0% | H227; H303; H313; H315; H317; H401; H411 |
| <i>Dimethyltetrahydro Benzaldehyde</i> | | | |
| 107-75-5 | 203-518-7 | 0.1-1.0% | H317; H319; H402 |
| <i>Hydroxycitronellal</i> | | | |
| 106-22-9 | 203-375-0 | 0.1-1.0% | H303; H313; H315; H317; H319; H401 |
| <i>Citronellol</i> | | | |
| 99-87-6 | 202-796-7 | 0.1-1.0% | H226; H303; H304; H316; H361; H401; H411 |
| <i>p-cymene</i> | | | |

| CAS # Ingredient | EC# | Conc. Range | GHS Class. |
|--|------------|------------------------|---------------------------------------|
| 5392-40-5 | 226-394-6 | 0.1-1.0% | H313; H315; H317; H319; H401 |
| <i>Citral</i> | | | |
| 106-25-2 | 203-378-7 | 0.1-1.0% | H303; H315; H317; H319; H401 |
| <i>Nerol</i> | | | |
| 1205-17-0 | 214-881-6 | 0.1-1.0% | H303; H317; H361; H401; H411 |
| <i>a-Methyl-1,3-benzodioxole-5-propionaldehyde</i> | | | |
| 105-87-3 | 203-341-5 | 0.1-1.0% | H315; H317; H401; H412 |
| <i>Geranyl Acetate</i> | | | |
| 18-58-1 | 204-262-9 | 0.1-1.0% | H303; H317; H320; H401; H412 |
| <i>Benzyl Salicylate</i> | | | |
| 32388-55-9 | 251-020-3 | 0.1-1.0% | H303; H317; H400; H410 |
| <i>Acetyl cedrene</i> | | | |
| 141-12-8 | 205-459-2 | 0.1-1.0% | H317; H401 |
| <i>Neryl acetate</i> | | | |
| 57378-68-4 | 260-709-8 | 0.1-1.0% | H302; H315; H317; H318; H400; H410 |
| <i>delta-1-(2,6,6-Trimethyl-3-cyclohexen-1-yl)-2-buten-1-one (delta-Damascone)</i> | | | |
| 101-86-0 | 202-983-3 | 0.1-1.0% | H303; H316; H317; H400; H411 |
| <i>Hexyl cinnamal</i> | | | |

See Section 16 for full text of GHS classification codes which were not shown in Section 2.

Total Hydrocarbon Content (% w/w) = 26.95

SECTION 4: First Aid Measures

4.1 Description of First Aid Measures

| | |
|----------------------|--|
| Inhalation: | Remove from exposure site to fresh air and keep at rest. Obtain medical advice. |
| Eye Contact: | Flush immediately with water for at least 15 minutes. Contact physician if symptoms persist. |
| Skin Contact: | Remove contaminated clothes. Wash thoroughly with water and soap. Contact physician if symptoms persist. |
| Ingestion: | Rinse mouth with water and obtain medical advice. |

4.2 Most Important Symptoms/Effects, Acute and Delayed

| | |
|------------------|---|
| Symptoms: | No data available. |
| Risks: | Refer to Section 2.2 "Hazard Statements". |

4.3 Indication of Any Immediate Medical Attention and Special Treatment Needed

| | |
|-------------------|----------------------------------|
| Treatment: | Refer to Section 2.2 "Response". |
|-------------------|----------------------------------|

SECTION 5: Firefighting Measures

5.1 Extinguishing Media

| | |
|--------------------|--|
| Suitable: | Carbon dioxide (CO ₂), Dry Chemical, Foam. |
| Unsuitable: | Do not use a direct water jet on burning material. |

5.2 Special Hazards Arising from the Substance or Mixture

| | |
|------------------------------|---------------------------|
| During Fire Fighting: | Water may be ineffective. |
|------------------------------|---------------------------|

5.3 Advice for Firefighters

| | |
|-----------------------------|--|
| Further Information: | Standard procedure for chemical fires. |
|-----------------------------|--|

SECTION 6: Accidental Release Measures

6.1 Personal Precautions, Protective Equipment and Emergency Procedures

Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.

6.2 Environmental Precautions

Keep away from drains, soil, and surface and groundwater.

6.3 Methods and Materials for Containment and Cleaning Up

Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapors. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

6.4 Reference to Other Sections

Not applicable.

SECTION 7: Handling and Storage

7.1 Precautions for Safe Handling

Apply according to good manufacturing and industrial hygiene practices with proper ventilation. Do not drink, eat or smoke while handling. Respect good personal hygiene.

7.2 Conditions for Safe Storage, Including Any Incompatibilities

Store in a cool, dry and ventilated area away from heat sources and protected from light in tightly closed original container. Avoid plastic and uncoated metal container. Keep air contact to a minimum.

7.3 Specific End Uses

No information available.

SECTION 8: Exposure Controls/Personal Protection

8.1 Control Parameters

Exposure Limits:

| Component | ACGIH TWA ppm | ACGIH STEL ppm | OSHA TWA ppm | OSHA STEL ppm |
|-----------------------------|------------------|-------------------|-----------------|------------------|
| 127-91-3 <i>beta Pinene</i> | 20 | | | |
| 80-56-8 <i>pinene</i> | 20 | | | |

Engineering Controls: Use local exhaust as needed.

8.2 Exposure Controls - Personal Protective Equipment

Eye Protection: Tightly sealed goggles, face shield, or safety glasses with brow guards and side shields, etc. as may be appropriate for the exposure.

Respiratory Protection: Avoid excessive inhalation of concentrated vapors. Apply local ventilation where appropriate.

Skin Protection: Avoid skin contact. Use chemically resistant gloves as needed.

SECTION 9: Physical and Chemical Properties

9.1 Information on Basic Physical and Chemical Properties

| | |
|------------------------------------|----------------------|
| Appearance: | Liquid |
| Odor: | Conforms to Standard |
| Color: | Yellow Tint (G0/1) |
| Viscosity: | Liquid |
| Freezing Point: | Not determined |
| Boiling Point: | Not determined |
| Melting Point: | Not determined |
| Flashpoint (CCCFP): | 140°F (60.00°C) |
| Auto Flammability: | Not determined |
| Explosive Properties: | None expected |
| Oxidizing Properties: | None expected |
| Vapor Pressure (mmHg@20°C): | 0.3469 |

| | |
|---------------------------------|--------|
| %VOC: | 29.05 |
| Specific Gravity @ 25°C: | 0.9450 |
| Density @ 25°C: | 0.9420 |
| Refractive Index @ 20°C: | 1.4850 |
| Soluble In: | Oil |

| |
|---|
| SECTION 10: Stability and Reactivity |
|---|

| | |
|--|---|
| 10.1 Reactivity | None. |
| 10.2 Chemical Stability | Stable. |
| 10.3 Possibility of Hazardous Reactions | None known. |
| 10.4 Conditions to Avoid | None known. |
| 10.5 Incompatible Materials | Strong oxidizing agents, strong acids, and alkalis. |
| 10.6 Hazardous Decomposition Products | None known. |

| |
|--|
| SECTION 11: Toxicological Information |
|--|

11.1 Toxicological Effects

Acute Toxicity Estimates (ATEs) based on individual Ingredient Toxicity Data utilizing the "Additivity Formula."

| | |
|---|---|
| Acute Toxicity-Oral-(Rat) mg/kg | (LD50: 3131.5705) May be harmful if swallowed. |
| Acute Toxicity-Dermal (Rabbit) mg/kg | (LD50: 3821.3255) May be harmful in contact with skin. |
| Acute Toxicity-Inhalation (Rat) mg/L/4hr | (LC50: 38.8067) May be harmful if inhaled. |
| Skin Corrosion/Irritation | Causes skin irritation. |
| Serious Eye Damage/Irritation | Causes serious eye irritation. |
| Respiratory Sensitization | Not classified - the classification criteria are not met. |
| Skin Sensitization | May cause an allergic skin reaction. |
| Germ Cell Mutagenicity | Not classified - the classification criteria are not met. |
| Carcinogenicity | Not classified - the classification criteria are not met. |

| | |
|---|---|
| Reproductive Toxicity | May damage fertility or the unborn child. |
| Specific Target Organ Toxicity Single Exposure | Not classified - the classification criteria are not met. |
| Specific Target Organ Toxicity Repeated Exposure | Not classified - the classification criteria are not met. |
| Aspiration Hazard | May be fatal if swallowed and enters airways. |

SECTION 12: Ecological Information

12.1 Toxicity

| | |
|-------------------------------------|--|
| Acute Aquatic Toxicity: | Very toxic to aquatic life. |
| Chronic Aquatic Toxicity: | Toxic to aquatic life with long lasting effects. |
| Toxicity Data on Soil: | No data available. |
| Toxicity on Other Organisms: | No data available. |

12.2 Persistence and Degradability No data available.

12.3 Bioaccumulative Potential No data available.

12.4 Mobility in Soil No data available.

12.5 Other Adverse Effects No data available.

SECTION 13: Disposal Considerations

13.1 Waste Treatment Methods

Do not allow product to reach sewage systems. Dispose of in accordance with all local and national regulations. Send to a licensed waste management company. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container.

SECTION 14: Transport Information**14.1 Transport Information**

Marine Pollutant: Yes. Ingredient of greatest environmental impact:
 120-51-4 10-20% Benzyl Benzoate

| Regulator | Class | Pack Group | Sub Risk | UN-Nr. |
|--|-------------------------------------|------------|------------------|--------|
| U.S. DOT (Non-Bulk) | Not Regulated - Not Dangerous Goods | | | |
| <i>Chemicals NOI</i> | | | | |
| ADR/RID (International Road/Rail) | | | | |
| <i>Environmentally Hazardous Substance, Liquid, n.o.s.</i> | 9 | III | | UN3082 |
| IATA (Air Cargo) | | | | |
| <i>Perfumery Products</i> | 3 | III | Flammable Liquid | UN1266 |
| <i>Environmentally Hazardous Substance, Liquid, n.o.s.</i> | 9 | III | | UN3082 |
| IMDG (Sea) | | | | |
| <i>Perfumery Products</i> | 3 | III | Flammable Liquid | UN1266 |
| <i>Environmentally Hazardous Substance, Liquid, n.o.s.</i> | 9 | III | | UN3082 |

SECTION 15: Regulatory information**15.1 U.S. Federal Regulations****TSCA (Toxic Substance Control Act)**

All components of the substance/mixture are listed or exempt.

40 CFR (EPCRA, SARA, CERCLA AND CAA)

This product contains NO components of concern.

15.2 U.S. State Regulations

California Proposition 65 Warning

123-35-3(NFS) 204-622-5 0.1-1.0% beta-Myrcene (Natural Source)

15.3 Canadian Regulations

DSL/NDSL

100.00% of the components are listed or exempt.

| |
|--------------------------------------|
| SECTION 16: Other Information |
|--------------------------------------|

16.1 GHS H-Statements Referred to Under Section 3

H227: Combustible liquid.

H302: Harmful if swallowed.

H316: Causes mild skin irritation.

H317: May cause an allergic skin reaction.

H318: Causes serious eye damage.

H320: Causes eye irritation.

H361: Suspected of damaging fertility or the unborn child.

H401: Toxic to aquatic life.

H402: Harmful to aquatic life.

H410: Very toxic to aquatic life with long lasting effects.

H412: Harmful to aquatic life with long lasting effects.

16.2 Total Fractional Values

(TFV) Risk

(128.84) Acute Toxicity Inhalation, Category 5

(15.00) Sensitization, Skin, Category 1A

(5.36) Sensitization, Skin, Category 1

(4.86) Aquatic Chronic Toxicity, Category 2

(3.67) Reproductive Toxicology, Category 1B

(2.34) Eye Damage/Irritation, Category 2A

(1.67) Aquatic Acute Toxicity, Category 1

(1.31) Acute Toxicity Dermal, Category 5

(TFV) Risk

(49.23) Aquatic Chronic Toxicity, Category 3

(13.76) Sensitization, Skin, Category 1B

(5.05) Skin Corrosion/Irritation, Category 3

(4.27) Skin Corrosion/Irritation, Category 2

(2.69) Aspiration Hazard, Category 1

(1.88) Aquatic Chronic Toxicity, Category 4

(1.60) Acute Toxicity Oral, Category 5

Notes:

This safety data sheet is based on the properties of the material known at the time the data sheet was issued. The safety data sheet is intended to provide information for a health and safety assessment of the material and the circumstances, under which it is packaged, stored or applied in the workplace. For such a safety assessment holds no responsibility. This document is not intended for quality assurance purposes.