

Bay Rum Fragrance Oil

Safety Data Sheet

SECTION 1: Identification of the Substance/Mixture and of the Company/Undertaking

1.1 Product Name: Bay Rum Fragrance Oil

Product Code: 303-159X

1.2 Intended Use: Compound used in customer substance/mixture/product.

1.3 Supplier: Majestic Mountain Sage Inc

2490 S 1350 W

Nibley, Utah 84321 - United States of America

T 435.755.0863 - F 435.755.2108

www.TheSage.com

1.4 Emergency Telephone Number

No additional information available.

SECTION 2: Hazards Identification

2.1 Classification of the Substance or Mixture

This mixture has not been tested as a whole. The effects, listed below, are based on evaluation of individual components in accordance with the provisions of the regulation(s) noted below.

Classification According to GHS and (EC) No 1272/2008 (CLP)

Flammable Liquids, Category 4 H227: Combustible liquid.
Acute Toxicity Oral, Category 4 H302: Harmful if swallowed.

Acute Toxicity Dermal, Category 5 H313: May be harmful in contact with

skin.

Skin Corrosion/Irritation, Category 2 H315: Causes skin irritation.

Sensitization, Skin, Category 1A H317: May cause an allergic skin

reaction.

Eye Damage/Irritation, Category 2A
Acute Toxicity Inhalation, Category 5
Aquatic Acute Toxicity, Category 1
H319: Causes serious eye irritation.
H333: May be harmful if inhaled.
H400: Very toxic to aquatic life.

Aquatic Chronic Toxicity, Category 2 H411: Toxic to aquatic life with long

lasting effects.

Classification OSHA (Provision 1910.1200 of title 29)

Flammable Liquids, Category 4

Acute Toxicity Oral, Category 4

Skin Corrosion/Irritation, Category 2

H227: Combustible liquid.

H302: Harmful if swallowed.

H315: Causes skin irritation.

Sensitization, Skin, Category 1A H317: May cause an allergic skin

reaction.

Eye Damage/Irritation, Category 2A H319: Causes serious eye irritation. Aquatic Acute Toxicity, Category 1 H400: Very toxic to aquatic life.

Classification Other

Carcinogenicity This mixture contains ingredients

identified as carcinogens, at 0.1% or greater, by the following: None [X] ACGIH [] IARC [] NTP [] OSHA []

2.2 Label Elements

Labeling (REGULATION (EC) No 1272/2008) Hazard Pictograms





Signal Word: Warning.

Hazard Statements

| TIZZI COTTIDUSTIDIE | ilquiu. |
|----------------------|-------------------------------------|
| H302 Harmful if swa | allowed. |
| H313 May be harm | ful in contact with skin. |
| H315 Causes skin i | rritation. |
| H317 May cause ar | n allergic skin reaction. |
| H319 Causes serio | us eye irritation. |
| H333 May be harm | ful if inhaled. |
| H400 Very toxic to a | aquatic life. |
| H411 Toxic to aqua | tic life with long lasting effects. |

Combustible liquid

Precautionary Statements

| Prevention: | |
|-------------|--|
| P235 | Keep cool. |
| P264 | Wash hands thoroughly after handling. |
| P270 | Do not eat, drink or smoke when using this product. |
| P272 | Contaminated work clothing should not be allowed out of the workplace. |
| P273 | Avoid release to the environment. |

Res

| | 0. | are workplace. |
|----------|-------------------|--|
| P273 | Av | oid release to the environment. |
| sponse: | | |
| P301+P31 | | SWALLOWED: Call a POISON CENTER or ctor/physician if you feel unwell. Rinse mouth. |
| P302+P35 | 52 IF | ON SKIN: Wash with soap and water. |
| P304+P31 | 2 IF | INHALED: Call a POISON CENTER or doctor/ysician if you feel unwell. |
| P305+P35 | 51+P338 İF miı | IN EYES: Rinse cautiously with water for several nutes. Remove contact lenses if present and easy to . Continue rinsing. |
| P333+P31 | | skin irritation or a rash occurs: Get medical advice/ention. |
| P337+P31 | 3 If e | eye irritation persists: Get medical advice/attention. |
| P362 | Ta | ke off contaminated clothing and wash before reuse. |
| P363 | Wa | ash contaminated clothing before reuse. |
| P370+P37 | '8 In | case of fire: Use Carbon dioxide (CO2), Dry |

chemical, or Foam for extinction. Do not use a direct

water jet on burning material.
Collect Spillage.

P391

2.3 Other Hazards

No data available

SECTION 3: Composition/Information on Ingredients

3.1 Mixtures

This product is a complex mixture of ingredients, which contains among others the following substance(s), presenting a health or environmental hazard within the meaning of the UN Globally Harmonized System of Classification and Labeling of Chemicals (GHS):

| CAS # Ingredient | EC# | Conc. Range | GHS Class. | |
|---------------------|-----------------------|----------------|---------------------------------------|--|
| 120-51-4 | 204-402-9 | 50-60% | H302; H313; H400; H411 | |
| Benzyl Benzoat | ^t e | | | |
| 78-70-6 | 201-134-4 | 5-10% | H227; H303; H315; H317; H319; H402 | |
| Linalool | | • | | |
| 32388-55-9 | 251-020-3 | 5-10% | H303; H317; H400; H410 | |
| Acetyl cedrene | | | | |
| 98-55-5 | 202-680-6 | 2-5% | H227; H303; H315; H319; H401 | |
| Terpineol | | | | |
| 115-95-7 | 204-116-4 | 2-5% | H227; H315; H317; H320; H402 | |
| Linalyl Acetate | | • | | |
| 1222-05-5 | 214-946-9 | 2-5% | H316; H400; H410 | |
| Hexamethylinda | Hexamethylindanopyran | | | |
| 91-64-5 | 202-086-7 | 2-5% | H302; H317; H402 | |
| Coumarin | | | | |
| 97-53-0 | 202-589-1 | 2-5% | H303; H316; H317; H319; H401 | |
| Eugenol | | | | |
| 5989-27-5 | 227-813-5 | 2-5% | H226; H304; H315; H317; H400; H410 | |
| Limonene | | | | |

| CAS # Ingredient | EC# | Conc. Range | GHS Class. | |
|---------------------|-------------------|----------------|------------------|--|
| 31906-04-4 | 250-863-4 | 1-2% | H317; H402 | |
| Hydroxyisohexy | /l 3-cyclohexene | carboxaldehyd | de | |
| 5986-55-0 | 227-807-2 | 1-2% | H401; H411 | |
| Patchouli alcoh | ol | | | |
| 8007-35-0 | 232-357-5 | 1-2% | H316; H401; H411 | |
| Terpineol aceta | Terpineol acetate | | | |
| 80-25-1 | 201-264-1 | 1-2% | H401 | |
| Dihydroterpinyl | acetate | | | |
| 120-57-0 | 204-409-7 | 1-2% | H303; H317; H401 | |
| Heliotropine | | | | |
| 123-11-5 | 204-602-6 | 1-2% | H303; H402; H412 | |
| Anisaldehyde | | | | |
| 140-11-4 | 205-399-7 | 1-2% | H303; H401; H412 | |
| Benzyl acetate | | | | |

See Section 16 for full text of GHS classification codes which were not shown in Section 2.

Total Hydrocarbon Content (% w/w) = 3.46

SECTION 4: First Aid Measures

4.1 Description of First Aid Measures

Inhalation: Remove from exposure site to fresh air and keep at

rest. Obtain medical advice.

Eye Contact: Flush immediately with water for at least 15 minutes.

Contact physician if symptoms persist.

Skin Contact: Remove contaminated clothes. Wash thoroughly with

water and soap. Contact physician if symptoms persist.

Ingestion: Rinse mouth with water and obtain medical advice.

4.2 Most Important Symptoms/Effects, Acute and Delayed

Symptoms: No data available.

Risks: Refer to Section 2.2 "Hazard Statements".

4.3 Indication of Any Immediate Medical Attention and Special Treatment Needed

Treatment: Refer to Section 2.2 "Response".

SECTION 5: Firefighting Measures

5.1 Extinguishing Media

Suitable: Carbon dioxide (CO₂), Dry Chemical, Foam.

Unsuitable: Do not use a direct water jet on burning material.

5.2 Special Hazards Arising from the Substance or Mixture

During Fire Fighting: Water may be ineffective.

5.3 Advice for Firefighters

Further Information: Standard procedure for chemical fires.

SECTION 6: Accidental Release Measures

6.1 Personal Precautions, Protective Equipment and Emergency Procedures

Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.

6.2 Environmental Precautions

Keep away from drains, soil, and surface and groundwater.

6.3 Methods and Materials for Containment and Cleaning Up

Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapors. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

6.4 Reference to Other Sections

Not applicable.

SECTION 7: Handling and Storage

7.1 Precautions for Safe Handling

Apply according to good manufacturing and industrial hygiene practices with proper ventilation. Do not drink, eat or smoke while handling. Respect good personal hygiene.

7.2 Conditions for Safe Storage, Including Any Incompatibilities

Store in a cool, dry and ventilated area away from heat sources and protected from light in tightly closed original container. Avoid plastic and uncoated metal container. Keep air contact to a minimum.

7.3 Specific End Uses

No information available.

SECTION 8: Exposure Controls/Personal Protection

8.1 Control Parameters

Exposure Limits:

| Component | ACGIH | ACGIH | OSHA | OSHA |
|-------------------------|---------|----------|---------|----------|
| | TWA ppm | STEL ppm | TWA ppm | STEL ppm |
| 140-11-4 Benzyl acetate | 10 | | | |

Engineering Controls: Use local exhaust as needed.

8.2 Exposure Controls - Personal Protective Equipment

Eye Protection: Tightly sealed goggles, face shield, or safety glasses

with brow guards and side shields, etc. as may be

appropriate for the exposure.

Respiratory Protection: Avoid excessive inhalation of concentrated vapors.

Apply local ventilation where appropriate.

Skin Protection: Avoid skin contact. Use chemically resistant gloves as

needed.

SECTION 9: Physical and Chemical Properties

9.1 Information on Basic Physical and Chemical Properties

Appearance: Liquid

Odor: Conforms to Standard

Color: Yellow (G5) to Golden Yellow (G8)

Viscosity: Liquid

Freezing Point:

Boiling Point:

Melting Point:

Flashpoint (CCCFP):

Auto Flammability:

Explosive Properties:

Not determined
192°F (88.89°C)
Not determined
None expected
None expected
None expected

 Vapor Pressure (mmHg@20°C):
 0.0309

 %VOC:
 6.17

 Specific Gravity @ 25°C:
 1.0400

 Density @ 25°C:
 1.0370

 Refractive Index @ 20°C:
 1.5330

 Soluble In:
 Oil

SECTION 10: Stability and Reactivity

10.1 Reactivity None.

10.2 Chemical Stability Stable.

10.3 Possibility of Hazardous Reactions None known.

10.4 Conditions to AvoidNone known.

10.5 Incompatible Materials Strong oxidizing agents, strong acids, and

alkalis.

10.6 Hazardous Decomposition Products None known.

SECTION 11: Toxicological Information

11.1 Toxicological Effects

Acute Toxicity Estimates (ATEs) based on individual Ingredient Toxicity Data utilizing the "Additivity Formula."

Acute Toxicity-Oral-(Rat) mg/kg (LD50: 1858.7021) Harmful if swallowed. (LD50: 2947.4969) May be harmful in

(Rabbit) mg/kg contact with skin.

Acute Toxicity-Inhalation (LC50: 71.9034) May be harmful if

(Rat) mg/L/4hr inhaled.

Skin Corrosion/Irritation Causes skin irritation.

Serious Eye Damage/Irritation Causes serious eye irritation.

Respiratory Sensitization Not classified - the classification criteria

are not met.

Skin Sensitization May cause an allergic skin reaction.

Germ Cell Mutagenicity Not classified - the classification criteria

are not met.

Carcinogenicity Not classified - the classification criteria

are not met.

Reproductive Toxicity Not classified - the classification criteria

are not met.

Specific Target Organ Toxicity Not classified - the classification criteria

Single Exposure are not met.

Specific Target Organ Toxicity Not classified - the classification criteria

Repeated Exposure are not met.

Aspiration Hazard Not classified - the classification criteria

are not met.

SECTION 12: Ecological Information

12.1 Toxicity

Acute Aquatic Toxicity: Very toxic to aquatic life.

Chronic Aquatic Toxicity: Toxic to aquatic life with long lasting effects.

Toxicity Data on Soil: No data available. Toxicity on Other Organisms: No data available.

12.2 Persistence and Degradability No data available.

12.3 Bioaccumulative Potential No data available.

12.4 Mobility in Soil No data available.

12.5 Other Adverse Effects

No data available.

SECTION 13: Disposal Considerations

13.1 Waste Treatment Methods

Do not allow product to reach sewage systems. Dispose of in accordance with all local and national regulations. Send to a licensed waste management company. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container.

SECTION 14: Transport Information

14.1 Transport Information

Marine Pollutant: Yes. Ingredient of greatest environmental impact:

120-51-4 50-60% Benzyl Benzoate

| Regulator | Class | Pack Group | Sub Risk | UN-Nr. |
|--|-------------------------------------|------------|----------|--------|
| U.S. DOT (Non-Bulk) | Not Regulated - Not Dangerous Goods | | | Goods |
| Chemicals NOI | | | | |
| ADR/RID (International Road/Rail) | | | | |
| Environmentally Hazardous Substance, Liquid, n.o.s. | 9 | III | | UN3082 |
| IATA (Air Cargo) | | | | |
| Environmentally Hazardous Substance, Liquid, n.o.s. | 9 | III | | UN3082 |
| IMDG (Sea) | | | | |
| Environmentally Hazardous Substance, Liquid, n.o.s. | 9 | III | | UN3082 |

SECTION 15: Regulatory information

15.1 U.S. Federal Regulations

TSCA (Toxic Substance Control Act)

All components of the substance/mixture are listed or exempt.

40 CFR (EPCRA, SARA, CERCLA AND CAA)

This product contains NO components of concern.

15.2 U.S. State Regulations

California Proposition 65 Warning

This product contains the following components:

| 123-35-3 (NFS) | 204-622-5 | 0.1-1.0% | beta-Myrcene (Natural Source) |
|----------------|-----------|------------|---------------------------------|
| 93-15-2 | 202-223-0 | 0.01-0.1% | Methyl Eugenol (Natural Source) |
| 140-67-0 | 205-427-8 | < = 33 ppm | Estragole (Methyl chavicol) |

(Natural Source)

94-59-7 202-345-4 < = 1 ppm Safrole (Natural Source)

15.3 Canadian Regulations

DSL/NDSL

100.00% of the components are listed or exempt.

SECTION 16: Other Information

16.1 GHS H-Statements Referred to Under Section 3

H226: Flammable liquid and vapor. H303: May be harmful if swallowed. H304: May be fatal if swallowed and enters H316: Causes mild skin irritation.

airways. H317: May cause an allergic skin reaction.

H320: Causes eye irritation. H401: Toxic to aquatic life.

H402: Harmful to aquatic life. H410: Very toxic to aquatic life with long

H412: Harmful to aquatic life with long lasting effects.

lasting effects.

16.2 Total Fractional Values

| (TFV) Risk | (TFV) Risk |
|---|--|
| (69.54) Acute Toxicity Inhalation, Category 5 | (66.32) Aquatic Chronic Toxicity, Category 3 |
| (17.50) Sensitization, Skin, Category 1A | (8.16) Sensitization, Skin, Category 1B |
| (6.62) Aquatic Chronic Toxicity, Category 2 | (2.85) Aquatic Chronic Toxicity, Category 4 |
| (2.75) Skin Corrosion/Irritation, Category 3 | (2.63) Aquatic Acute Toxicity, Category 1 |
| (1.98) Skin Corrosion/Irritation, Category 2 | (1.72) Eye Damage/Irritation, Category 2A |
| (1.98) Skin Corrosion/Irritation, Category 2 (1.70) Acute Toxicity Dermal, Category 5 | (1.72) Eye Damage/Irritation, Category 2A (1.08) Acute Toxicity Oral, Category 4 |

Notes:

This safety data sheet is based on the properties of the material known at the time the data sheet was issued. The safety data sheet is intended to provide information for a health and safety assessment of the material and the circumstances, under which it is packaged, stored or applied in the workplace. For such a safety assessment holds no responsibility. This document is not intended for quality assurance purposes.