

Icy Water Fragrance Oil

Safety Data Sheet

SECTION 1: Identification of the Substance/Mixture and of the Company/Undertaking

1.1 Product Name: Product Code:
1.2 Intended Use:
Compound used in customer substance/mixture/product.
1.3 Supplier:
Majestic Mountain Sage Inc 2490 S 1350 W Nibley, Utah 84321 - United States of America T 435.755.0863 - F 435.755.2108 www.TheSage.com

1.4 Emergency Telephone Number

No additional information available.

SECTION 2: Hazards Identification

2.1 Classification of the Substance or Mixture

This mixture has not been tested as a whole. The effects, listed below, are based on evaluation of individual components in accordance with the provisions of the regulation(s) noted below.

Classification According to GHS and (EC) No 1272/2008 (CLP)

Aspiration Hazard, Category 1	H304: May be fatal if swallowed and enters airways.
Skin Corrosion/Irritation, Category 3	H316: Causes mild skin irritation.
Sensitization, Skin, Category 1B	H317: May cause an allergic skin
	reaction.
Eye Damage/Irritation, Category 2A	H319: Causes serious eye irritation.
Reproductive Toxicology, Category 1B	H360: May damage fertility or the unborn child.
Aquatic Chronic Toxicity, Category 1	H410: Very toxic to aquatic life with long lasting effects.

Classification OSHA (Provision 1910.1200 of title 29)

Aspiration Hazard, Category 1	H304: May be fatal if swallowed and enters airways.
Sensitization, Skin, Category 1B	H317: May cause an allergic skin reaction.
Eye Damage/Irritation, Category 2A Reproductive Toxicology, Category 1B	H319: Causes serious eye irritation. H360: May damage fertility or the unborn child.
Classification Other	

This mixture contains ingredients identified as carcinogens, at 0.1% or greater, by the following: None [X] ACGIH [] IARC [] NTP [] OSHA []

2.2 Label Elements

Carcinogenicity

Labeling (REGULATION (EC) No 1272/2008) Hazard Pictograms



Signal Word:

Danger.

Hazard Statements

H304	May be fatal if swallowed and enters airways.
H316	Causes mild skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H360	May damage fertility or the unborn child.
H410	Very toxic to aquatic life with long lasting effects.

Precautionary Statements

Prevention:

P201	Obtain special instructions before use.
P202	Do not handle until all safety precautions have been
	read and understood.
P264	Wash hands thoroughly after handling.
P272	Contaminated work clothing should not be allowed out
	of the workplace.

P273	Avoid release to the environment.
P281	Use personal protective equipment as required.

Response:

P301+P310+P331	IF SWALLOWED: Immediately call a POISON
	CENTER or doctor/physician. Do NOT induce vomiting.
P302+P352	IF ON SKIN: Wash with soap and water.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several
	minutes. Remove contact lenses if present and easy to
	do. Continue rinsing.
P308+P313	If exposed or concerned: Get medical advice/attention.
P333+P313	If skin irritation or a rash occurs: Get medical advice/
	attention.
P337+P313	If eye irritation persists: Get medical advice/attention.
P363	Wash contaminated clothing before reuse.
P391	Collect spillage.

2.3 Other Hazards

No data available.

SECTION 3: Composition/Information on Ingredients

3.1 Mixtures

This product is a complex mixture of ingredients, which contains among others the following substance(s), presenting a health or environmental hazard within the meaning of the UN Globally Harmonized System of Classification and Labeling of Chemicals (GHS):

CAS # Ingredient	EC#	Conc. Range	GHS Class.
68608-32-2	294-461-7	20-30%	H304; H400; H410
Cedarwood oil t	terpenes		
8050-15-5	232-476-2	10-20%	H402; H412
Methyl ester of rosin (partially hydrogenated)			
103-60-6	203-127-1	10-20%	H316
2-Phenoxyethyl isobutyrate			
32210-23-4	250-954-9	10-20%	H303; H317; H401
4-tert-Butylcyclo	ohexyl acetate		

CAS # Ingredient	EC#	Conc. Range	GHS Class.
120-51-4	204-402-9	5-10%	H302; H313; H400; H411
Benzyl Benzoat	'e		
101-86-0	202-983-3	5-10%	H303; H316; H317; H400; H411
Hexyl cinnamal	Hexyl cinnamal		
8007-35-0	232-37-5	5-10%	H316; H401; H411
Terpineol aceta	te		
14011-4	205-399-7	2-5%	H303; H401; H412
Benzyl acetate			
118-58-1	204-262-9	2-5%	H303; H317; H320; H401; H412
Benzyl Salicylate			
2050-08-0	218-080-2	2-5%	H302; H400; h410
Amyl salicylate			
106-24-1	203-377-1	1-2%	H03; H315; H317; H318; H402
Geraniol			
106-22-6	203-375-0	1-2%	H303; H313; H315; H317; H319; H401
Citronellol			
78-69-3	201-133-9	1-2%	H227; H315; H317; H319; H401
Tetrahydrolinalool			
125-12-2	204-727-6	1-2%	H227; H316; H401
Isobornyl acetate			
103-36-6	203-104-6	1-2%	H303; H401
Ethyl cinnamate			
121-39-1	204-467-3	1-2%	H303; H317; H402
Ethyl 3-phenylg	lycidate		

CAS # Ingredient	EC#	Conc. Range	GHS Class.
80-54-6	201-289-8	0.1-1.0%	H227; H302; H315; H317; H360; H401; H412
Rutulahanyl Mathylaranianal			

Butylphenyl Methylpropional

See Section 16 for full text of GHS classification codes which were not shown in Section 2.

Total Hydrocarbon Content (% w/w) = 0.00

SECTION 4: First Aid Measures

4.1 Description of First Aid Measures

Inhalation:	Remove from exposure site to fresh air and keep at rest. Obtain medical advice.
Eye Contact:	Flush immediately with water for at least 15 minutes. Contact physician if symptoms persist.
Skin Contact:	Remove contaminated clothes. Wash thoroughly with water and soap. Contact physician if symptoms persist.
Ingestion:	Rinse mouth with water and obtain medical advice.

4.2 Most Important Symptoms/Effects, Acute and Delayed

Symptoms:	No data available.

Risks: Refer to Section 2.2 "Hazard Statements".

4.3 Indication of Any Immediate Medical Attention and Special Treatment Needed

Treatment:	Refer to Section 2.2 "Response".
in cutificitt.	

SECTION 5: Firefighting Measures

5.1 Extinguishing Media

Suitable:	Carbon dioxide (CO ₂), Dry Chemical, Foam.
Unsuitable:	Do not use a direct water jet on burning material.

SDS Icy Water Fragrance Oil, 303-219X

October 10th, 2018, page 5 of 11

5.2 Special Hazards Arising from the Substance or Mixture

During Fire Fighting: Water may be ineffective.

5.3 Advice for Firefighters

Further Information: Standard procedure for chemical fires.

SECTION 6: Accidental Release Measures

6.1 Personal Precautions, Protective Equipment and Emergency Procedures Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.

6.2 Environmental Precautions

Keep away from drains, soil, and surface and groundwater.

6.3 Methods and Materials for Containment and Cleaning Up

Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapors. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

6.4 Reference to Other Sections

Not applicable.

SECTION 7: Handling and Storage

7.1 Precautions for Safe Handling

Apply according to good manufacturing and industrial hygiene practices with proper ventilation. Do not drink, eat or smoke while handling. Respect good personal hygiene.

7.2 Conditions for Safe Storage, Including Any Incompatibilities

Store in a cool, dry and ventilated area away from heat sources and protected from light in tightly closed original container. Avoid plastic and uncoated metal container. Keep air contact to a minimum.

7.3 Specific End Uses

No information available.

SECTION 8: Exposure Controls/Personal Protection

8.1 Control Parameters

Exposure Limits:

Component	ACGIH	ACGIH	OSHA	OSHA
	TWA ppm	STEL ppm	TWA ppm	STEL ppm
140-11-4 Benzyl acetate	10			

Engineering Controls: Use local exhaust as needed.

8.2 Exposure Controls - Personal Protective Equipment

Eye Protection:	Tightly sealed goggles, face shield, or safety glasses with brow guards and side shields, etc. as may be appropriate for the exposure.
Respiratory Protection:	Avoid excessive inhalation of concentrated vapors. Apply local ventilation where appropriate.
Skin Protection:	Avoid skin contact. Use chemically resistant gloves as needed.

SECTION 9: Physical and Chemical Properties

9.1 Information on Basic Physical and Chemical Properties

Appearance:	Liquid
Odor:	Conforms to Standard
Color:	Yellow Tint (G1)
Viscosity:	Liquid
Freezing Point:	Not determined
Boiling Point:	Not determined
Melting Point:	Not determined
Flashpoint (CCCFP):	>200°F (93.33°C)
Auto Flammability:	Not determined
Explosive Properties:	None expected
Oxidizing Properties:	None expected
Vapor Pressure (mmHg@20°C):	0.0229
%VOC:	5.70
Specific Gravity @ 25°C:	0.9850

Density @ 25°C:	0.9820
Refractive Index @ 20°C:	1.5000
Soluble In:	Oil

SECTION 10: Stability and Reactivity10.1 ReactivityNone.10.2 Chemical StabilityStable.10.3 Possibility of Hazardous ReactionsNone known.10.4 Conditions to AvoidNone known.10.5 Incompatible MaterialsStrong oxidizing agents, strong acids, and alkalis.10.6 Hazardous Decomposition ProductsNone known.

SECTION 11: Toxicological Information

11.1 Toxicological Effects

Acute Toxicity Estimates (ATEs) based on individual Ingredient Toxicity Data utilizing the "Additivity Formula."

Acute Toxicity-Oral-(Rat) mg/kg	Not classified - the classification criteria are not met.
Acute Toxicity-Dermal	Not classified - the classification criteria
(Rabbit) mg/kg	are not met.
Acute Toxicity-Inhalation	Not classified - the classification criteria
(Rat) mg/L/4hr	are not met.
Skin Corrosion/Irritation	Causes mild skin irritation.
Serious Eye Damage/Irritation	Causes serious eye damage.
Respiratory Sensitization	Not classified - the classification criteria are not met.
Skin Sensitization	May cause an allergic skin reaction.
Germ Cell Mutagenicity	Not classified - the classification criteria are not met.
Carcinogenicity	Not classified - the classification criteria are not met.
Reproductive Toxicity	May damage fertility or the unborn child.
Specific Target Organ Toxicity	Not classified - the classification criteria
Single Exposure	are not met.

Not classified - the classification criteria are not met.

May be fatal if swallowed and enters airways.

SECTION 12: Ecological Information

12.1 Toxicity

Acute Aquatic Toxicity:	Not classified - the classification criteria are not met.
Chronic Aquatic Toxicity: Toxicity Data on Soil: Toxicity on Other Organisms:	Very toxic to aquatic life with long lasting effects. No data available. No data available.
12.2 Persistence and Degradability	No data available.
12.3 Bioaccumulative Potential	No data available.
12.4 Mobility in Soil	No data available.
12.5 Other Adverse Effects	No data available.

SECTION 13: Disposal Considerations

13.1 Waste Treatment Methods

Do not allow product to reach sewage systems. Dispose of in accordance with all local and national regulations. Send to a licensed waste management company. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container.

SECTION 14: Transport Information

14.1 Transport Information

Marine Pollutant:Yes. Ingredient of greatest environmental impact:
68608-32-2
20-30%Cedarwood oil terpenes

Regulator	Class	Pack Group	Sub Risk	UN-Nr.
U.S. DOT (Non-Bulk)	Not Regulated - Not Dangerous Goods			
Chemicals NOI				
ADR/RID (International Road/Rail)				
Environmentally Hazardous Substance, Liquid, n.o.s.	9	III		UN3082
IATA (Air Cargo)				
Environmentally Hazardous Substance, Liquid, n.o.s.	9	III		UN3082
IMDG (Sea)				
Environmentally Hazardous Substance, Liquid, n.o.s.	9	III		UN3082

SECTION 15: Regulatory information

15.1 U.S. Federal Regulations

TSCA (Toxic Substance Control Act)

All components of the substance/mixture are listed or exempt.

40 CFR (EPCRA, SARA, CERCLA AND CAA)

This product contains NO components of concern.

15.2 U.S. State Regulations

California Proposition 65 Warning

No warning required.

15.3 Canadian Regulations

DSL/NDSL

100.00% of the components are listed or exempt.

SECTION 16: Other Information

16.1 GHS H-Statements Referred to Under Section 3 and Not Listed in Section 2

	 H302: Harmful if swallowed. H313: May be harmful in contact with skin. H318: Causes serious eye damage. H400: Very toxic to aquatic life. H402: Harmful to aquatic life. H412: Harmful to aquatic life with long
H411: Very toxic to aquatic life with long lasting effects.	H412: Harmful to aquatic life with long lasting effects.

16.2 Total Fractional Values

(TFV) Risk

(109.88) Aquatic Chronic Toxicity, Category 3
(10.00) Sensitization, Skin, Category 1B
(2.86) Eye Damage/Irritation, Category 2A
(2.33) Reproductive Toxicology, Category 1B
(1.01) Aquatic Chronic Toxicity, Category 1

(TFV) Risk

(10.91) Aquatic Chronic Toxicity, Category 2

(3.08) Skin Corrosion/Irritation, Category 3

(2.63) Aquatic Chronic Toxicity, Category 4

(2.20) Aspiration Hazard, Category 1

Notes:

This safety data sheet is based on the properties of the material known at the time the data sheet was issued. The safety data sheet is intended to provide information for a health and safety assessment of the material and the circumstances, under which it is packaged, stored or applied in the workplace. For such a safety assessment holds no responsibility. This document is not intended for quality assurance purposes.