

Alpine Fragrance Oil

Safety Data Sheet

SECTION 1: Identification of the Substance/Mixture and of the Company/Undertaking

1.1 Product Name: Alpine Fragrance Oil 303-222X
1.2 Intended Use: Compound used in customer substance/mixture/product.
1.3 Supplier: Majestic Mountain Sage Inc 2490 S 1350 W Nibley, Utah 84321 - United States of America T 435.755.0863 - F 435.755.2108 www.TheSage.com

1.4 Emergency Telephone Number

No additional information available.

SECTION 2: Hazards Identification

2.1 Classification of the Substance or Mixture

This mixture has not been tested as a whole. The effects, listed below, are based on evaluation of individual components in accordance with the provisions of the regulation(s) noted below.

Classification	According to	GHS and ((EC) No	1272/2008	(CLP)
U labolineation	/ toool aning to				

Flammable Liquids, Category 4	H227: Combustible liquid
Acute Toxicity Oral, Category 4	H302: Harmful is swallowed
Acute Toxicity Dermal, Category 5	H313: May be harmful in contact with skin
Skin Corrosion/Irritation, Category 3	H316: Causes mild skin irritation
Sensitization, Skin, Category 1A	H317: May cause an allergic skin
	reaction
Eye Damage/Eye Irritation, Category 24	A H319: Causes serious eye irritation
Acute Toxicity Inhalation, Category 5	H333: May be harmful if inhaled
Aquatic Acute Toxicity, Category 1	H400: Very toxic to aquatic life
Aquatic Chronic Toxicity, Category 2	H411: Toxic to aquatic life with long
	lasting effects

Classification OSHA (Provision 1910.1200 of title 29)

Flammable Liquids, Category 4 Acute Toxicity Oral, Category 4 Sensitization, Skin, Category 1A

Eye Damage/Irritation, Category 2A Aquatic Acute Toxicity, Category 1

Classification Other

Carcinogenicity

H227: Combustible liquid. H302: Harmful if swallowed. H317: May cause an allergic skin reaction. H319: Causes serious eye irritation.

H400: Very toxic to aquatic life.

This mixture contains ingredients identified as carcinogens, at 0.1% or greater, by the following: None [x] ACGIH [] IARC [] NTP [] OSHA []

2.2 Label Elements

Labeling (REGULATION (EC) No 1272/2008) Hazard Pictograms



Signal Word:

Warning.

Hazard Statements

H227	Combustible liquid.
H302	Harmful if swallowed.
H313	May be harmful in contact with skin.
H316	Causes mild skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H333	May be harmful if inhaled.
H400	Very toxic to aquatic life.
H411	Toxic to aquatic life with long lasting effects.

Precautionary Statements

Prevention:

P235	Keep cool.
P264	Wash hands thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.
P272	Contaminated work clothing should not be allowed out of the workplace.
P273	Avoid release to the environment.

July 21, 2020, page 2 of 11

Response:

P301+P312+P330	IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell. Rinse mouth.
P302+P352	IF ON SKIN: Wash with soap and water.
P304+P312	IF INHALED: Call a POISON CENTER or
	doctor/physician if you feel unwell.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several
	minutes. Remove contact lenses if present and easy
	to do. Continue rinsing.
P333+P313	If skin irritation or a rash occurs: Get medical advice/ attention.
P337+P313	If eye irritation persists: Get medical advice/attention.
P363	Wash contaminated clothing before reuse.
P370+P378	In case of fire: Use Carbon dioxide (CO2), Dry
	chemical, or Foam for extinction. Do not use a direct
	water jet on burning material.
P391	Collect spillage.

2.3 Other Hazards

No data available

SECTION 3: Composition/Information on Ingredients

3.1 Mixtures

This product is a complex mixture of ingredients, which contains among others the following substance(s), presenting a health or environmental hazard within the meaning of the UN Globally Harmonized System of Classification and Labeling of Chemicals (GHS):

CAS # Ingredient	EC#	Conc. Range	GHS Class.	
120-51-4	204-402-9	40-50%	H302; H313; H400; H411	
Benzyl Benzoat	e			
32210-23-4	250-954-9	10-20%	H303; H317; H401	
4-tert-Butylcyclohexyl acetate				
105-95-3	203-347-8	5-10%	H401	
Ethylene brassylate				
121-33-5	204-465-2	5-10%	H303; H319	
Vanillin				

CAS # Ingredient	EC#	Conc. Range	GHS Class.		
88-41-5	201-828-7	5-10%	H227; H303; H316; H401; H411		
2-t-Butylcyclohe	exyl acetate				
91-64-5	202-086-7	2-5%	H302; H317; H402		
Coumarin					
5989-27-5	227-813-5	2-5%	H226; H304; H315; H317; H400; H410		
Limonene					
120-57-0	204-409-7	2-5%	H303; H317; H401		
Heliotropine					
469-53-2	207-418-4	1-2%	H304; H316; H400		
alpha-Cedrene					
77-53-2	201-035-6	1-2%	H227; H401; H411		
Cedrol					
104-55-2	203-213-9	1-2%	H303; H312; H315; H317; H319; H401; H411		
Dimethyltetrahy	Dimethyltetrahydro Benzaldehyde				
134-66-78-9	236-719-3	0.1-1.0%	H226; H303; H304; H315; H317; H332; H400; H410		
delta-3-Carene	delta-3-Carene				
57378-68-4	260-709-8	0.1-1.0%	H302; H315; H317; H318; H400; H410		
delta-1-(2,6,6-Trimethyl-3-cyclohexen-1-yl)-2-buten-1-one (delta-Damascone)					

See Section 16 for full text of GHS classification codes which were not shown in Section 2.

Total Hydrocarbon Content (% w/w) = 5.73

SECTION 4: First Aid Measures

4.1 Description of First Aid Measures

Inhalation:	Remove from exposure site to fresh air and keep at rest. Obtain medical advice.
Eye Exposure:	Flush immediately with water for at least 15 minutes. Contact physician if symptoms persist.
Skin Exposure:	Remove contaminated clothes. Wash thoroughly with water and soap. Contact physician if symptoms persist.
Ingestion:	Rinse mouth with water and obtain medical advice.

4.2 Most Important Symptoms/Effects, Acute and Delayed

Symptoms:	No data available
Risks:	Refer to Section 2.2 "Hazard Statements"

4.3 Indication of Immediate Medical Attention and Special Treatment Needed

Treatment:	Refer to Section 2.2 "Response"
------------	---------------------------------

SECTION 5: Firefighting Measures

5.1 Extinguishing Media

Suitable:	Carbon Dioxide (CO ₂), Dry Chemical, Foam

Unsuitable: Do not use a direct water jet on burning material

5.2 Special Hazards Arising from the Substance or Mixture

During Fire Fighting: Water may be ineffective

5.3 Advice for Firefighters

Further Information: Standard procedure for chemical fires

6.1 Personal Precautions, Protective Equipment and Emergency Procedures

Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.

6.2 Environmental Precautions

Keep away from drains, soil, and surface and groundwater.

6.3 Methods and Materials for Containment and Cleaning Up

Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapors. Gross spillage should be contained by use of sand or inert powder and disposed of according to the local regulations.

6.4 Reference to Other Sections

Not applicable

SECTION 7: Handling and Storage

7.1 Precautions for Safe Handling

Apply according to good manufacturing and industrial hygiene practices with proper ventilation. Do not drink, eat or smoke while handling. Respect good personal hygiene.

7.2 Conditions for Safe Storage, Including Any Incompatibilities

Store in a cool, dry and ventilated area away from heat sources and protected from light in tightly closed original container. Avoid plastic and uncoated metal container. Keep air contact to a minimum.

7.3 Specific End Uses

No information available

SECTION 8: Exposure Controls/Personal Protection

8.1 Control Parameters

Exposure Limits:

Component	ACGIH TWA	ACGIH STEL	OSHA TWA	OSHA STEL
	ppm	ppm	ppm	ppm
13466-78-9 delta-3-Carene	20			

Engineering Controls: Use local exhaust as needed.

8.2 Exposure Controls - Personal Protective Equipment

Eye Protection:	Tightly sealed goggles, face shield, or safety glasses with brow guards and side shields, etc. as may be appropriate for the exposure.
Respiratory Protection:	Avoid excessive inhalation of concentrated vapors. Apply local ventilation where appropriate.
Skin Protection:	Avoid skin contact. Use chemically resistant gloves as needed.

SECTION 9: Physical and Chemical Properties

9.1 Information on Basic Physical and Chemical Properties

Appearance:	Liquid
Odor:	Conforms to Standard
Color:	Yellow Tint (G1)
Viscosity:	Liquid
Freezing Point:	Not determined
Boiling Point:	Not determined
Melting Point:	Not determined
Flashpoint (CCCFP):	184°F (84.44°C)
Auto flammability:	Not determined
Explosive Properties:	None expected
Oxidizing Properties:	None expected
Vapor Pressure (mmHg@20C):	0.0460
%VOC:	6.51

Specific Gravity @ 25 C:	1.0530
Density @ 25 C:	1.0500
Refractive Index @ 20 C:	1.5270
Soluble in:	Oil

SECTION 10: Stability and Reactivity

10.1 Reactivity	None
10.2 Chemical Stability	Stable
10.3 Possibility of Hazardous Reactions	None known
10.4 Conditions to Avoid	None known
10.5 Incompatible Materials	Strong oxidizing agents, strong acids, and alkalis
10.6 Hazardous Decomposition Products	None known

SECTION 11: Toxicological Information

11.1 Toxicological Effects

Acute Toxicity Estimates (ATEs) based on individual Ingredient Toxicity Data utilizing the "Additivity Formula"

Acute Toxicity-Oral-(Rat) mg/kg	(LD50: 1919.0916) Harmful if swallowed.
Acute Toxicity-Dermal	(LD50: 2778.8672) May be harmful in
(Rabbit) mg/kg	contact with skin.
Acute Toxicity-Inhalation	(LC50: 93.4207) May be harmful if
(Rat) mg/L/4hr	inhaled.
Skin Corrosion/Irritation	Causes mild skin irritation.
Serious Eye Damage/Irritation	Causes serious eye irritation.
Respiratory Sensitization	Not classified - the classification criteria are not met.
Skin Sensitization	May cause an allergic skin reaction.
Germ Cell Mutagenicity	Not classified - the classification criteria are not met.
Carcinogenicity	Not classified - the classification criteria are not met.
Reproductive Toxicity	Not classified - the classification criteria are not met.

Specific Target Organ Toxicity Single Exposure Specific Target Organ Toxicity Repeated Exposure Aspiration Hazard	Not classified - the classification criteria are not met. Not classified - the classification criteria are not met. Not classified - the classification criteria are not met.	
SECTION 12: Ecological Information		
12.1 Toxicity		
Acute Aquatic Toxicity: Chronic Aquatic Toxicity: Toxicity Data on Soil: Toxicity on Other Organisms:	Very toxic to aquatic life Toxic to aquatic life with long lasting effects No data available No data available	
12.2 Persistence and Degradability	No data available	
12.3 Bioaccumulative Potential	No data available	

12.5 Other Adverse Effects No data available

SECTION 13: Disposal Considerations

13.1 Waste Treatment Methods

12.4 Mobility in Soil

Do not allow product to reach sewage systems. Dispose of in accordance with all local and national regulations. Send to a licensed waste management company. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container.

No data available

SECTION 14: Transport Information

14.1 Transport Information

Marine Pollutant:Yes. Ingredient of greatest environmental impact:120-51-440-50%Benzyl Benzoate

Regulator	Class	Pack Group	UN-Nr.
U.S. DOT (Non-Bulk)	Not regulate	d - Not Dangero	us Goods
Chemical NOI			
ADR/RID (International Road/Rail			
Environmentally Hazardous Substance, Liquid, n.o.s.	9	111	UN3082
IATA (Air Cargo)			
Environmentally Hazardous Substance, Liquid, n.o.s.	9	111	UN3082
IMDG (Sea)			
Environmentally Hazardous Substance, Liquid, n.o.s.	9	111	UN3082

SECTION 15: Regulatory Information

15.1 U.S. Federal Regulations

TSCA (Toxic Substance Control Act)

All components of the substance/mixture are listed or exempt.

40 CFR (EPCRA, SARA, CERCLA AND CAA)

This product contains NO components of concern.

15.2 U.S. State Regulations

California Proposition 65 Warning

This product contains the following component:

123-35-3(NFS)	204-622-5	0.01-0.1%	beta-Myrcene (Natural Source)
94-59-7	202-345-4	0.01-0.1%	Safrole (Natural Source)
93-15-2	202-223-0	<= 10 ppm	Methyl Eugenol (Natural Source)

July 21, 2020, page 10 of 11

15.3 Canadian Regulations

DSL/NDSL

100.00% of the components are listed or exempt. The following components are NOT on the list:

94201-73-7 303-622-1 <= 20 ppm Tetrahydro-4-methyl-2-phenyl-2H-pyran

SECTION 16: Other Information

16.1 GHS H-Statements Referred to Under Section 3

H226: Flammable liquid and vapor	H303: May be harmful if swallowed
H304: May be fatal if swallowed and	H312: Harmful in contact with skin
enters airways.	H315: Causes skin irritation
H317: May cause an allergic skin reaction	H318: Causes serious eye damage
H332: Harmful if inhaled.	H401: Toxic to aquatic life
H402: Harmful to aquatic life	H410: Very toxic to aquatic life with long
	lasting effects

16.2 Total Fractional Values

(TFV) Risk

(53.52) Acute Toxicity Inhalation, Category 5 (11.00) Sensitization, Skin, Category 1B (3.92) Aquatic Chronic Toxicity, Category 2 (2.50) Sensitization, Skin, Category 1 (1.80) Acute Toxicity Dermal, Category 5 (1.04) Acute Toxicity Oral, Category 4 (TFV) Risk

(39.21) Aquatic Chronic Toxicity, Category 3
(10.72) Sensitization, Skin, Category 1A
(2.78) Aquatic Acute Toxicity, Category 1
(2.39) Aquatic Chronic Toxicity, Category 4
(1.52) Skin Corrosion/Irritation, Category 3
(1.04) Eye Damage/Irritation, Category 2A

Notes:

This safety data sheet is based on the properties of the material known at the time the data sheet was issued. The safety data sheet is intended to provide information for a health and safety assessment of the material and the circumstances, under which it is packaged, stored or applied in the workplace. For such a safety assessment holds no responsibility. This document is not intended for quality assurance purposes.