

Sandalwood Vanilla Fragrance Oil

Safety Data Sheet

SECTION 1: Identification of the Substance/Mixture and of the Company/Undertaking

1.1 Product Name: Sandalwood Vanilla Fragrance Oil

Product Code: 303-228X

1.2 Intended Use: Compound used in customer substance/mixture/product.

1.3 Supplier: Majestic Mountain Sage Inc

2490 S 1350 W

Nibley, Utah 84321 - United States of America

T 435.755.0863 - F 435.755.2108

www.TheSage.com

1.4 Emergency Telephone Number

No additional information available.

SECTION 2: Hazards Identification

2.1 Classification of the Substance or Mixture

This mixture has not been tested as a whole. The effects, listed below, are based on evaluation of individual components in accordance with the provisions of the regulation(s) noted below.

Classification According to GHS

Acute Toxicity Oral, Category 4 H302: Harmful if swallowed.

Acute Toxicity Dermal, Category 5 H313: May be harmful in contact with

skin.

Skin Corrosion/Irritation, Category 3 H316: Causes mild skin irritation.

Sensitization, Skin, Category 1B H317: May cause an allergic skin

reaction.

Acute Toxicity Inhalation, Category 5 H333: May be harmful if inhaled.

Reproductive Toxicology, Category 1B H360: May damage fertility or the unborn

child.

Aquatic Acute Toxicity, Category 1 H400: Very toxic to aquatic life.

Aquatic Chronic Toxicity, Category 2 H411: toxic to aquatic life with long lasting

effects.

Classification OSHA (Provision 1910.1200 of Title 29)

Acute Toxicity Oral, Category 4 H302: Harmful if swallowed.

Sensitization, Skin, Category 1B H317: May cause an allergic skin

reaction.

Reproductive Toxicology, Category 1B H360: May damage fertility or the unborn

child.

Aquatic Acute Toxicity, Category 1 H400: Very toxic to aquatic life.

Classification Other

Carcinogenicity This mixture contains ingredients

identified as carcinogens, at 0.1% or

greater, by the following: None [X] ACGIH [] IARC [] NTP [] OSHA []

2.2 Label Elements

Labeling (REGULATION (EC) No 1272/2008) Hazard Pictograms







Signal Word: Danger.

Hazard Statements

H302	Harmful if swallowed.
H313	May be harmful in contact with skin.
H316	Causes mild skin irritation.
H317	May cause an allergic skin reaction.
H333	May be harmful if inhaled.
H360	May damage fertility or the unborn child.
H400	Very toxic to aquatic life.
H411	Toxic to aquatic life with long lasting effects.

Precautionary Statements

Prevention:

Obtain special instructions before use.
Do not handle until all safety precautions have been
read and understoof.
Wash hands thoroughly after handling.
Do not eat, drink or smoke when using this product.

P272	Contaminated work clothing should not be allowed out
	of the workplace.
P273	Avoid release to the environment.
P281	Use personal protective equipment as required

Response:

•	D301+D312+D330	IF SWALLOWED: Call a POISON CENTER or
	F3011F31Z1F330	
		doctor/physician if you feel unwell. Rinse mouth.
	P302+P352	IF ON SKIN: Wash with soap and water.
	P304+P312	IF INHALED: Call a POISON CENTER or doctor/
		physician if you feel unwell.
	P308+P313	If exposed or concerned: Get medical advice/attention.
	P333+P313	If skin irritation or a rash occurs: Get medical advice/
		attention.
	P363	Wash contaminated clothing before reuse.
	P391	Collect spillage.

2.3 Other Hazards

No data available.

SECTION 3: Composition/Information on Ingredients

3.1 Mixtures

This product is a complex mixture of ingredients, which contains among others the following substance(s), presenting a health or environmental hazard within the meaning of the UN Globally Harmonized System of Classification and Labeling of Chemicals (GHS):

CAS # Ingredient	EC#	Conc. Range	GHS Class.
120-51-4	204-402-9	40-50%	H302; H313; H400; H411
Benzyl Benzoate			
101-86-0	202-983-3	10-20%	H303; H316; H317; H400; H411
Hexyl cinnamal			
1222-05-5	214-946-9	5-10%	H316; H400; H410
Hexamethylindanopyran			
19870-74-7	243-384-7	2-5%	H317; H400; H410
Cedrol methyl ether			

CAS # Ingredient	EC#	Conc. Range	GHS Class.	
121-32-4	204-464-7	2-5%	H303; H320; H402	
Ethyl Vanillin				
91-64-5	202-086-7	2-5%	H302; H317; H402	
Coumarin				
28219-61-6	248-908-8	2-5%	H319; H401; H411	
Ethyl trimethylcyclopentene butenol				
32388-55-9	251-020-3	2-5%	H303; H317; H400; H410	
Acetyl cedrene	Acetyl cedrene			
65405-77-8	265-745-8	1-2%	H400	
cis-3-Hexenyl s	alicylate			
123-11-5	204-602-6	1-2%	H303; H402; H412	
Anisaldehyde				
115-95-7	204-116-4	1-2%	H227; H315; H317; H320; H402	
Linalyl Acetate				
78-70-6	201-134-4	1-2%	H227; H303; H315; H317; H319; H402	
Linalool	Linalool			
60-12-8	200-456-2	1-2%	H302; H313; H16; H319	
phenethyl alcohol				
121-33-5	204-465-2	1-2%	H303; H319	
vanillin				
80-54-6	201-289-8	0.1-1.0%	H227; H302; H315; H317; H361; H401; H412	
Butylphenyl Me	Butylphenyl Methylpropional			
18096-62-3	241-997-4	0.1-1.0%	H303; H361	
4,4a,5,9b-Tetrahydroindeno[1,2-d]-1,3-dioxine				

See Section 16 for full text of GHS classification codes which were not shown in Section 2.

Total Hydrocarbon Content (% w/w) = 0.29

SECTION 4: First Aid Measures

4.1 Description of First Aid Measures

Inhalation: Remove from exposure site to fresh air and keep at

rest. Obtain medical advice.

Eye Contact: Flush immediately with water for at least 15 minutes.

Contact physician if symptoms persist.

Skin Contact: Remove contaminated clothes. Wash thoroughly with

water and soap. Contact physician if symptoms persist.

Ingestion: Rinse mouth with water and obtain medical advice.

4.2 Most Important Symptoms/Effects, Acute and Delayed

Symptoms: No data available.

Risks: Refer to Section 2.2 "Hazard Statements".

4.3 Indication of Any Immediate Medical Attention and Special Treatment Needed

Treatment: Refer to Section 2.2 "Response".

SECTION 5: Firefighting Measures

5.1 Extinguishing Media

Suitable: Carbon dioxide (CO₂), Dry Chemical, Foam.

Unsuitable: Do not use a direct water jet on burning material.

5.2 Special Hazards Arising from the Substance or Mixture

During Fire Fighting: Water may be ineffective.

5.3 Advice for Firefighters

Further Information: Standard procedure for chemical fires.

SECTION 6: Accidental Release Measures

6.1 Personal Precautions, Protective Equipment and Emergency Procedures

Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.

6.2 Environmental Precautions

Keep away from drains, soil, and surface and groundwater.

6.3 Methods and Materials for Containment and Cleaning Up

Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapors. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

6.4 Reference to Other Sections

Not applicable.

SECTION 7: Handling and Storage

7.1 Precautions for Safe Handling

Apply according to good manufacturing and industrial hygiene practices with proper ventilation. Do not drink, eat or smoke while handling. Respect good personal hygiene.

7.2 Conditions for Safe Storage, Including Any Incompatibilities

Store in a cool, dry and ventilated area away from heat sources and protected from light in tightly closed original container. Avoid plastic and uncoated metal container. Keep air contact to a minimum.

7.3 Specific End Uses

No information available.

SECTION 8: Exposure Controls/Personal Protection

8.1 Control Parameters

Exposure Limits: Contains no substances with occupational exposure

limit values.

Engineering Controls: Use local exhaust as needed.

8.2 Exposure Controls - Personal Protective Equipment

Eye Protection: Tightly sealed goggles, face shield, or safety glasses

with brow guards and side shields, etc. as may be

appropriate for the exposure.

Respiratory Protection: Avoid excessive inhalation of concentrated vapors.

Apply local ventilation where appropriate.

Skin Protection: Avoid skin contact. Use chemically resistant gloves as

needed.

SECTION 9: Physical and Chemical Properties

9.1 Information on Basic Physical and Chemical Properties

Appearance: Liquid

Odor: Conforms to Standard Pale Yellow (G1-3)

Viscosity: Liquid

Freezing Point:

Boiling Point:

Melting Point:

Flashpoint (CCCFP):

Auto Flammability:

Explosive Properties:

Oxidizing Properties:

Not determined
Not determined
Not determined
Not determined
None expected
None expected

 Vapor Pressure (mmHg@20°C):
 0.0106

 %VOC:
 1.10

 Specific Gravity @ 25°C:
 1.0480

 Density @ 25°C:
 1.0450

 Refractive Index @ 20°C:
 1.5450

 Soluble In:
 Oil

SECTION 10: Stability and Reactivity

10.1 Reactivity None.

10.2 Chemical Stability Stable.

10.3 Possibility of Hazardous Reactions None known.

10.4 Conditions to AvoidNone known.

10.5 Incompatible Materials Strong oxidizing agents, strong acids, and

alkalis.

10.6 Hazardous Decomposition Products None known.

SECTION 11: Toxicological Information

11.1 Toxicological Effects

Acute Toxicity Estimates (ATEs) based on individual Ingredient Toxicity Data utilizing the "Additivity Formula."

Acute Toxicity-Oral-(Rat) mg/kg (LD50: 1920.3300) Harmful if swallowed.

Acute Toxicity-Dermal (LD50: 2684.7010) May be harmful in

(Rabbit) mg/kg contact with skin.

Acute Toxicity-Inhalation (LC50: 58.2253) May be harmful if

(Rat) mg/L/4hr inhaled.

Skin Corrosion/Irritation Causes mild skin irritation.

Serious Eye Damage/Irritation Not classified - the classification criteria

are not met.

Respiratory Sensitization Not classified - the classification criteria

are not met.

Skin Sensitization May cause an allergic skin reaction.

Germ Cell Mutagenicity Not classified - the classification criteria

are not met.

Carcinogenicity Not classified - the classification criteria

are not met.

Reproductive Toxicity

Specific Target Organ Toxicity Not classified - the classification criteria

Single Exposure are not met.

Specific Target Organ Toxicity Not classified - the classification criteria

Repeated Exposure are not met.

Aspiration Hazard Not classified - the classification criteria

are not met.

SECTION 12: Ecological Information

12.1 Toxicity

Acute Aquatic Toxicity: Very toxic to aquatic life.

Chronic Aquatic Toxicity: Toxic to aquatic life with long lasting effects.

Toxicity Data on Soil: No data available.

May damage fertility or the unborn child.

Toxicity on Other Organisms: No data available.

12.2 Persistence and Degradability No data available.

12.3 Bioaccumulative Potential No data available.

12.4 Mobility in Soil No data available.

12.5 Other Adverse Effects No data available.

SECTION 13: Disposal Considerations

13.1 Waste Treatment Methods

Do not allow product to reach sewage systems. Dispose of in accordance with all local and national regulations. Send to a licensed waste management company. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container.

SECTION 14: Transport Information

14.1 Transport Information

Marine Pollutant: Yes. Ingredient of greatest environment impact:

120-51-4 40-50% Benzyl Benzoate

Regulator	Class	Pack Group	Sub Risk	UN-Nr.	
U.S. DOT (Non-Bulk)	Not Regulated - Not Dangerous Goods				
Chemicals NOI					
ADR/RID (International Road/Rail)					
Environmentally Hazardous Substance, Liquid, n.o.s.	9	III		UN3082	
IATA (Air Cargo)					
Environmentally Hazardous Substance, Liquid, n.o.s.	9	III		UN3082	
IMDG (Sea)					
Environmentally Hazardous Substance, Liquid, n.o.s.	9	III		UN3082	

SECTION 15: Regulatory information

15.1 U.S. Federal Regulations

TSCA (Toxic Substance Control Act)

All components of the substance/mixture are listed or exempt.

40 CFR (EPCRA, SARA, CERCLA AND CAA)

This product contains NO components of concern.

15.2 U.S. State Regulations

California Proposition 65 Warning

This product contains the following components:

123-35-3(NFS) 204-622-5 <= 29 ppm beta-Myrcene (Natural Source)

15.3 Canadian Regulations

DSL/NDSL

The following components are NOT on the List:

198404-98-7 427-900-1 0.01-0.1% Cyclopropanemethanol, 1-methyl-2-

[(1,2,2-trimethylbicyclo[3.1.0]hex-3-

yl)methyl]

131812-67-4 412-950-7 0.01-0.1% 2,4-Dimethyl-2-(5,6,7,8-tetrahydro-

5,5,8,8-tetramethyl-2-naphthalenyl)-1,3-

dioxolane (Okoumal)

SECTION 16: Other Information

16.1 GHS H-Statements Referred to Under Section 3 and Not Listed in Section 2

H227: Combustible liquid. H303: May be harmful if swallowed.

H315: Causes skin irritation. H317: May cause an allergic skin reaction.

H319: Causes serious eye irritation. H320: Causes eye irritation. H361: Suspected of damaging fertility or the H401: Toxic to aquatic life.

unborn child. H402: Harmful to aquatic life.

H410: Very toxic to aquatic life with long H412: Harmful to aquatic life with long

lasting effects. lasting effects.

16.2 Total Fractional Values

(TFV) Risk	(TFV) Risk
(85.87) Acute Toxicity Inhalation, Category 5	(73.95) Aquatic Chronic Toxicity, Category 3
(14.80) Sensitization, Skin, Category 1B	(7.36) Aquatic Chronic Toxicity, Category 2
(3.33) Aquatic Chronic Toxicity, Category 4	(3.13) Aquatic Acute Toxicity, Category 1
(3.06) Skin Corrosion/Irritation, Category 3	(1.86) Acute Toxicity Dermal, Category 5
(1.33) Reproductive Toxicology, Category 1B	(1.05) Acute Toxicity Oral, Category 4

Notes:

This safety data sheet is based on the properties of the material known at the time the data sheet was issued. The safety data sheet is intended to provide information for a health and safety assessment of the material and the circumstances, under which it is packaged, stored or applied in the workplace. For such a safety assessment holds no responsibility. This document is not intended for quality assurance purposes.