

Huckleberry Fragrance Oil

Safety Data Sheet

SECTION 1: Identification of the Substance/Mixture and of the Company/Undertaking

1.1 Product Name: Product Code: 303-242X
1.2 Intended Use: Compound used in customer substance/mixture/product.
1.3 Supplier: Majestic Mountain Sage Inc 2490 S 1350 W Nibley, Utah 84321 - United States of America T 435.755.0863 - F 435.755.2108 www.TheSage.com

1.4 Emergency Telephone Number

No additional information available.

SECTION 2: Hazards Identification

2.1 Classification of the Substance or Mixture

This mixture has not been tested as a whole. The effects, listed below, are based on evaluation of individual components in accordance with the provisions of the regulation(s) noted below.

Classification According to GHS and	l (EC) No 1272/2008 (CLP)
Flammable Liquids, Category 3	H226: Flammable liquid and vapor.
Acute Toxicity Oral, Category 5	H303: May be harmful if swallowed.
Aspiration Hazard, Category 1	H304: May be fatal if swallowed and enters airways.
Acute Toxicity Dermal, Category 5	H313: May be harmful in contact with skin.
Skin Corrosion/Irritation, Category 2	H315: Causes skin irritation.
Sensitization, Skin, Category 1A	H317: May cause an allergic skin reaction.
Eye Damage/Irritation, Category 2A	H319: Causes serious eye damage.
Acute Toxicity Inhalation, Category 5	H333: May be harmful if inhaled.
Aquatic Acute Toxicity, Category 1	H400: Very toxic to aquatic life.
Aquatic Chronic Toxicity, Category 2	H411: Toxic to aquatic life with long lasting effects.

Classification OSHA (Provision 1910.1200 of title 29)

Flammable Liquids, Category 3	H226: Flammable liquid and vapor.
Aspiration Hazard, Category 1	H304: May be fatal if swallowed and
	enters airways.
Skin Corrosion/Irritation, Category 2	H315: Causes skin irritation.
Sensitization, Skin, Category 1A	H317: May cause an allergic skin
	reaction.
Eye Damage/Irritation, Category 2A	H319: Causes serious eye damage.
Aquatic Acute Toxicity, Category 1	H400: Very toxic to aquatic life.
Classification Other	
Carcinogenicity	This mixture contains ingredients identified as carcinogens, at 0.1% or

greater, by the following: None [] ACGIH [] IARC [X] NTP [] OSHA []

2.2 Label Elements

Labeling (REGULATION (EC) No 1272/2008) Hazard Pictograms



Signal Word:

Danger.

Hazard Statements

u Statements	
H226	Flammable liquid and vapor.
H303	May be harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H313	May be harmful in contact with skin.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H333	May be harmful if inhaled.
H400	Very toxic to aquatic life.
H411	Toxic to aquatic life with long lasting effects.

Precautionary Statements

Prevent	tion:	
F	233	Keep container tightly closed.
F	P235	Keep cool.
F	P240	Ground/bond container and receiving equipment.
F	241	Use explosion-proof electrical/ventilating /light //equipment.
F	P242	Use only non-sparking tools.
F	P243	Take precautionary measures against static discharge.
F	P264	Wash hands thoroughly after handling.
F	P272	Contaminated work clothing should not be allowed out of the workplace.
F	P273	Avoid release to the environment.
Respor	ise:	
F	P301+P310+P331	CENTER or doctor/physician. Do NOT induce vomiting.
F	P302+P352	IF ON SKIN: Wash with soap and water.
F	P303+P361+P353	IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin with water/shower.
F	P304+P312	IF INHALED: Call a POISON CENTER or doctor/ physician if you feel unwell.
F	P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing.
F	9312	Call a POISON CENTER or doctor/physician if you feel unwell.
F	P333+P313	If skin irritation or a rash occurs: Get medical advice/ attention.
F	P337+P313	If eye irritation persists: Get medical advice/attention.
F	P352	Wash with soap and water.
F	P362	Take off contaminated clothing and wash before reuse.
F	P363	Wash contaminated clothing before reuse.
F	P370+P378	In case of fire: Use Carbon dioxide (CO_2) , Dry chemical, or Foam for extinction. Do not use a direct water jet on burning material.
F	2391	Collect spillage.

2.3 Other Hazards

No data available.

SECTION 3: Composition/Information on Ingredients

3.1 Mixtures

This product is a complex mixture of ingredients, which contains among others the following substance(s), presenting a health or environmental hazard within the meaning of the UN Globally Harmonized System of Classification and Labeling of Chemicals (GHS):

CAS # Ingredient	EC#	Conc. Range	GHS Class.	
120-51-4	204-402-9	20-30%	H302; H313; H400; H411	
Benzyl Benzoat	te			
5989-27-5	227-813-5	10-20%	H226; H304; H315; H317; H400; H412	
Limonene				
100-52-7	202-860-4	5-10%	H227; H302; H313; H316; H319; H332; H335; H401	
Benzaldehyde				
77-83-8	201-061-8	5-10%	H317; H401; H411	
Ethyl Methylphe	enylglycidate			
141-78-6	205-500-4	2-5%	H225; H319; H336	
Ethyl acetate				
104-67-6	203-225-4	2-5%	H316; H402; H412	
gamma-Undeca	gamma-Undecalactone			
14901-07-6	238-969-9	2-5%	H316; H401; H411	
lonone				
91-64-5	202-086-7	2-5%	H302; H317; H402	
Coumarin				
10094-34-5	233-221-8	2-5%	H401; H411	
Dimethyl Phenethyl Butyrate				

CAS # Ingredient	EC#	Conc. Range	GHS Class.	
105-54-4	203-306-4	2-5%	H226; H319	
Ethyl butyrate				
103-60-6	203-127-1	1-2%	H316	
2-Phenoxyethyl	isobutyrate			
104-55-2	203-213-9	1-2%	H303; H312; H315; H317; H319; H401; H412	
Cinnamal	Cinnamal			
80-56-8	201-291-9	1-2%	H226; H302; H304;H315; H317; H400; H410	
pinene				
99-85-4	202-794-6	1-2%	H226; H303; H304; H316	
gamma-Terpinene				
5392-40-5	226-394-6	0.1-1.0%	H313; H315; H317; H319; H401	
Citral				

See Section 16 for full text of GHS classification codes which were not shown in Section 2.

Total Hydrocarbon Content (% w/w) = 13.92

SECTION 4: First Aid Measures

4.1 Description of First Aid Measures

Inhalation:	Remove from exposure site to fresh air and keep at rest. Obtain medical advice.
Eye Contact:	Flush immediately with water for at least 15 minutes. Contact physician if symptoms persist.
Skin Contact:	Remove contaminated clothes. Wash thoroughly with water and soap. Contact physician if symptoms persist.
Ingestion:	Rinse mouth with water and obtain medical advice.

4.2 Most Important Symptoms/Effects, Acute and Delayed

Symptoms:	No data available.
-----------	--------------------

Risks: Refer to Section 2.2 "Hazard Statements".

4.3 Indication of Any Immediate Medical Attention and Special Treatment Needed

SECTION 5: Firefighting Measures

5.1 Extinguishing Media

Suitable:	Carbon dioxide (CO_2), Dry Chemical, Foam.	
Unsuitable:	Do not use a direct water jet on burning material.	
5.2 Special Hazards Arising fro	om the Substance or Mixture	
During Fire Fighting:	Water may be ineffective.	
5.3 Advice for Firefighters		
Further Information:	Standard procedure for chemical fires.	

SECTION 6: Accidental Release Measures

6.1 Personal Precautions, Protective Equipment and Emergency Procedures Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.

6.2 Environmental Precautions

Keep away from drains, soil, and surface and groundwater.

6.3 Methods and Materials for Containment and Cleaning Up

Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapors. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

6.4 Reference to Other Sections

Not applicable.

SECTION 7: Handling and Storage

7.1 Precautions for Safe Handling

Apply according to good manufacturing and industrial hygiene practices with proper ventilation. Do not drink, eat or smoke while handling. Respect good personal hygiene.

7.2 Conditions for Safe Storage, Including Any Incompatibilities

Store in a cool, dry and ventilated area away from heat sources and protected from light in tightly closed original container. Avoid plastic and uncoated metal container. Keep air contact to a minimum.

7.3 Specific End Uses

No information available.

SECTION 8: Exposure Controls/Personal Protection

8.1 Control Parameters

Exposure Limits:

Component	ACGIH TWA ppm	ACGIH STEL ppm	OSHA TWA ppm	OSHA STEL ppm
141-78-6 Ethyl Acetate	400		400	
80-56-8 pinene	20			

Engineering Controls: Use local exhaust as needed.

8.2 Exposure Controls - Personal Protective Equipment

- **Eye Protection:** Tightly sealed goggles, face shield, or safety glasses with brow guards and side shields, etc. as may be appropriate for the exposure.
- **Respiratory Protection:** Avoid excessive inhalation of concentrated vapors. Apply local ventilation where appropriate.
- **Skin Protection:** Avoid skin contact. Use chemically resistant gloves as needed.

9.1 Information on Basic Physical and Chemical Properties

Appearance: Odor: Color: Viscosity: Freezing Point: Boiling Point: Melting Point: Flashpoint (CCCFP): Auto Flammability: Explosive Properties:	Liquid Conforms to Standard Yellow (G4-6) Liquid Not determined Not determined 124°F (51.11°C) Not determined None expected
Oxidizing Properties:	None expected
Vapor Pressure (mmHg@20°C):	4.3602
%VOC:	26.71
Specific Gravity @ 25°C:	0.9540
Density @ 25°C:	0.9510
Refractive Index @ 20°C:	1.4880
Soluble In:	Oil

10.1 ReactivityNone.10.2 Chemical StabilityStable.10.3 Possibility of Hazardous ReactionsNone known.10.4 Conditions to AvoidNone known.10.5 Incompatible MaterialsStrong oxidizing agents, strong acids, and alkalis.10.6 Hazardous Decomposition ProductsNone known.

SECTION 10: Stability and Reactivity

SECTION 11: Toxicological Information

11.1 Toxicological Effects

Acute Toxicity Estimates (ATEs) based on individual Ingredient Toxicity Data utilizing the "Additivity Formula."

Acute Toxicity-Dermal (Rabbit) mg/kg(LD50: 2641.0904) May be harmful in contact with skin.Acute Toxicity-Inhalation (Rat) mg/L/4hr(LC50: 30.1262) May be harmful if inhaled.Skin Corrosion/Irritation Serious Eye Damage/IrritationCauses skin irritation. Causes serious eye irritation.	798.8112) May be harmful if
Acute Toxicity-Inhalation (Rat) mg/L/4hr(LC50: 30.1262) May be harmful if inhaled.Skin Corrosion/IrritationCauses skin irritation.	41.0904) May be harmful in
Skin Corrosion/Irritation Causes skin irritation.	
Serious Eye Damage/Irritation Causes serious eye irritation.	in irritation.
	-
Respiratory SensitizationNot classified - the classification criteria are not met.	
Skin Sensitization May cause an allergic skin reaction.	e an allergic skin reaction.
Germ Cell Mutagenicity Not classified - the classification criteria are not met.	
Carcinogenicity Not classified - the classification criteria are not met.	
Reproductive Toxicity Not classified - the classification criteria are not met.	
Specific Target Organ Toxicity Not classified - the classification criteria	fied - the classification criteria
Single Exposure are not met.	et.
Specific Target Organ Toxicity Not classified - the classification criteria	fied - the classification criteria
Repeated Exposure are not met.	et.
Aspiration Hazard May be fatal if swallowed and enters airways.	fatal if swallowed and enters

SECTION 12: Ecological Information

12.1 Toxicity

Acute Aquatic Toxicity: Chronic Aquatic Toxicity: Toxicity Data on Soil: Toxicity on Other Organisms:	Very toxic to aquatic life. Toxic to aquatic life with long lasting effects. No data available. No data available.
12.2 Persistence and Degradability	No data available.
12.3 Bioaccumulative Potential	No data available.

12.4	Mob	ility	in S	oil
------	-----	-------	------	-----

No data available.

12.5 Other Adverse Effects No data available.

SECTION 13: Disposal Considerations

13.1 Waste Treatment Methods

Do not allow product to reach sewage systems. Dispose of in accordance with all local and national regulations. Send to a licensed waste management company. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container.

SECTION 14: Transport Information

14.1 Transport Information

Marine Pollutant:	Yes. Ingredient of greatest environmental impact		
	120-51-4	20-30%	Benzyl Benzoate

Regulator	Class	Pack Group	Sub Risk	UN-Nr.
U.S. DOT (Non-Bulk)	Not Regulated - Not Dangerous Goods		Goods	
Chemicals NOI				
ADR/RID (International Road/Rail)				
Environmentally Hazardous Substance, Liquid, n.o.s.	9	III		UN3082
IATA (Air Cargo)				
Perfumery Products	3	III	Flammable Liquid	UN1266
Environmentally Hazardous Substance, Liquid, n.o.s.	9	III		UN3082
IMDG (Sea)				
Perfumery Products	3	III	Flammable Liquid	UN1266
Environmentally Hazardous Substance, Liquid, n.o.s.	9	III		UN3082

SECTION 15: Regulatory information

15.1 U.S. Federal Regulations

TSCA (Toxic Substance Control Act)

All components of the substance/mixture are listed or exempt.

40 CFR (EPCRA, SARA, CERCLA AND CAA)

This product contains the following components:141-78-6205-500-42-5%Ethyl acetate

15.2 U.S. State Regulations

California Proposition 65 Warning

This product contains the following components: 123-35-3 (NFS) 204-622-5 0.1-1.0% beta-Myrcene (Natural Source)

15.3 Canadian Regulations

DSL/NDSL

100.00% of the components are listed or exempt.

SECTION 16: Other Information

16.1 GHS H-Statements Referred to Under Section 3

H302: Harmful if swallowed. H316: Causes mild skin irritation. H332: Harmful if inhaled. H336: May cause drowsiness or dizziness. H402: Harmful to aquatic life	H410: Very toxic to aquatic life with long
H402: Harmful to aquatic life H412: Harmful to aquatic life with long	
lasting effects.	

16.2 Total Fractional Values

(TFV) Risk

(165.97) Acute Toxicity Inhalation, Category 5
(15.00) Sensitization, Skin, Category 1A
(3.07) Skin Corrosion/Irritation, Category 3
(1.98) Aquatic Chronic Toxicity, Category 4
(1.83) Aquatic Chronic Toxicity, Category 2
(1.52) Skin Corrosion/Irritation, Category 2
(1.39) Aspiration Hazard, Category 1

(TFV) Risk

(18.93) Aquatic Chronic Toxicity, Category 3
(11.33) Sensitization, Skin, Category 1B
(3.00) Sensitization, Skin, Category 1
(1.89) Acute Toxicity Dermal, Category 5
(1.79) Acute Toxicity Dermal, Category 5
(1.49) Eye Damage/Irritation, Category 2A
(1.39) Aquatic Acute Toxicity, Category 1

Notes:

This safety data sheet is based on the properties of the material known at the time the data sheet was issued. The safety data sheet is intended to provide information for a health and safety assessment of the material and the circumstances, under which it is packaged, stored or applied in the workplace. For such a safety assessment holds no responsibility. This document is not intended for quality assurance purposes.