

Apple Jack Fragrance Oil

Safety Data Sheet

SECTION 1: Identification of the Substance/Mixture and of the Company/Undertaking

1.1 Product Name: Apple Jack Fragrance Oil

303-257X **Product Code:**

1.2 Intended Use: Compound used in customer substance/mixture/product.

1.3 Supplier: Majestic Mountain Sage Inc

2490 S 1350 W

Nibley, Utah 84321 - United States of America

T 435.755.0863 - F 435.755.2108

www.TheSage.com

1.4 Emergency Telephone Number

No additional information available.

SECTION 2: Hazards Identification

2.1 Classification of the Substance or Mixture

This mixture has not been tested as a whole. The effects, listed below, are based on evaluation of individual components in accordance with the provisions of the regulation(s) noted below.

Classification According to GHS

Flammable Liquids, Category 4 H227: Combustible liquid. Acute Toxicity Oral, Category 5 H303: May be harmful if swallowed.

H304: May be fatal if swallowed and Aspiration Hazard, Category 1

enters airways.

Acute Toxicity Dermal, Category 5 H313: May be harmful in contact with

skin.

Skin Corrosion/Irritation, Category 2 H315: Causes skin irritation.

Sensitization, Skin, Category 1A H317: May cause an allergic skin

reaction.

Eye Damage/Irritation, Category 2A H319: Causes serious eye irritation. Acute Toxicity Inhalation, Category 5 H333: May be harmful if inhaled. Aquatic Acute Toxicity, Category 1 H400: Very toxic to aquatic life.

Aquatic Chronic Toxicity, Category 2

H411: Toxic to aquatic life with long

lasting effects.

Classification OSHA (Provision 1910.1200 of title 29)

Flammable Liquids, Category 4 H227: Combustible liquid.

Aspiration Hazard, Category 1 H304: May be fatal if swallowed and

enters airways.

Skin Corrosion/Irritation, Category 2 H315: Causes skin irritation.

Eye Damage/Irritation, Category 2A H319: Causes serious eye irritation. Aquatic Acute Toxicity, Category 1 H400: Very toxic to aquatic life.

Classification Other

Carcinogenicity This mixture contains ingredients

identified as carcinogens, at 0.1% or

greater, by the following: None []
ACGIH [] IARC [X] NTP [] OSHA []

2.2 Label Elements

Labeling (REGULATION (EC) No 1272/2008) Hazard Pictograms







Signal Word: Danger.

Hazard Statements

	Combactible liquid.
H303	May be harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H313	May be harmful in contact with skin.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H333	May be harmful if inhaled.

Combustible liquid.

H400 Very toxic to aquatic life,H411 Toxic to aquatic life with long lasting effects.

Precautionary Statements

Prevention:

P235 Keep cool.

P264 Wash hands thoroughly after handling.

P272 Contaminated work clothing should not be allowed out

of the workplace.

	A ' I I	4 41	
P273	Avoid release	to the	anuranmant
	AVUIU IEIEASE	1() 1110	environnen

Response:

P301+P310+P331	IF SWALLOWED: Immediately call a POISON
	CENTER or doctor/physician. Do NOT induce vomiting.
P302+P352	IF ON SKIN: Wash with soap and water.
P304+P312	IF INHALED: Call a POISON CENTER or doctor/
	physician if you feel unwell.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several
	minutes. Remove contact lenses if present and easy to
	do. Continue rinsing.
P312	Call a POISON CENTER or doctor/physician if you feel
	unwell.
P333+P313	If skin irritation or a rash occurs: Get medical advice/
	attention.
P337+P313	If eye irritation persists: Get medical advice/attention.
P362	Take off contaminated clothing and wash before reuse.
P363	Wash contaminated clothing before reuse.
P370+P378	In case fo fire: Use Carbon dioxide (CO ₂), Dry chemical,
	or Foam for extinction. Do not use a direct water jet on
	burning material.
P391	Collect spillage.

2.3 Other Hazards

No data available.

SECTION 3: Composition/Information on Ingredients

3.1 Mixtures

This product is a complex mixture of ingredients, which contains among others the following substance(s), presenting a health or environmental hazard within the meaning of the UN Globally Harmonized System of Classification and Labeling of Chemicals (GHS):

CAS # Ingredient	EC#	Conc. Range	GHS Class.	
120-51-4	204-402-9	20-30%	H302; H313; H400; H411	
Benzyl Benzoate				
5989-27-5	227-813-5	10-20%	H226; H304; H315; H317; H400; H410	
Limonene				

CAS # Ingredient	EC#	Conc. Range	GHS Class.	
97-53-0	202-589-1	10-20%	H303; H316; H317; H319; H401	
Eugenol				
88-41-5	201-828-7	10-20%	H227; H303; H316; H401; H411	
2-t-Butylcyclohe	exyl acetate			
101-39-3	202-938-8	5-10%	H303; H317; H401	
alpha-Methylcin	namaldehyde			
91-64-5	202-086-7	2-5%	H302; H317; H402	
Coumarin				
122-97-4	204-587-6	2-5%	H303; H313; H314; H318; H402	
3-Phenyl-1-prop	oanol			
60-12-8	200-456-2	1-2%	H302; H313; H316; H319	
phenethyl alcoh	ol			
104-55-2	203-213-9	1-2%	H303; H312; H315; H317; H319; H401	
Cinnamal	Cinnamal			
105-53-3	203-305-9	1-2%	H227; H319; H402	
Diethyl malonate				
1222-05-5	214-946-9	1-2%	H316; H400; H410	
Hexamethylindanopyran				
123-11-5	204-602-6	1-2%	H303; H402; H412	
Anisaldehyde				

See Section 16 for full text of GHS classification codes which were not shown in Section 2.

Total Hydrocarbon Content (% w/w) = 20.39

SECTION 4: First Aid Measures

4.1 Description of First Aid Measures

Inhalation: Remove from exposure site to fresh air and keep at

rest. Obtain medical advice.

Eye Contact: Flush immediately with water for at least 15 minutes.

Contact physician if symptoms persist.

Skin Contact: Remove contaminated clothes. Wash thoroughly with

water and soap. Contact physician if symptoms persist.

Ingestion: Rinse mouth with water and obtain medical advice.

4.2 Most Important Symptoms/Effects, Acute and Delayed

Symptoms: No data available.

Risks: Refer to Section 2.2 "Hazard Statements".

4.3 Indication of Any Immediate Medical Attention and Special Treatment Needed

Treatment: Refer to Section 2.2 "Response".

SECTION 5: Firefighting Measures

5.1 Extinguishing Media

Suitable: Carbon dioxide (CO₂), Dry Chemical, Foam.

Unsuitable: Do not use a direct water jet on burning material.

5.2 Special Hazards Arising from the Substance or Mixture

During Fire Fighting: Water may be ineffective.

5.3 Advice for Firefighters

Further Information: Standard procedure for chemical fires.

SECTION 6: Accidental Release Measures

6.1 Personal Precautions, Protective Equipment and Emergency Procedures

Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.

6.2 Environmental Precautions

Keep away from drains, soil, and surface and groundwater.

6.3 Methods and Materials for Containment and Cleaning Up

Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapors. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

6.4 Reference to Other Sections

Not applicable

SECTION 7: Handling and Storage

7.1 Precautions for Safe Handling

Apply according to good manufacturing and industrial hygiene practices with proper ventilation. Do not drink, eat or smoke while handling. Respect good personal hygiene.

7.2 Conditions for Safe Storage, Including Any Incompatibilities

Store in a cool, dry and ventilated area away from heat sources and protected from light in tightly closed original container. Avoid plastic and uncoated metal container. Keep air contact to a minimum.

7.3 Specific End Uses

No information available.

SECTION 8: Exposure Controls/Personal Protection

8.1 Control Parameters

Exposure Limits: Contains no substances with occupational exposure

limit values.

Engineering Controls: Use local exhaust as needed.

8.2 Exposure Controls - Personal Protective Equipment

Eye Protection: Tightly sealed goggles, face shield, or safety glasses

with brow guards and side shields, etc. as may be

appropriate for the exposure.

Respiratory Protection: Avoid excessive inhalation of concentrated vapors.

Apply local ventilation where appropriate.

Skin Protection: Avoid skin contact. Use chemically resistant gloves as

needed.

SECTION 9: Physical and Chemical Properties

9.1 Information on Basic Physical and Chemical Properties

Appearance: Liquid

Odor: Conforms to Standard

Color: Yellow (G5)
Viscosity: Liquid

Freezing Point:

Boiling Point:

Melting Point:

Flashpoint (CCCFP):

Auto Flammability:

Explosive Properties:

Not determined
152°F (66.67°C)

Not determined
None expected
None expected
None expected

 Vapor Pressure (mmHg@20°C):
 0.2129

 %VOC:
 22.54

 Specific Gravity @ 25°C:
 1.0030

 Density @ 25°C:
 1.0000

 Refractive Index @ 20°C:
 1.5220

 Soluble In:
 Oil

SECTION 10: Stability and Reactivity

10.1 Reactivity None.

10.2 Chemical Stability Stable.

10.3 Possibility of Hazardous Reactions None known.

10.4 Conditions to AvoidNone known.

10.5 Incompatible Materials

Strong oxidizing agents, strong acids, and

alkalis.

10.6 Hazardous Decomposition Products

None known.

SECTION 11: Toxicological Information

11.1 Toxicological Effects

Acute Toxicity Estimates (ATEs) based on individual Ingredient Toxicity Data utilizing the "Additivity Formula."

Acute Toxicity-Oral-(Rat) mg/kg (LD50: 2,211.2271) May be harmful if

swallowed.

Acute Toxicity-Dermal (LD50: 2,362.7166) May be harmful in

(Rabbit) mg/kg contact with skin.

Acute Toxicity-Inhalation (LC50: 41.3538) May be harmful if

(Rat) mg/L/4hr inhaled.

Skin Corrosion/Irritation Causes skin irritation.

Serious Eye Damage/Irritation Causes serious eye irritation.

Respiratory Sensitization Not classified - the classification criteria

are not met.

Skin Sensitization May cause an allergic skin reaction.

Germ Cell Mutagenicity Not classified - the classification criteria

are not met.

Carcinogenicity Not classified - the classification criteria

are not met.

Reproductive Toxicity Not classified - the classification criteria

are not met.

Specific Target Organ Toxicity

Single Exposure

Specific Target Organ Toxicity

Repeated Exposure

Aspiration Hazard

Not classified - the classification criteria

are not met.

Not classified - the classification criteria

are not met.

May be fatal if swallowed and enters

airways.

SECTION 12: Ecological Information

12.1 Toxicity

Acute Aquatic Toxicity: Very toxic to aquatic life.

Chronic Aquatic Toxicity: Toxic to aquatic life with long lasting effects.

Toxicity Data on Soil: No data available.

Toxicity on Other Organisms: No data available.

12.2 Persistence and Degradability No data available.

12.3 Bioaccumulative Potential No data available.

12.4 Mobility in Soil No data available.

12.5 Other Adverse Effects No data available.

SECTION 13: Disposal Considerations

13.1 Waste Treatment Methods

Do not allow product to reach sewage systems. Dispose of in accordance with all local and national regulations. Send to a licensed waste management company. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container.

SECTION 14: Transport Information

14.1 Transport Information

Marine Pollutant: Yes. Ingredient of greatest environmental impact:

120-51-4 (20-30%) Benzyl Benzoate

Regulator	Class	Pack Group	Sub Risk	UN-Nr.
U.S. DOT (Non-Bulk)	Not Regulated - Not Dangerous Goods			
Chemicals NOI				
ADR/RID (International Road/Rail)				
Environmentally Hazardous Substance, Liquid, n.o.s.	9	III		UN3082
IATA (Air Cargo)				
Environmentally Hazardous Substance, Liquid, n.o.s.	9	III		UN3082
IMDG (Sea)				
Environmentally Hazardous Substance, Liquid, n.o.s.	9	III		UN3082

SECTION 15: Regulatory information

15.1 U.S. Federal Regulations

TSCA (Toxic Substance Control Act)

All components of the substance/mixture are listed or exempt.

40 CFR (EPCRA, SARA, CERCLA AND CAA)

This product contains NO components of concern.

15.2 U.S. State Regulations

California Proposition 65 Warning

This product contains the following components:

123-35-3(NFS)	204-622-5	0.1-1.0%	beta-Myrcene (Natural Source)
94-59-7	202-345-4	$\leq 60 \text{ ppm}$	Safrole (Natural Source)

202-345-4 <= 60 ppm Satrole (Natural Source) 202-223-0 <= 18 ppm Methyl Eugenol (Natural Source) 93-15-2

15.3 Canadian Regulations

DSL/NDSL

100.00% of the components are listed or exempt.

SECTION 16: Other Information

16.1 GHS H-Statements Referred to Under Section 3 and Not Listed in Section 2

H226: Flammable liquid and vapor.	H302: Harmful if swallowed.
H312: Harmful in contact with skin.	H314: Causes severe skin burns and eye
H316: Causes mild skin irritation.	damage.
H317: May cause an allergic skin reaction.	H318: Causes serious eye damage.
H401: Toxic to aquatic life.	H402: Harmful to aquatic life.
H410: Very toxic to aquatic life with long	H412: Harmful to aquatic life with long

lasting effects.

16.2 Total Fractional Values

lasting effects.

(TFV) Risk

(120.97) Acute Toxicity Inhalation, Category 5 (19.37) Sensitization, Skin, Category 1B

(9.89) Aquatic Chronic Toxicity, Category 2

(4.71) Eye Damage/Irritation, Category 2A

(2.46) Aquatic Chronic Toxicity, Category 4

(2.12) Acute Toxicity Dermal, Category 5

(1.91) Aquatic Acute, Toxicity, Category 1

(TFV) Risk

(98.94) Aquatic Chronic Toxicity, Category 3

(15.51) Sensitization, Skin, Category 1A

(8.07) Skin Corrosion/Irritation, Category 3

(4.68) Skin Corrosion/Irritation, Category 2

(2.26) Acute Toxicity Oral, Category 5

(2.04) Aspiration Hazard, Category 1

Notes:

This safety data sheet is based on the properties of the material known at the time the data sheet was issued. The safety data sheet is intended to provide information for a health and safety assessment of the material and the circumstances, under which it is packaged, stored or applied in the workplace. For such a safety assessment holds no responsibility. This document is not intended for quality assurance purposes.