

Hinoki Wood Fragrance Oil

Safety Data Sheet

SECTION 1: Identification of the Substance/Mixture and of the Company/Undertaking

1.1 Product Name: Hinoki Wood Fragrance Oil 303-336X
1.2 Intended Use: Compound used in customer substance/mixture/product.
1.3 Supplier: Majestic Mountain Sage Inc 2490 S 1350 W Nibley, Utah 84321 - United States of America T 435.755.0863 - F 435.755.2108 www.TheSage.com

1.4 Emergency Telephone Number

No additional information available.

SECTION 2: Hazards Identification

2.1 Classification of the Substance or Mixture

This mixture has not been tested as a whole. The effects, listed below, are based on evaluation of individual components in accordance with the provisions of the regulation(s) noted below.

Classification According to GHS and (EC) No 1272/2008 (CLP)

Acute Toxicity Oral, Category 5	H303: May be harmful if swallowed.
Acute Toxicity Dermal, Category 5	H313: May be harmful if contact with skin.
Skin Corrosion/Irritation, Category 2	H315: Causes skin irritation.
Sensitization, Skin, Category 1A	H317: May cause an allergic skin reaction.
Eye Damage/Irritation, Category 2	H319: Causes serious eye irritation.
Acute Toxicity Inhalation, Category 5	H333: May be harmful if inhaled.
Carcinogenicity, Category 2	H351: Suspected of causing cancer.
Aquatic Acute Toxicity, Category 1	H400: Very toxic to aquatic life.
Aquatic Chronic Toxicity, Category 2	H411: Toxic to aquatic life with long lasting effects.

Classification OSHA (Provision 1910.1200 of title 29)

Skin Corrosion/Irritation, Category 2 Sensitization, Skin, Category 1A

Eye Damage/Irritation, Category 2 Carcinogenicity, Category 2 Aquatic Acute Toxicity, Category 1

Classification Other

Carcinogenicity

H315: Causes skin irritation.
H317: May cause an allergic skin reaction.
H319: Causes serious eye irritation.
H351: Suspected of causing cancer.
H400: Very toxic to aquatic life.

This mixture contains ingredients identified as carcinogens, at 0.1% or greater, by the following: None [X] ACGIH [] IARC [] NTP [] OSHA []

2.2 Label Elements

Labeling (REGULATION (EC) No 1272/2008) Hazard Pictograms



Signal Word:

Warning.

Hazard Statements

H303	May be harmful if swallowed.
H313	May be harmful in contact with skin.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H333	May be harmful if inhaled.
H351	Suspected of causing cancer.
H400	Very toxic to aquatic life.
H411	Toxic to aquatic life with long lasting effects.

Precautionary Statements

Preve	ention:	
	P201	Obtain special instructions before use.
	P202	Do not handle until all safety precautions have been read and understood.
	P264	Wash hands thoroughly after handling.
	P272	Contaminated work clothing should not be allowed out of the workplace.
	P273	Avoid release to the environment.
	P281	Use personal protective equipment as required.
Resp	onse:	
	P302+P352	IF ON SKIN: Wash with soap and water.
	P304+P312	IF INHALED: Call a POISON CENTER or doctor/ physician if you feel unwell.
	P305+P351+P338	
	P308+P313	IF exposed or concerned: Get medical advice/attention.
	P312	Call a POISON CENTER or doctor/physician if you feel unwell.
	P333+P313	If skin irritation or a rash occurs: Get medical advice/ attention.
	P337+P313 P362	If eye irritation persists: Get medical advice/attention. Take off contaminated clothing and wash before reuse.
	P363	Wash contaminated clothing before reuse.
	P391	Collect spillage.

2.3 Other Hazards

No data available.

SECTION 3: Composition/Information on Ingredients

3.1 Mixtures

This product is a complex mixture of ingredients, which contains among others the following substance(s), presenting a health or environmental hazard within the meaning of the UN Globally Harmonized System of Classification and Labeling of Chemicals (GHS):

CAS # Ingredient	EC#	Conc. Range	GHS Class.
120-51-4	204-402-9	10-20%	H302; H313; H400; H411
Benzyl Benzoate			
93-04-9	202-213-6	10-20%	H401; H411
2-Methoxynaphthal	ene (beta-Na	ohthyl meth	yl ether, Nerolin, Yara Yara)
122-40-7	204-541-5	5-10%	H303; H316; H317; H401; H411
Amyl Cinnamal			
97-53-0	202-589-1	5-10%	H303; H316; H317; H319; H401
Eugenol			
77-53-2	201-035-6	2-5%	H227; H401; H411
Cedrol			
121-33-5	204-465-2	2-5%	H303; H319
vanillin			
77-54-3	201-036-1	2-5%	H317; H400; H410
Cedryl acetate			
1222-05-5	214-946-9	2-5%	H316; H400; H410
Hexamethylindanopyran			
91-64-5	202-086-7	2-5%	H302; H317; H402
Coumarin			
127-41-3	204-841-6	2-5%	H302; H316; H401
alpha-lonone			

CAS # Ingredient	EC#	Conc. Range	GHS Class.
115-95-7	204-116-4	2-5%	H227; H315; H317; H320; H402
Linalyl Acetate			
98-55-5	202-680-6	2-5%	H227; H303; H315; H319; H401
Terpineol			
63500-71-0	405-040-6	2-5%	H319
Isobutyl Methyl Teth	rahydropyran	ol	
60-12-8	200-456-2	2-5%	H302; H313; H316; H319
phenethyl alcohol			
470-82-6	207-431-5	1-2%	H226; H303; H316; H317
Eucalyptol			
106-24-1	203-377-1	1-2%	H303; H315; H317; H318; H402
Geraniol			
81-14-1	201-328-9	1-2%	H351; H400; H410
Musk ketone			
98-52-2	202-676-4	1-2%	H303; H319; H401
4-tert-Butylcyclohexanol			
28219-61-6	248-908-8	1-2%	H319; H401; H411
Ethyl trimethylcyclopentene butenol			
104-55-2	203-213-9	1-2%	H303; H312; H315; H317; H319; H401
Cinnamal			
88-41-5	201-828-7	1-2%	H227; H303; H316; H401; H411
2-t-Butylcyclohexyl acetate			
Firm#109289		0.1-1.0%	H315; H317; H318; H411
Limbwood Base 109289H (Firmenich Compound)			

See Section 16 for full text of GHS classification codes which were not shown in Section 2.

Total Hydrocarbon Content (% w/w) = 1.60

SECTION 4: First Aid Measures

4.1 Description of First Aid Measures

Inhalation:	Remove from exposure site to fresh air and keep at rest. Obtain medical advice.
Eye Contact:	Flush immediately with water for at least 15 minutes. Contact physician if symptoms persist.
Skin Contact:	Remove contaminated clothes. Wash thoroughly with water and soap. Contact physician if symptoms persist.
Ingestion:	Rinse mouth with water and obtain medical advice.

4.2 Most Important Symptoms/Effects, Acute and Delayed

Symptoms:	No data available.
Risks:	Refer to Section 2.2 "Hazard Statements".

4.3 Indication of Immediate Medical Attention and Special Treatment Needed

Treatment:	Refer to Section 2.2 "Response".
------------	----------------------------------

SECTION 5: Firefighting Measures

5.1 Extinguishing Media

Suitable:	Carbon dioxide (CO_2), Dry Chemical, Foam.
-----------	--

Unsuitable: Do not use a direct water jet on burning material.

5.2 Special Hazards Arising from the Substance or Mixture

During Fire Fighting: Water may be ineffective.

5.3 Advice for Firefighters

Further Information: Standard procedure for chemical fires.

6.1 Personal Precautions, Protective Equipment and Emergency Procedures

Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.

6.2 Environmental Precautions

Keep away from drains, soil, and surface and groundwater.

6.3 Methods and Materials for Containment and Cleaning up

Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapors. Gross spillage should be contained by use of sand or inert powder and disposed of according to the local regulations.

6.4 Reference to Other Sections

Not applicable.

SECTION 7: Handling and Storage

7.1 Precautions for Safe Handling

Apply according to good manufacturing and industrial hygiene practices with proper ventilation. Do not drink, eat or smoke while handling. Respect good personal hygiene.

7.2 Conditions for Safe Storage, Including any Incompatibilities

Store in a cool, dry and ventilated area away from heat sources and protected from light in tightly closed original container. Avoid plastic and uncoated metal container. Keep air contact to a minimum.

7.3 Specific End Uses

No information available.

SECTION 8: Exposure Controls/Personal Protection

8.1 Control Parameters

Exposure Limits: Contains no substances with occupational exposure limit values.

Engineering Controls: Use local exhaust as needed.

8.2 Exposure Controls - Personal Protective Equipment

Eye Protection:	Tightly sealed goggles, face shield, or safety glasses with brow guards and side shields, etc. as may be appropriate for the exposure.
Respiratory Protection:	Avoid excessive inhalation of concentrated vapors. Apply local ventilation where appropriate.
Skin Protection:	Avoid skin contact. Use chemically resistant gloves as needed.

SECTION 9: Physical and Chemical Properties

9.1 Information on Basic Physical and Chemical Properties

Flashpoint (CCCFP):>200 F (93.33 C)Auto Flammability:Not determinedExplosive Properties:None expectedOxidizing Properties:None expectedVapor Pressure (mmHg@20°C):0.0425%VOC:3.01Specific Gravity @ 25°C:1.0000Density @ 25°C:0.9970Refractive Index @ 20°C:1.5140Soluble In:Oil	Explosive Properties: Oxidizing Properties: Vapor Pressure (mmHg@20°C): %VOC: Specific Gravity @ 25°C: Density @ 25°C: Refractive Index @ 20°C:	None expected None expected 0.0425 3.01 1.0000 0.9970 1.5140
--	---	--

SECTION 10: Stability and Reactivity		
10.1 Reactivity	None.	
10.2 Chemical Stability	Stable.	
10.3 Possibility of Hazardous Reactions	None known.	
10.4 Conditions to Avoid	None known.	

SDS Hinoki Wood Fragrance Oil, 303-336X

10.5 Incompatible Materials

Strong oxidizing agents, strong acids, and alkalis.

10.6 Hazardous Decomposition Products None known.

SECTION 11: Toxicological Information

11.1 Toxicological Effects

Acute Toxicity Estimates (ATEs) based on individual Ingredient Toxicity Data utilizing the "Additivity Formula"

Acute Toxicity-Oral-(Rat) mg/kg	(LD50: 2654.0382) May be harmful if				
	swallowed.				
Acute Toxicity-Dermal	(LD50: 2725.1117) May be harmful in				
(Rabbit) mg/kg	contact with skin.				
Acute Toxicity-Inhalation	(LC50: 60.0349) May be harmful if				
(Rat) mg/L/4hr	inhaled.				
Skin Corrosion/Irritation	Causes skin irritation.				
Serious Eye Damage/Irritation	Causes serious eye irritation.				
Respiratory Sensitization	Not classified - the classification criteria are not met.				
Skin Sensitization	May cause an allergic skin reaction.				
Germ Cell Mutagenicity	Not classified - the classification criteria are not met.				
Carcinogenicity	Suspected of causing cancer.				
Reproductive Toxicity	Not classified - the classification criteria are not met.				
Specific Target Organ Toxicity Single Exposure	Not classified - the classification criteria are not met.				
Specific Target Organ Toxicity	Not classified - the classification criteria				
Repeated Exposure	are not met.				
Aspiration Hazard	Not classified - the classification criteria are not met.				

SECTION 12: Ecological information

12.1 Toxicity

Acute Aquatic Toxicity:	Very toxic to aquatic life.
Chronic Aquatic Toxicity:	Toxic to aquatic life with long lasting effects.
Toxicity Data on Soil:	No data available.
Toxicity on Other Organisms:	No data available.

12.2 Persistence and Degradability	No data available.
12.3 Bioaccumulative Potential	No data available.
12.4 Mobility in Soil	No data available.
12.5 Other Adverse Effects	No data available.

SECTION 13: Disposal Considerations

13.1 Waste Treatment Methods

Do not allow product to reach sewage systems. Dispose of in accordance with all local and national regulations. Send to a licensed waste management company. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container.

SECTION 14: Transport Information

14.1 Transport Information

Marine Pollutant:Yes. Ingredient of greatest environmental impact:120-51-410-20%Benzyl Benzoate

Regulator	Class	Pack Group	Sub Risk	UN-Nr.
U.S. DOT (Non-Bulk)	Not regulated - Not Dangerous Goods			
Chemical NOI				
ADR/RID (International Road/Rail)				
Environmentally Hazardous Substance, Liquid, n.o.s.	9	111		UN3082
IATA (Air Cargo)				
Environmentally Hazardous Substance, Liquid, n.o.s.	9	111		UN3082
IMDG (Sea)				
Environmentally Hazardous Substance, Liquid, n.o.s.	9	111		UN3082

15.1 US Federal Regulations

TSCA (Toxic Substance Control Act)

All components of the substance/mixture are listed or exempt.

40 CFR (EPCRA, SARA, CERCLA AND CAA)

This product contains NO components of concern.

15.2 US State Regulations

California Proposition 65 Warning

This product contains the following components: 123-35-3(NFS) 204-622-5 <= 2 ppm beta-Myrcene (Natural Source)

15.3 Canadian Regulations

DSL/NDSL

99.79% of the components are listed or exempt. The following components are NOT on the List:

 71735-79-0
 275-967-7
 0.1-1.0%
 Trimethyl-13-oxabicyclo[10.1.0]

 211299-54-6
 427-580-1
 <= 5 ppm</td>
 4H-4a,9-Methanoazuleno[5,6-d]

 1,3-dioxole,octahydro 2,2,5,8,89a-hexamethyl (4aR,5R,7aS,9R)

SECTION 16: Other Information

16.1 GHS H-Statements Referred to Under Section 3 and Not Listed in Section 2

H226: Flammable liquid and vapor.
H302: Harmful if swallowed.
H316: Causes mild skin irritation.
H318: Causes serious eye damage.
H401: Toxic to aquatic life.
H410: Very toxic to aquatic life with long lasting effects.

H227: Combustible liquid.

H312: Harmful in contact with skin.

H317: May cause an allergic skin reaction.

H320: Causes eye irritation.

H402: Harmful to aquatic life.

16.2 Total Fractional Values

(TFV) Risk

(83.28) Acute Toxicity Inhalation, Category 5
(10.04) Sensitization, Skin, Category 1A
(4.76) Aquatic Chronic Toxicity, Category 2
(3.29) Skin Corrosion/Irritation, Category 3
(1.88) Acute Toxicity Oral, Category 5
(1.71) Aquatic Chronic Toxicity, Category 4
(1.10) Carcinogenicity, Category 2

(TFV) Risk

(47.55) Aquatic Chronic Toxicity, Category 3
(6.02) Sensitization, Skin, Category 1B
(4.06) Eye Damage/Irritation, Category 2A
(2.01) Sensitization., Skin, Category 1
(1.83) Acute Toxicity Dermal, Category 5
(1.15) Aquatic Acute Toxicity, Category 1
(1.04) Skin Corrosion/Irritation, Category 2

Notes:

This safety data sheet is based on the properties of the material known at the time the data sheet was issued. The safety data sheet is intended to provide information for a health and safety assessment of the material and the circumstances, under which it is packaged, stored or applied in the workplace. For such a safety assessment holds no responsibility. This document is not intended for quality assurance purposes.