

## **Monkey Farts Fragrance Oil**

Safety Data Sheet

#### SECTION 1: Identification of the Substance/Mixture and of the Company/Undertaking

**1.1 Product Name:** Monkey Farts Fragrance Oil

**Product Code:** 303-359X

**1.2 Intended Use:** Compound used in customer substance/mixture/product.

**1.3 Supplier:** Majestic Mountain Sage Inc

2490 S 1350 W

Nibley, Utah 84321 - United States of America

T 435.755.0863 - F 435.755.2108

www.TheSage.com

#### 1.4 Emergency Telephone Number

No additional information available.

#### **SECTION 2: Hazards Identification**

#### 2.1 Classification of the Substance or Mixture

This mixture has not been tested as a whole. The effects, listed below, are based on evaluation of individual components in accordance with the provisions of the regulation(s) noted below.

## Classification According to GHS and (EC) No 1272/2008 (CLP)

Flammable Liquids, Category 4 H227: Combustible liquid.

Acute Toxicity Oral, Category 5 H303: May be harmful if swallowed.

Acute Toxicity Dermal, Category 5 H313: May be harmful in contact with

skin.

Sensitization, Skin, Category 1B H317: May cause an allergic skin

reaction.

Eye Damage/Irritation, Category 2B

Acute Toxicity Inhalation, Category 5

Aquatic Acute Toxicity, Category 1

H320: Causes eye irritation.

H333: May be harmful if inhaled.

H400: Very toxic to aquatic life.

Aquatic Chronic Toxicity, Category 2 H411: Toxic to aquatic life with long

lasting effects.

## Classification OSHA (Provision 1910.1200 of Title 29)

Flammable Liquids, Category 4 H227: Combustible liquid.

Sensitization, Skin, Category 1B H317: May cause an allergic skin

reaction.

Eye Damage/Irritation, Category 2B H320: Causes eye irritation.

Aquatic Acute Toxicity, Category 1 H400: Very toxic to aquatic life.

#### Classification Other

Carcinogenicity This mixture contains ingredients

identified as carcinogens, at 0.1% or

greater, by the following: None [X] ACGIH [ ] IARC [ ] NTP [ ] OSHA [ ]

#### 2.2 Label Elements

# Labeling (REGULATION (EC) No 1272/2008) Hazard Pictograms





Signal Word: Warning.

#### **Hazard Statements**

H227 Combustible liquid.

H303 May be harmful if swallowed.

H313 May be harmful in contact with skin. H317 May cause an allergic skin reaction.

H320 Causes eye irritation.
H333 May be harmful if inhaled.
H400 Very toxic to aquatic life.

H411 Toxic to aquatic life with long lasting effects.

## **Precautionary Statements**

### **Prevention:**

P235 Keep cool.

P264 Wash hands thoroughly after handling.

P272 Contaminated work clothing should not be allowed out

of the workplace.

P273 Avoid release to the environment.

## Response:

P302+P352	IF ON SKIN: Wash with soap and water.
P304+P312	IF INHALED: Call a POISON CENTER or doctor/
	physician if you feel unwell.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several
	minutes. Remove contact lenses if present and easy to
	do. Continue rinsing.
P312	Call a POISON CENTER or doctor/physician if you feel
	unwell.
P333+P313	If skin irritation or a rash occurs: Get medical advice/
	attention.
P337+P313	If eye irritation persists: Get medical advice/attention.
P363	Wash contaminated clothing before reuse.
P370+P378	In case of fire: Use carbon dioxide (CO <sub>2</sub> ), Dry chemical,
	or foam for extinction. Do not use a direct water jet on
	burning material.
P391	Collect spillage.

#### 2.3 Other Hazards

No data available.

## **SECTION 3: Composition/Information on Ingredients**

## 3.1 Mixtures

This product is a complex mixture of ingredients, which contains among others the following substance(s), presenting a health or environmental hazard within the meaning of the UN Globally Harmonized System of Classification and Labeling of Chemicals (GHS):

CAS # Ingredient	EC#	Conc. Range	GHS Class.	
120-51-4	204-402-9	50-60%	H302; H313; H400; H411	
Benzyl Benzoate				
121-32-4	204-464-7	10-20%	H303; H320; H402	
Ethyl vanillin				
141-97-9	205-516-1	5-10%	H227	
Ethyl acetoacetate				
120-57-0	204-409-7	5-10%	H303; H317; H401	
Heliotropine				

CAS # Ingredient	EC#	Conc. Range	GHS Class.		
88-41-5	201-828-7	2-5%	H227; H303; H316; H401; H411		
2-t-Butylcyclohexyl acetate					
540-18-1	208-739-2	2-5%	H226		
Amyl butyrate					
628-63-7	211-047-3	2-5%	H226		
Amyl Acetate					
105-54-5	203-306-4	2-5%	H226; H401		
Ethyl butyrate	Ethyl butyrate				
103-41-3	203-109-3	1-2%	H303; H317; H401; H411		
Benzyl Cinnamate					
68737-61-1	272-113-5	1-2%	H227; H303; h313; H315; H317; H401; H411		
Dimethyltetrahydro Benzaldehyde					
4940-11-8	225-582-5	1-2%	H302; H401		
Ethyl Maltol					
123-92-2	204-662-3	1-2%	H226; H402		
Isoamyl acetate					
38255-32-8	254-384-1	1-2%	H226; H316		
Ethyl-2-methylvalerate					

See Section 16 for full text of GHS classification codes which were not shown in Section 2.

Total Hydrocarbon Content (% w/w) = 0.13

#### **SECTION 4: First Aid Measures**

## 4.1 Description of First Aid Measures

**Inhalation:** Remove from exposure site to fresh air and keep at

rest. Obtain medical advice.

**Eye Contact:** Flush immediately with water for at least 15 minutes.

Contact physician if symptoms persist.

**Skin Contact:** Remove contaminated clothes. Wash thoroughly with

water and soap. Contact physician if symptoms persist.

**Ingestion:** Rinse mouth with water and obtain medical advice.

## 4.2 Most Important Symptoms/Effects, Acute and Delayed

**Symptoms:** No data available.

**Risks:** Refer to Section 2.2 "Hazard Statements".

## 4.3 Indication of Any Immediate Medical Attention and Special Treatment Needed

**Treatment:** Refer to Section 2.2 "Response".

#### **SECTION 5: Firefighting Measures**

## **5.1 Extinguishing Media**

**Suitable:** Carbon dioxide (CO<sub>2</sub>), Dry Chemical, Foam.

**Unsuitable:** Do not use a direct water jet on burning material.

## **5.2 Special Hazards Arising from the Substance or Mixture**

**During Fire Fighting:** Water may be ineffective.

#### **5.3 Advice for Firefighters**

**Further Information:** Standard procedure for chemical fires.

#### **SECTION 6: Accidental Release Measures**

## 6.1 Personal Precautions, Protective Equipment and Emergency Procedures

Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.

#### **6.2 Environmental Precautions**

Keep away from drains, soil, and surface and groundwater.

#### 6.3 Methods and Materials for Containment and Cleaning Up

Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapors. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

#### 6.4 Reference to Other Sections

Not applicable.

## **SECTION 7: Handling and Storage**

## 7.1 Precautions for Safe Handling

Apply according to good manufacturing and industrial hygiene practices with proper ventilation. Do not drink, eat or smoke while handling. Respect good personal hygiene.

#### 7.2 Conditions for Safe Storage, Including Any Incompatibilities

Store in a cool, dry and ventilated area away from heat sources and protected from light in tightly closed original container. Avoid plastic and uncoated metal container. Keep air contact to a minimum.

## 7.3 Specific End Uses

No information available.

#### **SECTION 8: Exposure Controls/Personal Protection**

#### **8.1 Control Parameters**

#### **Exposure Limits:**

Component	ACGIH TWA ppm	ACGIH STEL ppm	OSHA TWA ppm	OSHA STEL ppm
628-63-7 Amyl Acetate	50	100	100	
123-92-2 Isoamyl acetate	50	100	100	

**Engineering Controls:** Use local exhaust as needed.

#### 8.2 Exposure Controls - Personal Protective Equipment

**Eye Protection:** Tightly sealed goggles, face shield, or safety glasses

with brow guards and side shields, etc. as may be

appropriate for the exposure.

Respiratory Protection: Avoid excessive inhalation of concentrated vapors.

Apply local ventilation where appropriate.

**Skin Protection:** Avoid skin contact. Use chemically resistant gloves as

needed.

#### **SECTION 9: Physical and Chemical Properties**

## 9.1 Information on Basic Physical and Chemical Properties

Appearance: Liquid

Odor:Conforms to StandardColor:Greenish Yellow (G2)

Viscosity: Liquid

Freezing Point:

Boiling Point:

Melting Point:

Flashpoint (CCCFP):

Auto Flammability:

Explosive Properties:

Not determined
150°F (65.56°C)

Not determined
None expected
None expected
None expected

Vapor Pressure (mmHg@20°C): 0.6312

 %VOC:
 22.19

 Specific Gravity @ 25°C:
 1.0760

 Density @ 25°C:
 1.0730

 Refractive Index @ 20°C:
 1.5270

 Soluble In:
 Oil

## **SECTION 10: Stability and Reactivity**

**10.1 Reactivity** None.

**10.2 Chemical Stability** Stable.

**10.3 Possibility of Hazardous Reactions** None known.

**10.4 Conditions to Avoid**None known.

10.5 Incompatible Materials Strong oxidizing agents, strong acids, and

alkalis.

**10.6 Hazardous Decomposition Products** None known.

#### **SECTION 11: Toxicological Information**

#### 11.1 Toxicological Effects

Acute Toxicity Estimates (ATEs) based on individual Ingredient Toxicity Data utilizing the "Additivity Formula."

Acute Toxicity-Oral-(Rat) mg/kg (LD50: 2.023.3539) May be harmful if

swallowed.

Acute Toxicity-Dermal (LD50: 4268.5520) May be harmful in

(Rabbit) mg/kg contact with skin.

**Acute Toxicity-Inhalation** (LC50: 67.5097) May be harmful if

(Rat) mg/L/4hr inhaled.

**Skin Corrosion/Irritation**Not classified - the classification criteria

are not met.

**Serious Eye Damage/Irritation** Causes eye irritation.

Respiratory Sensitization Not classified - the classification criteria

are not met.

**Skin Sensitization** May cause an allergic skin reaction.

Germ Cell Mutagenicity Not classified - the classification criteria

are not met.

Carcinogenicity Not classified - the classification criteria

are not met.

Reproductive Toxicity Not classified - the classification criteria

are not met.

Specific Target Organ Toxicity Not classified - the classification criteria

Single Exposure are not met.

Specific Target Organ Toxicity Not classified - the classification criteria

Repeated Exposure are not met.

Aspiration Hazard Not classified - the classification criteria

are not met.

## **SECTION 12: Ecological Information**

## 12.1 Toxicity

**Acute Aquatic Toxicity:** Very toxic to aquatic life.

**Chronic Aquatic Toxicity:** Toxic to aquatic life with long lasting effects.

Toxicity Data on Soil: No data available.

Toxicity on Other Organisms: No data available.

**12.2 Persistence and Degradability** No data available.

**12.3 Bioaccumulative Potential** No data available.

**12.4 Mobility in Soil** No data available.

**12.5 Other Adverse Effects** No data available.

#### **SECTION 13: Disposal Considerations**

#### 13.1 Waste Treatment Methods

Do not allow product to reach sewage systems. Dispose of in accordance with all local and national regulations. Send to a licensed waste management company. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container.

## **SECTION 14: Transport Information**

## **14.1 Transport Information**

**Marine Pollutant:** Yes. Ingredient of greatest environmental impact:

120-51-4 50-60% Benzyl Benzoate

Regulator	Class	Pack Group	Sub Risk	UN-Nr.
U.S. DOT (Non-Bulk)	Not Regulated - Not Dangerous Goods			
Chemicals NOI				
ADR/RID (International Road/Rail)				
Environmentally Hazardous Substance, Liquid, n.o.s.	9	III		UN3082
IATA (Air Cargo)				
Environmentally Hazardous Substance, Liquid, n.o.s.	9	III		UN3082
IMDG (Sea)				
Environmentally Hazardous Substance, Liquid, n.o.s.	9	III		UN3082

## **SECTION 15: Regulatory information**

## 15.1 U.S. Federal Regulations

## **TSCA (Toxic Substance Control Act)**

All components of the substance/mixture are listed or exempt.

## 40 CFR (EPCRA, SARA, CERCLA AND CAA)

This product contains the following components:

628-63-7 211-047-3 2-5% Amyl Acetate 123-92-2 204-662-3 1-2% Isoamyl acetate

## 15.2 U.S. State Regulations

## **California Proposition 65 Warning**

No warning required.

## 15.3 Canadian Regulations

#### DSL/NDSL

100.00% of the components are listed or exempt.

#### **SECTION 16: Other Information**

## 16.1 GHS H-Statements Referred to Under Section 3 and not Listed in Section 2

H326: Flammable liquid and vapor.
H315: Causes skin irritation.
H317: May cause an allergic skin reaction.
H401: Toxic to aquatic life.
H302: Harmful if swallowed.
H316: Causes mild skin irritation.
H319: Causes serious eye irritation.
H402: Harmful to aquatic life.

#### 16.2 Total Fractional Values

(TFV) Risk	(TFV) Risk
(74.06) Acute Toxicity Inhalation, Category 5	(25.14) Aquatic Chronic Toxicity, Category 3
(5.00) Sensitization, Skin, Category 1B	(2.51) Aquatic Chronic Toxicity, Category 4
(2.51) Aquatic Chronic Toxicity, Category 2	(2.47) Acute Toxicity Oral, Category 5
(2.32) Aquatic Acute Toxicity, Category 1	(1.17) Acute Toxicity Dermal, Category 5
(1.00) Eye Damage/Irritation, Category 2B	

#### Notes:

This safety data sheet is based on the properties of the material known at the time the data sheet was issued. The safety data sheet is intended to provide information for a health and safety assessment of the material and the circumstances, under which it is packaged, stored or applied in the workplace. For such a safety assessment holds no responsibility. This document is not intended for quality assurance purposes.