

Sandalwood Fragrance Oil

Safety Data Sheet

SECTION 1: Identification of the Substance/Mixture and of the Company/Undertaking

1.1 Product Name: Sandalwood Fragrance Oil 303-618X
1.2 Intended Use: Compound used in customer substance/mixture/product.
1.3 Supplier: Majestic Mountain Sage Inc 2490 S 1350 W Nibley, Utah 84321 - United States of America T 435.755.0863 - F 435.755.2108 www.TheSage.com

1.4 Emergency Telephone Number

No additional information available.

SECTION 2: Hazards Identification

2.1 Classification of the Substance or Mixture

This mixture has not been tested as a whole. The effects, listed below, are based on evaluation of individual components in accordance with the provisions of the regulation(s) noted below.

Classification According to GHS and (EC) No 1272/2008 (CLP)

Skin Corrosion/Irritation, Category 2	H315: Causes skin irritation.
Sensitization, Skin, Category 1B	H317: May cause an allergic skin
	reaction.
Eye Damage/Irritation, Category 2A	H319: Causes serious eye irritation.
Carcinogenicity, Category 2	H351: Suspected of causing cancer.
Aquatic Acute Toxicity, Category 1	H400: Very toxic to aquatic life.
Aquatic Chronic Toxicity, Category 2	H411: Toxic to aquatic life with long
	lasting effects.

Classification OSHA (Provision 1910.1200 of Title 29)

Skin Corrosion/Irritation, Category 2
Sensitization, Skin, Category 1B
Eye Damage/Irritation, Category 2A
Carcinogenicity, Category 2
Aquatic Acute Toxicity, Category 1
Classification Other
H315: Causes skin irritation.
H317: May cause an allergic skin reaction.
H319: Causes serious eye irritation.
H351: Suspected of causing cancer.
H400: Very toxic to aquatic life.

This mixture contains ingredients identified as carcinogens, at 0.1% or greater, by the following: None [X] ACGIH [] IARC [] NTP [] OSHA []

2.2 Label Elements

Carcinogenicity

Labeling (REGULATION (EC) No 1272/2008) Hazard Pictograms



Signal Word:

Warning.

Hazard Statements

H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H351	Suspected of causing cancer.
H400	Very toxic to aquatic life.
H411	Toxic to aquatic life with long lasting effects.

Precautionary Statements

Prevention: P201 P202	Obtain special instructions before use. Do not handle until all safety precautions have been read and understood.
P264 P272	Wash hands thoroughly after handling. Contaminated work clothing should not be allowed out
P273 P281	of the workplace. Avoid release to the environment. Use personal protective equipment as required.

SDS Sandalwood Fragrance Oil, 303-618X

January 29, 2021, page 2 of 12

Response:

P302+P352 P305+P351+P338	IF ON SKIN: Wash with soap and water. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to
	do. Continue rinsing.
P308+P313	If exposed or concerned: Get medical advice/attention.
P333+P313	If skin irritation or a rash occurs: Get medical advice/ attention.
P337+P313	If eye irritation persists: Get medical advice/attention.
P362	Take off contaminated clothing and wash before reuse.
P363	Wash contaminated clothing before reuse.
P391	Collect spillage.

2.3 Other Hazards

No data available.

SECTION 3: Composition/Information on Ingredients

3.1 Mixtures

This product is a complex mixture of ingredients, which contains among others the following substance(s), presenting a health or environmental hazard within the meaning of the UN Globally Harmonized System of Classification and Labeling of Chemicals (GHS):

CAS # Ingredient	EC#	Conc. Range	GHS Class.
8050-15-5	232-476-2	20-30%	H402; H412
Methyl ester of	rosin (partially h	ydrogenated)	
140-11-4	205-399-7	10-20%	H303; H401; H412
Benzyl acetate			
120-51-4	204-402-9	5-10%	H302; H313; H400; H411
Benzyl Benzoate			
81-14-1	201-328-9	2-5%	H351; H400; H410
Musk ketone			
78-70-6	201-134-4	2-5%	H227; H303; H315; H317; H319; H402
Linalool			

CAS # Ingredient	EC#	Conc. Range	GHS Class.
66068-84-6	266-100-3	2-5%	H316; H400; H411
Isocamphenyl c	yclohexanol (mi	ixed isomers)	
77-53-2	201-035-6	2-5%	H227; H401; H411
Cedrol			
91-64-5	202-086-7	2-5%	H302; H317; H402
Coumarin			
32210-23-4	250-954-9	2-5%	H303; H317; H401
4-tert-Butylcyclo	ohexyl acetate		
469-61-4	207-418-4	1-2%	H304; H316; H400
alpha-Cedrene			
98-55-5	202-680-6	1-2%	H227; H303; H315; H319; H401
Terpineol			
8007-35-0	232-357-5	1-2%	H316; H401; H411
Terpineol aceta	te		
14901-07-6	238-969-9	1-2%	H316; H401; H411
lonone			
87-44-5	201-746-1	1-2%	H304; H317; H413
Beta-Caryophyl	lene		
106-24-1	203-377-1	1-2%	H303; H315; H317; H318; H402
Geraniol			
93-18-8	202-226-7	1-2%	H303; H315; H401; H411
beta-Naphthyl e	ethyl ether (Nero	lin Bromelia)	
60-12-8	200-456-2	1-2%	H302; H313; H316; H319
phenethyl alcoh	ol		
115-95-7	204-116-4	1-2%	H227; H315; H317; H320; H402
Linalyl Acetate			

CAS # Ingredient	EC#	Conc. Range	GHS Class.
5989-27-5	227-813-5	0.1-1.0%	H226; H304; H315; H317; H400; H412
Limonene			
122-40-7	204-541-5	0.1-1.0%	H303; H316; H317; H401; H411
Amyl Cinnama	al		
106-25-2	203-378-7	0.1-1.0%	H303; H315; H317; H319; H401
Nerol			
127-43-5	204-843-7	0.1-1.0%	H315; H317; H401; H411
Methyl-ß-iono	ne		
106-22-9	203-375-0	0.1-1.0%	H303; H313; H315; H317; H319; H401
Citronellol			
97-53-0	202-589-1	0.1-1.0%	H303; H316; H317; H319; H41
Eugenol			
127-51-5	204-846-3	0.1-1.0%	H316; H317; H320; H401; H411
a-Isomethyl io	none		
495-61-4	610-461-5	0.1-1.0%	H304; H315; H317; H332; H401; H411
beta-bisabolei	ne		
61789-17-1	309-448-4	0.1-1.0%	H315; H317; H400; H410
Guaicwood ad	cetate		
80-56-8	201-291-9	0.1-1.0%	H226; H302; H304; H315; H31777; H400; H410
pinene			

See Section 16 for full text of GHS classification codes which were not shown in Section 2.

Total Hydrocarbon Content (% w/w) = 4.77

SECTION 4: First Aid Measures

4.1 Description of First Aid Measures

Inhalation:	Remove from exposure site to fresh air and keep at rest. Obtain medical advice.
Eye Contact:	Flush immediately with water for at least 15 minutes. Contact physician if symptoms persist.
Skin Contact:	Remove contaminated clothes. Wash thoroughly with water and soap. Contact physician if symptoms persist.
Ingestion:	Rinse mouth with water and obtain medical advice.

4.2 Most Important Symptoms/Effects, Acute and Delayed

Symptoms:	No data available.
Risks:	Refer to Section 2.2 "Hazard Statements".

4.3 Indication of Any Immediate Medical Attention and Special Treatment Needed

Treatment: Refer to Section 2.2 "Response".

SECTION 5: Firefighting Measures

5.1 Extinguishing Media

Suitable:	Carbon dioxide (CO_2), Dry Chemical, Foam.
Unsuitable:	Do not use a direct water jet on burning material.

5.2 Special Hazards Arising from the Substance or Mixture

During Fire Fighting: Water may be ineffective.

5.3 Advice for Firefighters

Further Information: Standard procedure for chemical fires.

6.1 Personal Precautions, Protective Equipment and Emergency Procedures

Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.

6.2 Environmental Precautions

Keep away from drains, soil, and surface and groundwater.

6.3 Methods and Materials for Containment and Cleaning Up

Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapors. Gross spillage should be contained by use of sand or inert powder and disposed of according to the local regulations.

6.4 Reference to Other Sections

Not applicable.

SECTION 7: Handling and Storage

7.1 Precautions for Safe Handling

Apply according to good manufacturing and industrial hygiene practices with proper ventilation. Do not drink, eat or smoke while handling. Respect good personal hygiene.

7.2 Conditions for Safe Storage, Including Any Incompatibilities

Store in a cool, dry and ventilated area away from heat sources and protected from light in tightly closed original container. Avoid plastic and uncoated metal container. Keep air contact to a minimum.

7.3 Specific End Uses

No information available.

SECTION 8: Exposure Controls/Personal Protection

8.1 Control Parameters

Exposure Limits:

Components	ACGIH TWA ppm	ACGIH STEL ppm	OSHA TWA PPM	OSHA STEL ppm
140-11-4 Benzyl acetate	10			
80-56-8 pinene	20			

Engineering Controls: Use local exhaust as needed.

8.2 Exposure Controls - Personal Protective Equipment

Eye Protection:	Tightly sealed goggles, face shield, or safety glasses with brow guards and side shields, etc. as may be appropriate for the exposure.
Respiratory Protection:	Avoid excessive inhalation of concentrated vapors. Apply local ventilation where appropriate.
Skin Protection:	Avoid skin contact. Use chemically resistant gloves as needed.

SECTION 9: Physical and Chemical Properties

9.1 Information on Basic Physical and Chemical Properties

Appearance:	Liquid
Odor:	Conforms to Standard
Color:	Yellow/Golden Yellow (G6-8)
Viscosity:	Liquid
Freezing Point:	Not determined
Boiling Point:	Not determined
Melting Point:	Not determined
Flashpoint (CCCFP):	>200°F (93.33°C)
Auto Flammability:	Not determined
Explosive Properties:	None expected
Oxidizing Properties:	None expected
Vapor Pressure (mmHg@20°C):	0.0649

%VOC:	15.58
Specific Gravity @ 25°C:	0.9990
Density @ 25°C:	0.9960
Refractive Index @ 20°C:	1.5070
Soluble In:	Oil

SECTION 10: Stability and Reactivity

10.1 Reactivity	None.
10.2 Chemical Stability	Stable.
10.3 Possibility of Hazardous Reactions	None known.
10.4 Conditions to Avoid	None known.
10.5 Incompatible Materials	Strong oxidizing agents, strong acids, and alkalis.
10.6 Hazardous Decomposition Products	None known.

SECTION 11: Toxicological Information

11.1 Toxicological Effects

Acute Toxicity Estimates (ATEs) based on individual Ingredient Toxicity Data utilizing the "Additivity Formula"

Acute Toxicity-Oral-(Rat) mg/kg	Not classified - the classification criteria are not met.
Acute Toxicity-Dermal	Not classified - the classification criteria
(Rabbit) mg/kg	are not met.
Acute Toxicity-Inhalation	Not classified - the classification criteria
(Rat) mg/L/4hr	are not met.
Skin Corrosion/Irritation	Causes skin irritation.
Serious Eye Damage/Irritation	Causes serious eye irritation.
Respiratory Sensitization	Not classified - the classification criteria are not met.
Skin Sensitization	May cause an allergic skin reaction.
Germ Cell Mutagenicity	Not classified - the classification criteria are not met.
Carcinogenicity	Suspected of causing cancer.
Reproductive Toxicity	Not classified - the classification criteria are not met.

Specific Target Organ Toxicity	Not classified - the classification criteria
Single Exposure	are not met.
Specific Target Organ Toxicity	Not classified - the classification criteria
Repeated Exposure	are not met.
Aspiration Hazard	Not classified - the classification criteria are not met.

SECTION 12: Ecological Information

12.1 Toxicity

Acute Aquatic Toxicity: Chronic Aquatic Toxicity: Toxicity Data on Soil: Toxicity on Other Organisms:	Very toxic to aquatic life. Toxic to aquatic life with long lasting effects. No data available. No data available.
12.2 Persistence and Degradability	No data available.
12.3 Bioaccumulative Potential	No data available.
12.4 Mobility in Soil	No data available.
12.5 Other Adverse Effects	No data available

SECTION 13: Disposal Considerations

13.1 Waste Treatment Methods

Do not allow product to reach sewage systems. Dispose of in accordance with all local and national regulations. Send to a licensed waste management company. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container.

SECTION 14: Transport Information

14.1 Transport Information

Marine Pollutant:Yes. Ingredient of greatest environmental impact:69-61-41-2%alpha-Cedrene

Regulator	Class	Pack Group	Sub Risk	UN-Nr.
U.S. DOT (Non-Bulk)	Not regulated - Not Dangerous Goods			
Chemicals NOI				
ADR/RID (International Road/Rail)				
Environmentally Hazardous Substance, Liquid, n.o.s.	9	111		UN3082
IATA (Air Cargo)				
Environmentally Hazardous Substance, Liquid, n.o.s.	9	111		UN3082
IMDG (Sea)				
Environmentally Hazardous Substance, Liquid, n.o.s.	9	111		UN3082

SECTION 15: Regulatory information

15.1 U.S. Federal Regulations

TSCA (Toxic Substance Control Act)

All components of the substance/mixture are listed or exempt.

40 CFR (EPCRA, SARA, CERCLA AND CAA)

This product contains NO components of concern.

15.2 U.S. State Regulations

California Proposition 65 Warning

This product contains the following components:			
93-15-2	202-223-0	<= 4 ppm	Methyl Eugenol (Natural source)
123-35-3(NFS)	204-622-5	0.01-0.1%	beta-Myrcene (Natural source)

15.3 Canadian Regulations

DSL/NDSL

100.00% of the components are listed or exempt. The following components are NOT on the List:

211299-54-6 427-580-1 <= 5 ppm 4H-4a,9-Methanoazuleno[5,6-d]-1,3dioxole,octahydro-2,2,5,8,89ahexamethyl-,(4aR,5R,7aS,9R)-

SECTION 16: Other Information

16.1 GHS H-Statements Referred to Under Section 3 and Not Listed in Section 2

H226: Flammable liquid and vapor. H302: Harmful if swallowed. H304: May be fatal if swallowed and enters airways. H317: May cause an allergic skin reaction	H316: Causes mild skin irritation.
H317: May cause an allergic skin reaction. H320: Causes eye irritation.	H332: Harmful if inhaled.
H401: Toxic to aquatic life.	H402: Harmful to aquatic life.
H410: Very toxic to aquatic life with long	H412: Harmful to aquatic life with long
lasting effects.	lasting effects.
H413: May cause long lasting harmful	

effects to aquatic life.

16.2 Total Fractional Values

(TFV) Risk

(27.32) Aquatic Chronic Toxicity, Category 3 (4.10) Carcinogenicity, Category 2 (3.19) Sensitization, Skin, Category 1B (2.58) Aquatic Chronic Toxicity, Category 2 (2.50) Aquatic Chronic Toxicity, Category 4 (2.36) Eye Damage/Irritation, Category 2A (2.33) Skin Corrosion/Irritation, Category 3 (1.76) Sensitization, Skin, Category 1 (1.38) Aquatic Acute Toxicity, Category 1

Notes:

This safety data sheet is based on the properties of the material known at the time the data sheet was issued. The safety data sheet is intended to provide information for a health and safety assessment of the material and the circumstances, under which it is packaged. stored or applied in the workplace. For such a safety assessment holds no responsibility. This document is not intended for quality assurance purposes.

(TFV) Risk

(1.27) Skin Corrosion/Irritation, Category 2