

Frankincense Fragrance Oil

Safety Data Sheet

SECTION 1: Identification of the Substance/Mixture and of the Company/Undertaking

1.1 Product Name: Frankincense Fragrance Oil 303-642X
1.2 Intended Use: Compound used in customer substance/mixture/product.
1.3 Supplier: Majestic Mountain Sage Inc 2490 S 1350 W Nibley, Utah 84321 - United States of America T 435.755.0863 - F 435.755.2108 www.TheSage.com

1.4 Emergency Telephone Number

No additional information available.

SECTION 2: Hazards Identification

2.1 Classification of the Substance or Mixture

This mixture has not been tested as a whole. The effects, listed below, are based on evaluation of individual components in accordance with the provisions of the regulation(s) noted below.

Classification According to GHS and	l (EC) No 1272/2008 (CLP)
Flammable Liquids, Category 4	H227: Combustible liquid.
Acute Toxicity Oral, Category 5	H303: May be harmful if swallowed.
Acute Toxicity Dermal, Category 5	H313: May be harmful in contact with skin.
Skin Corrosion/Irritation, Category 3	H316: Causes mild skin irritation.
Sensitization, Skin, Category 1B	H317: May cause an allergic skin reaction.
Eye Damage/Irritation, Category 2A	H319: Causes serious eye irritation.
Acute Toxicity Inhalation, Category 5	H333: May be harmful if inhaled.
Carcinogenicity, Category 2	H351: Suspected of causing cancer.
Aquatic Acute Toxicity, Category 1	H400: Very toxic to aquatic life.
Aquatic Chronic Toxicity, Category 2	H411: Toxic to aquatic life with long lasting effects.

Classification OSHA (Provision 1910.1200 of Title 29)

Flammable Liquids, Category 4 Sensitization, Skin, Category 1B

Eye Damage/Irritation, Category 2A Carcinogenicity, Category 2 Aquatic Acute Toxicity, Category 1

Classification Other

Carcinogenicity

H227: Combustible liquid.
H317: May cause an allergic skin reaction.
H319: Causes serious eye irritation.
H351: Suspected of causing cancer.
H400: Very toxic to aquatic life.

This mixture contains ingredients identified as carcinogens, at 0.1% or greater, by the following: None [x] ACGIH [] IARC [] NTP [] OSHA []

2.2 Label Elements





Signal Word:

Warning.

Hazard Statements

H227	Combustible liquid.
H303	May be harmful if swallowed.
H313	May be harmful in contact with skin.
H316	Causes mild skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H333	May be harmful if inhaled.
H351	Suspected of causing cancer.
H400	Very toxic to aquatic life.
H411	Toxic to aquatic life with long lasting effects.

Precautionary Statements

Prevention:	
P201	Obtain special instructions before use.
P202	Do not handle until all the safety precautions have been read and understood.
P235	Keep cool.
P264	Wash hands thoroughly after handling.
P272	Contaminated work clothing should not be allowed out of the workplace.
P273	Avoid release to the environment.
P281	Use personal protective equipment as required.
Response:	
P302+P352	IF ON SKIN: Wash with soap and water.
P304+P312	IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell.
P305+P351+P33	
P308+P313	If exposed or concerned: Get medical advice/attention.
P312	Call a POISON CENTER or doctor/physician if you feel unwell.
P333+P313	If skin irritation or a rash occurs: Get medical advice/ attention.
P337+P313	If eye irritation persists: Get medical advice/attention.
P363	Wash contaminated clothing before reuse.
P370+P378	In case of fire: Use Carbon dioxide (CO ₂), Dry chemical, or Foam for extinction. Do not use a direct water jet on burning material.
P391	Collect spillage.

2.3 Other Hazards

No data available

SECTION 3: Composition/Information on Ingredients

3.1 Mixtures

This product is a complex mixture of ingredients, which contains among others the following substance(s), presenting a health or environmental hazard within the meaning of the UN Globally Harmonized System of Classification and Labeling of Chemicals (GHS):

CAS # Ingredient	EC#	Conc. Range	GHS Class.
120-51-4	204-402-9	40-50%	H302; H313; H400; H411
Benzyl Benzoat	e		
8050-15-5	232-476-2	20-30%	H402; H412
Methyl ester of	rosin (partially h	ydrogenated)	
100-51-6	202-859-9	5-10%	H302; H313; H319
Benzyl Alcohol			
140-11-4	205-399-7	5-10%	H303; H401; H412
Benzyl acetate			
60-12-8	200-456-2	2-5%	H302; H313; H316; H319
phenethyl alcoh	ol		
78-70-6	201-134-4	2-5%	H227; H303; H315; H317; H319; H402
Linalool			
121-33-5	204-4652	2-5%	H303; H319
vanillin			
5989-27-5	27-813-5	1-2%	H226; H304; H315; H317; H400; H412
Limonene			
115-95-7	204-116-4	1-2%	H227; H315; H317; H320; H402
Linalyl Acetate			
81-14-1	201-328-9	1-2%	H351; H400; H410
Musk ketone			

CAS # Ingredient	EC#	Conc. Range	GHS Class.
89957-98-2	289-620-2	1-2%	H226; H302; H304; H315; H317; H361; H400; H410
Boswellia carter	rii extract		
80-56-8	201-291-9	0.1-1.0%	H226; H302; H304; H315; H317; H400; H410
pinene			

See Section 16 for full text of GHS classification codes which were not shown in Section 2.

Total Hydrocarbon Content (% w/w) = 2.39

SECTION 4: First Aid Measures

4.1 Description of First Aid Measures

Inhalation:	Remove from exposure site to fresh air and keep at rest. Obtain medical advice.
Eye Exposure:	Flush immediately with water for at least 15 minutes. Contact physician if symptoms persist.
Skin Exposure:	Remove contaminated clothes. Wash thoroughly with water and soap. Contact physician if symptoms persist.
Ingestion:	Rinse mouth with water and obtain medical advice.
4.2 Most Important Symptoms	/Effects, Acute and Delayed
Symptoms:	No data available.
Risks:	Refer to Section 2.2 "Hazard Statements".

4.3 Indication of Immediate Medical Attention and Special Treatment Needed

Treatment: Refer to Section 2.2 "Response".

SECTION 5: Firefighting Measures

5.1 Extinguishing Media

Suitable:	Carbon Dioxide (CO_2), Dry Chemical, Foam.
Unsuitable:	Do not use a direct water jet on burning material.
5.2 Special Hazards Arising fro	om the Substance or Mixture
During Fire Fighting:	Water may be ineffective.
5.3 Advice for Firefighters	
Further Information:	Standard procedure for chemical fires.

SECTION 6: Accidental Release Measures

6.1 Personal Precautions, Protective Equipment and Emergency Procedures Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.

6.2 Environmental Precautions

Keep away from drains, soil, and surface and groundwater.

6.3 Methods and Materials for Containment and Cleaning Up

Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapors. Gross spillage should be contained by use of sand or inert powder and disposed of according to the local regulations.

6.4 Reference to Other Sections

Not applicable.

SECTION 7: Handling and Storage

7.1 Precautions for Safe Handling

Apply according to good manufacturing and industrial hygiene practices with proper ventilation. Do not drink, eat or smoke while handling. Respect good personal hygiene.

7.2 Conditions for Safe Storage, Including Any Incompatibilities

Store in a cool, dry and ventilated area away from heat sources and protected from light in tightly closed original container. Avoid plastic and uncoated metal container. Keep air contact to a minimum.

7.3 Specific End Uses

No information available.

SECTION 8: Exposure Controls/Personal Protection

8.1 Control Parameters

Exposure Limits:

Component	ACGIH TWA ppm	ACGIH STEL ppm	OSHA TWA ppm	OSHA STEL ppm
140-11-4 Benzyl acetate	10			
80-56-8 pinene	20			

Engineering Controls: Use local exhaust as needed.

8.2 Exposure Controls - Personal Protective Equipment

Eye Protection:	Tightly sealed goggles, face shield, or safety glasses with brow guards and side shields, etc. as may be appropriate for the exposure.
Respiratory Protection:	Avoid excessive inhalation of concentrated vapors. Apply local ventilation where appropriate.
Skin Protection:	Avoid skin contact. Use chemically resistant gloves as needed.

9.1 Information on Basic Physical and Chemical Properties

Appearance: Odor: Color: Viscosity: Freezing Point: Boiling Point: Melting Point: Flashpoint (CCCFP): Auto flammability: Explosive Properties: Oxidizing Properties: Vapor Pressure (mmHg@20C):	Liquid Conforms to Standard Amber/Brown (G13-16) Liquid Not determined Not determined 196°F (91.11°C) Not determined None expected None expected
Vapor Pressure (mmHg@20C):	0.0327
%VOC:	8.00
Specific Gravity @ 25 C:	1.0600
Density @ 25 C:	1.0570
Refractive Index @ 20 C:	1.5340
Soluble in:	Oil

SECTION 10: Stability and Reactivity

10.1 Reactivity	None
10.2 Chemical Stability	Stable
10.3 Possibility of Hazardous Reactions	None known
10.4 Conditions to Avoid	None known
10.5 Incompatible Materials	Strong oxidizing agents, strong acids, and alkalis
10.6 Hazardous Decomposition Products	None known

SECTION 11: Toxicological Information

11.1 Toxicological Effects

Acute Toxicity Estimates (ATEs) based on individual Ingredient Toxicity Data utilizing the "Additivity Formula"

Acute Toxicity-Oral-(Rat) mg/kg Acute Toxicity-Dermal (Rabbit) mg/kg Acute Toxicity-Inhalation (Rat) mg/L/4hr Skin Corrosion/Irritation Serious Eye Damage/Irritation Respiratory Sensitization Skin Sensitization Germ Cell Mutagenicity Carcinogenicity Reproductive Toxicity	 (LD50: 2079.308) May be harmful if swallowed. (LD50: 3539.4117) May be harmful in contact with skin. (LC50: 33.4673) May be harmful if inhaled. Causes mild skin irritation. Causes serious eye irritation. Not classified - the classification criteria are not met. May cause an allergic skin reaction. Not classified - the classification criteria are not met. Suspected of causing cancer. Not classified - the classification criteria
Carcinogenicity Reproductive Toxicity	Suspected of causing cancer. Not classified - the classification criteria are not met.
Specific Target Organ Toxicity Single Exposure	Not classified - the classification criteria are not met.
Specific Target Organ Toxicity Repeated Exposure Aspiration Hazard	Not classified - the classification criteria are not met. Not classified - the classification criteria are not met.
	are not met.

SECTION 12: Ecological Information

12.1 Toxicity

Acute Aquatic Toxicity Chronic Aquatic Toxicity Toxicity Data on Soil Toxicity on Other Organisms	Very toxic to aquatic life. Toxic to aquatic life with long lasting effects. No data available. No data available.
12.2 Persistence and Degradability	No data available.
12.3 Bioaccumulative Potential	No data available.
12.4 Mobility in Soil	No data available.

12.5 Other Adverse Effects

No data available.

SECTION 13: Disposal Considerations

13.1 Waste Treatment Methods

Do not allow product to reach sewage systems. Dispose of in accordance with all local and national regulations. Send to a licensed waster management company. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container.

SECTION 14: Transport Information

14.1 Transport Information

Marine Pollutant:	Yes. Ingred	ient of greates	st environmental impact:
	120-51-4	40-50%	Benzyl Benzoate

Regulator	Class	Pack Group	UN-Nr.
U.S. DOT (Non-Bulk)	Not regulated - Not Dangerous Goods		
Chemical NOI			
ADR/RID (International Road/Rail)			
Environmentally Hazardous Substance, Liquid, n.o.s.	9	111	UN3082
IATA (Air Cargo)			
Environmentally Hazardous Substance, Liquid, n.o.s.	9	111	UN3082
IMDG (Sea)			
Environmentally Hazardous Substance, Liquid, n.o.s.	9	III	UN3082

SECTION 15: Regulatory Information

15.1 U.S. Federal Regulations

TSCA (Toxic Substance Control Act)

All components of the substance/mixture are listed or exempt

40 CFR (EPCRA, SARA, CERCLA AND CAA)

This product contains NO components of concern

15.2 U.S. State Regulations

California Proposition 65 Warning

This product contains the following components: 123-35-3(NF) 204-622-5 0.1-1.0% beta-Myrcene (Natural Source)

15.3 Canadian Regulations

DSL/NDSL

100.00% of the components are listed or exempt. The following componenets are NOT on the list:

211299-54-6 427-580-1

<= 6 ppm 4H-4a,9-Methanozuleno[5,6-d]-1,3dioxole,octahydro-2,2,5,8,89a-hexamehtyl-,(4aR,5R,7aS,9R)-

SECTION 16: Other Information

16.1 GHS H-Statements Referred to Under Section 3 and Not Listed in Section 2

H226: Flammable liquid and vapor.
H304: May be fatal if swallowed and enters airways.
H320: Causes eye irritation.
H401: Toxic to aquatic life.
H402: Harmful to aquatic life.
H412: Harmful to aquatic life with long lasting effects.

16.2 Total Fractional Values

(TFV) Risk

(149.40) Acute Toxicity Inhalation, Category 5
(10.00) Sensitization, Skin, Category 1
(2.74) Aquatic Chronic Toxicity, Category 2
(2.01) Sensitization, Skin, Category 1B
(1.68) Eye Damage/Irritation, Category 2A
(1.10) Carcinogenicity, Category 2

H302: Harmful if swallowed.

H315: Causes skin irritation.

H317: May cause an allergic skin reaction. H361: Suspected of damaging fertility or the unborn child.

H410: Very toxic to aquatic life with long lasting effects.

(TFV) Risk

- (28.53) Aquatic Chronic Toxicity, Category
- (3.05) Aquatic Chronic Toxicity, Category 4
- (2.40) Acute Toxicity Oral, Category 5
- (1.99) Aquatic Acute Toxicity, Category 1
- (1.41) Acute Toxicity Dermal, Category 5
- (1.04) Skin Corrosion/Irritation, Category 3

Notes:

This safety data sheet is based on the properties of the material known at the time the data sheet was issued. The safety data sheet is intended to provide information for a health and safety assessment of the material and the circumstances, under which it is packaged, stored or applied in the workplace. For such a safety assessment holds no responsibility. This document is not intended for quality assurance purposes.