

SECTION 1: Identification of the Substance/Mixture and of the Company/Undertaking

- 1.1 Product Name:** Vanilla Oleoresin, Water Soluble
Product Code: 302-202X
- 1.2 Intended Use:** Compound used in customer substance/mixture/product.
- 1.3 Supplier:** Majestic Mountain Sage Inc
2490 S 1350 W
Nibley, Utah 84321 - United States of America
T 435.755.0863 - F 435.755.2108
www.TheSage.com
- 1.4 Emergency Telephone Number**
No additional information available.

SECTION 2: Hazards Identification

2.1 Classification of the Substance or Mixture

Flammable Liquids, Category 4	H227: Combustible liquid.
Skin Sensitization, Category 1	H317: May cause an allergic skin reaction.
Eye Damage/Irritation, Category 2	H319: Causes serious eye irritation.
Carcinogenicity, Category 1A	H350: May cause cancer

Classification According to EU Directives 67/548/EEC or 1999/45/EC

For the full text of the R-phrases mentioned in this Section, see Section 16.

Symbol(s): Not dangerous.

2.2 Label Elements, Including Precautionary Statements

Hazard Pictograms



Signal Word: Danger.

Hazard Statements

H227 Combustible liquid.
H317 May cause an allergic skin reaction.
H319 Causes serious eye irritation.
H350 May cause cancer.

Precautionary Statements

P201 Obtain special instructions before use.
P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.
P280 Wear eye protection/face protection.
P281 Use personal protective equipment as required.
P308+P313 If exposed or concerned: get medical advice/attention.
P321 Specific treatment (see supplement first aid instructions on this label.)
P370+P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam for extinction.
P403+P235 Store in a well-ventilated place. Keep cool.

2.3 Hazards Not Otherwise Classified (HNOC) and Other Information

No information available.

SECTION 3: Composition/Information on Ingredients

3.1 Substances

Chemical Name	EC Number	CAS Number	Weight %	Classification
Vanilla extractives	283-521-8	84650-63-5	50-90%	H316; H317
Ethyl alcohol	200-578-6	64-17-5	1-5%	H225 F; R11

For the full text of the R-Phrases and H-Statements, see Section 16.

SECTION 4: First Aid Measures

4.1 Description of First Aid Measures

General Advice:	If symptoms persists, call a physician.
Eye Contact:	Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes. Keep eyes wide open while rinsing. If symptoms persist, call a physician.
Skin Contact:	Immediate medical attention is not required. Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. If skin irritation persists, call a physician.
Ingestion:	Clean mouth with water and afterwards drink plenty of water. Do not induce vomiting. Never give anything by mouth to an unconscious person. Consult a physician.
Inhalation:	Immediate medical attention is not required. Move to fresh air in case of accidental inhalation of vapors or decomposition products. If symptoms persist, call a physician.
Self Protection of the First Aider:	Use personal protective equipment.

4.2 Most Important Symptoms and Effects, Both Acute and Delayed

Main Symptoms: No information available.

4.3 Indication of Any Immediate Medical Attention and Special Treatment Needed

Note to Physicians: Treat symptomatically.

SECTION 5: Firefighting Measures

5.1 Extinguishing Media

Suitable: Use dry chemical, Carbon Dioxide (CO₂), alcohol-resistant foam.

Unsuitable: Do not use solid water stream as it may scatter and spread fire.

5.2 Special Hazards Arising from the Substance or Mixture

No information available.

5.3 Protective Equipment and Precautions for Firefighters

As in any fire, wear a self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

SECTION 6: Accidental Release Measures

6.1 Personal Precautions, Protective Equipment and Emergency Procedures

Use personal protective equipment. Remove all sources of ignition. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak. Pay attention to flashback. Take precautionary measures against static discharges.

6.2 Environmental Precautions

Do not flush into surface water or sanitary sewer system. Prevent further leakage or spillage if safe to do so. Prevent product from entering drains. Beware of vapors accumulating to form explosive concentrations. Vapors can accumulate in low areas.

6.3 Methods and Material for Containment and Cleaning Up

Containment: Prevent further leakage or spillage if safe to do so.

Cleaning Up: Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Take up mechanically and collect in suitable container for disposal.

SECTION 7: Handling and Storage

7.1 Precautions for Safe Handling

Use only in area provided with appropriate exhaust ventilation. To avoid ignition of vapors by static electricity discharge, all metal parts of the equipment must be grounded. Keep away from heat, sparks and open flame. No smoking. Use personal protective equipment as required. Do not breathe dust/fume/gas/mist/vapors/spray. Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapors).

7.2 Conditions for Safe Storage, Including Any Incompatibilities

Keep away from heat and sources of ignition. Keep containers tightly closed in a cool, well-ventilated place. Keep away from heat. Keep in properly labeled containers.

7.3 Specific End Use(s)

Exposure Scenario: N/A

Other Guidelines: N/A

SECTION 8: Exposure Controls/Personal Protection

8.1 Control Parameters

Exposure Guidelines:

This product, as supplied, does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies.

Chemical Name	The United Kingdom	France	Spain	Germany
Ethyl alcohol 64-17-5	STEL: 3000 ppm STEL 5760 mg/m ³ TWA: 1000 ppm TWA: 1920 mg/m ³	VME: 1000 ppm VME: 1900 mg/m ³ VLCT: 5000 ppm VLCT: 9500 mg/m ³	VLA-ED: 1000 ppm VLA-ED: 1910 mg/m ³	MAK: 500 ppm MAK: 960 mg/m ³ Ceiling/Peak: 1000 ppm Ceiling/Peak: 1920 mg/m ³ Skin TWA: 500 ppm TWA: 950 mg/m ³

Chemical Name	Portugal	The Netherlands	Finland	Denmark
Ethyl alcohol 64-17-5	TWA: 1000 ppm	Skin STEL: 1900 mg/m ³ TWA: 260 mg/m ³	TWA: 1000 ppm TWA: 1900 mg/m ³ STEL: 1300 ppm STEL: 2500 mg/m ³	TWA: 1000 ppm TWA: 1900 mg/m ³

Chemical Name	Austria	Sweden	Switzerland	Poland	Norway
Ethyl alcohol 64-17-5	STEL: 2000 ppm STEL: 3800 mg/m ³ MAK: 1000 ppm MAK: 1900 mg/m ³	500 ppm NGV 1000 mg/m ³ NGV	STEL: 1000 ppm STEL: 1920 mg/m ³ MAK: 500 ppm MAK: 960 mg/m ³	NDS: 1900 mg/m ³	TWA: 500 ppm TWA: 950 mg/m ³ STEL: 625 ppm STEL: 1187.5 mg/m ³

Derived No Effect Level (DNEL): No information available.

Predicted No Effect Concentration (PNEC): No information available.

8.2 Exposure Controls

Engineering Controls: Ensure adequate ventilation, especially in confined areas.

8.3 Personal Protective Equipment

Eye/Face Protection: Tightly fitting safety goggles

Skin and Body Protection: Protective gloves. Antistatic boots. Wear fire/flame resistant/retardant clothing. Chemical resistant apron. Long sleeved clothing.

Respiratory Protection: When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.

General Hygiene Considerations:

When using, do not eat, drink or smoke. Wash contaminated clothing before reuse. Provide regular cleaning of equipment, work area and clothing.

Environmental Exposure Controls:

No information available.

SECTION 9: Physical and Chemical Properties
--

9.1 Information on Basic Physical and Chemical Properties

Physical State @ 20°C:	Liquid
Appearance:	Viscous
Odor:	Vanilla
Odor Threshold:	No information available
Color:	Dark brown
pH:	No information available
Melting Point/Range:	No information available
Freezing Point:	No information available
Initial Boiling Point:	No information available
Boiling Point/Range:	No information available
Flash Point:	175°F / 79°C
Evaporation Rate:	No information available
Flammability Limits in Air:	No information available
Explosive Properties:	No information available
Oxidizing Properties:	No information available
Vapor Pressure @ 20°C:	No information available
Vapor Density:	No information available
Specific Gravity @ 25°C:	1.250 - 1.340
Specific Gravity @ 20°C:	1.253 - 1.343
Refractive Index:	1.430 - 1.490
Water Solubility:	No information available
Solubility:	No information available
Partition Coefficient:	No information available
Autoignition Temperature:	No information available
Decomposition Temperature:	No information available
Viscosity, Dynamic:	No information available
Molecular Weight:	No information available
VOC Content (%):	2

SECTION 10: Stability and Reactivity

10.1 Reactivity

No information available.

10.2 Chemical Stability

Stable under normal conditions.

10.3 Possibility of Hazardous Reactions

No information available.

10.4 Conditions to Avoid

Heat, flames and sparks.

10.5 Incompatible Materials

No materials to be especially mentioned.

10.6 Hazardous Decomposition Products

None under normal use conditions.

SECTION 11: Toxicological Information

11.1 Information on Toxicological Effects and Likely Routes of Exposure

Inhalation: There is no data available for this product.
Eye Contact: There is no data available for this product.
Skin Contact: There is no data available for this product.
Ingestion: There is no data available for this product.
Acute Toxicity: 98% of the mixture consists of ingredient(s) of unknown toxicity.

The following values are calculated bases on Chapter 3.1 of the GHS document.

Oral: 7,060.00 mg/kg
Inhalation:
Mist: 66,194.42 mg/l

Chemical Name	Oral LD50	Dermal LD50	LC50 Inhalation
Ethyl alcohol	7060 mg/kg (Rat)	-	124.7 mg/L (Rat) 4 h

Skin Corrosion/Irritation: No information available.
Eye Damage/Irritation: No information available.

Sensitization:	No information available.
Germ Cell Mutagenicity:	No information available.
Carcinogenicity:	No information available.
Specific Target Organ Systemic Toxicity (Single Exposure):	No information available.
Specific Target Organ Systemic Toxicity (Repeated Exposure):	No information available.
Target Organ Effects:	No information available.
Aspiration Hazard:	No information available.

SECTION 12: Ecological Information

12.1 Ecotoxicity

Contains no substances known to be hazardous to the environment or not degradable in waste water treatment plants.

Chemical Name	Toxicity to Algae	Toxicity to Fish	Toxicity to Daphnia and Other Aquatic Invertebrates
Ethyl alcohol	-	12.0 - 16.0: 96 h Oncorhynchus mykiss mL/L LC50 static 100: 96 h Pimephales promelas mg/L LC50 static 13400 - 15100: 96 h Pimephales promelas mg/L LC50 flow-through	9268 - 14221: 48 h Daphnia magna mg/L LC50 10800: 24 h Daphnia magna mg/L EC50 2: 48 h Daphnia magna mg/L EC50 Static

12.2 Persistence and Degradability

No information available.

12.3 Bioaccumulative Potential

No information available.

Chemical Name	log Pow
Ethyl alcohol	-0.32

12.4 Mobility in Soil

No information available.

12.5 Results of PBT and vPvB Assessment

No information available.

12.6 Other Adverse Effects

No information available.

SECTION 13: Disposal Considerations

13.1 Waste Treatment Methods

Waste Disposal Methods:

Dispose of in accordance with local regulations.

Contaminated Packaging:

Empty containers should be taken to an approved waste handling site for recycling or disposal.

SECTION 14: Transport Information

14.1 Transport Information

DOT:

Not regulated.

IMDG/IMO:

Not regulated.

ICAO/IATA:

Not regulated.

SECTION 15: Regulatory Information

15.1 Safety, Health and Environmental Regulations/Legislation Specific for the Substance or Mixture

WGK Classification

Chemical Name	Germany - Water Classification (VwVwS) - Annex 2 - Water Hazard Classes
Ethyl alcohol 64-17-5	Hazard Class 1

International Inventories

TSCA:	-
DSL/NDSL:	-
EINECS/ELINCS:	Complies
ENCS:	-
IECSC:	Complies
KECL:	-
PICCS:	Complies
AICS:	Complies

Legend

TSCA:	United States Toxic Substances Control Act Section 8(b) Inventory
DSL/NDSL:	Canadian Domestic Substances List/Non-Domestic Substances List
EINECS/ELINCS:	European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances
ENCS:	Japan Existing and New Chemical Substance
IECSC:	China Inventory of Existing chemical Substances
KECL:	Korean Existing and Evaluated Chemical Substances
PICCS:	Philippines Inventory of Chemicals and Chemical Substances
AICS:	Australian Inventory of Chemical Substances

15.2 Chemical Safety Assessment

No information available.

SECTION 16: Other Information

16.1 Full Text of H-Statements Referred to Under Sections 2 and 3

H225: Highly flammable liquid and vapor.	H227: Combustible liquid.
H316: Causes mild skin irritation.	H317: May cause an allergic skin reaction.
H319: Causes serious eye irritation.	H350: May cause cancer.

16.2 Full Text of Risk Combination Phrases

R11: Highly flammable.

WARNING/DISCLAIMER:

This ingredient(s) has not been tested, nor has it been deemed safe, for inhalation or use in electronic smoking devices, electronic nicotine delivery systems, electronic cigarettes or other similar devices (collectively "E-Cigarettes"). In supplying this ingredient, Majestic Mountain Sage instructs, and by receiving the ingredient recipient confirms, that this ingredient will not be used in connection with the manufacture and distribution of E-Cigarettes or any component thereof.

Notes:

This safety data sheet is based on the properties of the material known at the time the data sheet was issued. The safety data sheet is intended to provide information for a health and safety assessment of the material and the circumstances, under which it is packaged, stored or applied in the workplace. For such a safety assessment holds no responsibility. This document is not intended for quality assurance purposes.