



Mulberry Fragrance Oil

Safety Data Sheet

SECTION 1: Identification of the Substance/Mixture and of the Company/Undertaking

- 1.1 Product Name:** Mulberry Fragrance Oil
Product Code: 303-120X
- 1.2 Intended Use:** Compound used in customer substance/mixture/product.
- 1.3 Supplier:** Majestic Mountain Sage Inc
2490 S 1350 W
Nibley, 84321 - United States of America
T 435.755.0863 - F 435.755.2108
www.TheSage.com
- 1.4 Emergency Telephone Number**
No additional information available.

SECTION 2: Hazards Identification

2.1 Classification of the Substance or Mixture

This mixture has not been tested as a whole. The effects, listed below, are based on evaluation of individual components in accordance with the provisions of the regulation(s) noted below.

Classification According to GHS and (EC) No 1272/2008 (CLP)

Flammable Liquids, Category 3	H226: Flammable liquid and vapor.
Acute Toxicity Oral, Category 5	H303: May be harmful if swallowed.
Aspiration Hazard, Category 1	H304: May be fatal if swallowed and enters airways.
Acute Toxicity Dermal, Category 5	H313: May be harmful in contact with skin.
Skin Corrosion/Irritation, Category 2	H315: Causes skin irritation.
Sensitization, Skin, Category 1B	H317: May cause an allergic skin reaction.
Eye Damage/Irritation, Category 2A	H319: Causes serious eye irritation.
Acute Toxicity Inhalation, Category 4	H332: Harmful if inhaled.
Aquatic Chronic Toxicity, Category 2	H411: Toxic to aquatic life with long lasting effects.

Classification OSHA (Provision 1910.1200 of title 29)

Flammability	Class II Flammable Liquid.
Acute Dermal/Eye	12: Causes moderate skin irritation. 15: May cause eye irritation.
Acute Inhalation	9: Harmful if absorbed through the skin. 23: May cause respiratory tract irritation. 25: Inhalation at high levels may cause: difficulty in breathing.
Acute Oral	3: May be harmful if swallowed or if aspirated into the lungs.
Genotoxicity	36: Suspected of causing genetic defects.
Reproductive/Developmental	39: Causes reproductive/developmental toxicity in animals.
Sensitization/Allergic Response	31: May cause allergic skin reaction.
Target Organ Effects	26: Prolonged or repeated ingestion may cause damage to: kidneys, liver, thymus gland, gastrointestinal tract, testes, brain, respiratory tract.
Carcinogenicity	This mixture contains ingredients identified as carcinogens, at 0.1% or greater, by the following: None [X] ACGIH [] IARC [] NTP [] OSHA []

2.2 Label Elements

Labeling (REGULATION (EC) No 1272/2008) Hazard Pictograms



Signal Word: Danger.

Hazard Statements

H226	Flammable liquid and vapor.
H303	May be harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H313	May be harmful in contact with skin.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.

H411 Toxic to aquatic life with long lasting effects.

Precautionary Statements

Prevention:

P233 Keep container tightly closed.
P235 Keep cool.
P240 Ground/bond container and receiving equipment.
P241 Use explosion-proof electrical/ventilating/light/equipment.
P242 Use only non-sparking tools.
P243 Take precautionary measures against static discharge.
P264 Wash hands thoroughly after handling.
P271 Use only outdoors or in a well-ventilated area.
P272 Contaminated work clothing should not be allowed out of the workplace.
P273 Avoid release to the environment.

Response:

P301+P310+P331 IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician. Do NOT induce vomiting.
P302+P352 IF ON SKIN: Wash with soap and water.
P303+P361+P353 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.
P304+P312+P340 IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell. Remove victim to fresh air and keep at rest in a position comfortable for breathing.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing.
P312 Call a POISON CENTER or doctor/physician if you feel unwell.
P333+P313 If skin irritation or a rash occurs: Get medical advice/attention.
P337+P313 If eye irritation persists: Get medical advice/attention.
P352 Wash with soap and water.
P362 Take off contaminated clothing and wash before reuse.
P363 Wash contaminated clothing before reuse.
P370+P378 In case of fire: Use Carbon dioxide (CO₂), Dry chemical, or Foam for extinction. Do not use a direct water jet on burning material.
P391 Collect Spillage.

2.3 Other Hazards

No data available

SECTION 3: Composition/Information on Ingredients

3.1 Mixtures

This product is a complex mixture of ingredients, which contains among others the following substance(s), presenting a health or environmental hazard within the meaning of the UN Globally Harmonized System of Classification and Labeling of Chemicals (GHS):

CAS # Ingredient	EC#	Conc. Range	GHS Class.	OSHA Class.
8050-15-5	232-476-2	50-60%	H402; H412	31
<i>Methyl ester of rosin (partially hydrogenated)</i>				
8008-57-9	232-433-8	10-20%	H226; H304; H315; H400; H410	12, 3, 31
<i>Citrus aurantium dulcis (Orange) oil</i>				
100-52-7	202-860-4	5-10%	H227; H302; H316; H319; H332; H335; H401	10, 11, 15, 23, 25, 26, 3, 31, 36, 39
<i>Benzaldehyde</i>				
78-70-6	201-134-4	2-5%	H227; H303; H315; H317; H319; H402	12, 26
<i>Linalool</i>				
104-67-6	203-225-4	2-5%	H316; H401; H402; H412	11
<i>gamma-Undecalactone</i>				
105-54-4	203-306-4	2-5%	H226; H401	11
<i>Ethyl butyrate</i>				
134-20-3	205-132-4	2-5%	H303; H316; H319; H401; H402	11, 15
<i>Methyl anthranilate</i>				
98-55-5	202-680-6	2-5%	H227; H303; h315; H319; H401	11, 15, 23
<i>alpha-Terpineol</i>				

CAS # Ingredient	EC#	Conc. Range	GHS Class.	OSHA Class.
2705-87-5	220-282-5	2-5%	H302; H312; H317; H332; H400; H410	10, 12, 15, 3
<i>Allyl cyclohexylpropionate</i>				
628-63-7	211-047-3	2-5%	H226	
<i>Amyl Acetate</i>				
77-83-8	201-061-8	2-5%	H317; H401; H411	11, 15
<i>Ethyl methylphenylglycidate</i>				
121-33-5	204-465-2	2-5%	H303; H319	31
<i>Vanillin</i>				
5392-40-5	226-394-6	1-2%	H313; H315; H317; H319; H401	26
<i>Citral</i>				
104-61-0	203-219-1	1-2%	H316	12, 15
<i>gamma-Nonalactone</i>				
123-68-2	204-642-4	1-2%	H227; H301; H311; H331; H400; H412	11, 3, 9
<i>Allyl hexanoate</i>				

See Section 16 for full text of GHS classification codes
Total Hydrocarbon Content (% w/w) = 15.42

SECTION 4: First Aid Measures

4.1 Description of First Aid Measures

Inhalation:	Remove from exposure site to fresh air and keep at rest. Obtain medical advice.
Eye Contact:	Flush immediately with water for at least 15 minutes. Contact physician if symptoms persist.
Skin Contact:	Remove contaminated clothes. Wash thoroughly with water and soap. Contact physician if symptoms persist.

Ingestion: Rinse mouth with water and obtain medical advice.

4.2 Most Important Symptoms/Effects, Acute and Delayed

Symptoms: No data available.

Risks: Refer to Section 2.2 "Hazard Statements".

4.3 Indication of Any Immediate Medical Attention and Special Treatment Needed

Treatment: Refer to Section 2.2 "Response".

SECTION 5: Firefighting Measures

5.1 Extinguishing Media

Suitable: Carbon dioxide (CO₂), Dry Chemical, Foam.

Unsuitable: Do not use a direct water jet on burning material.

5.2 Special Hazards Arising from the Substance or Mixture

During Fire Fighting: Water may be ineffective.

5.3 Advice for Firefighters

Further Information: Standard procedure for chemical fires.

SECTION 6: Accidental Release Measures

6.1 Personal Precautions, Protective Equipment and Emergency Procedures

Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.

6.2 Environmental Precautions

Keep away from drains, soil, and surface and groundwater.

6.3 Methods and Materials for Containment and Cleaning Up

Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapors. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

6.4 Reference to Other Sections

Not applicable.

SECTION 7: Handling and Storage

7.1 Precautions for Safe Handling

Apply according to good manufacturing and industrial hygiene practices with proper ventilation. Do not drink, eat or smoke while handling. Respect good personal hygiene.

7.2 Conditions for Safe Storage, Including Any Incompatibilities

Store in a cool, dry and ventilated area away from heat sources and protected from light in tightly closed original container. Avoid plastic and uncoated metal container. Keep air contact to a minimum.

7.3 Specific End Uses

No information available.

SECTION 8: Exposure Controls/Personal Protection

8.1 Control Parameters

Exposure Limits:

Component	ACGIH TWA ppm	ACGIH STEL ppm	OSHA TWA ppm	OSHA STEL ppm
628-63-7 <i>Amyl Acetate</i>	50	100	100	

Engineering Controls: Use local exhaust as needed.

8.2 Exposure Controls - Personal Protective Equipment

Eye Protection: Tightly sealed goggles, face shield, or safety glasses with brow guards and side shields, etc. as may be appropriate for the exposure.

Respiratory Protection: Avoid excessive inhalation of concentrated vapors. Apply local ventilation where appropriate.

Skin Protection: Avoid skin contact. Use chemically resistant gloves as needed.

SECTION 9: Physical and Chemical Properties

9.1 Information on Basic Physical and Chemical Properties

Appearance:	Liquid
Odor:	Conforms to Standard
Color:	Yellow to Pale Orange (G7-10)
Viscosity:	Liquid
Freezing Point:	Not determined
Boiling Point:	Not determined
Melting Point:	Not determined
Flashpoint (CCCFP):	135°F (57.22°C)
Auto Flammability:	Not determined
Explosive Properties:	None expected
Oxidizing Properties:	None expected
Vapor Pressure (mmHg@20°C):	0.8766
%VOC:	30
Specific Gravity @ 25°C:	0.9750
Density @ 25°C:	0.9720
Refractive Index @ 20°C:	1.4950
Soluble In:	Oil

SECTION 10: Stability and Reactivity

10.1 Reactivity	None.
10.2 Chemical Stability	Stable.
10.3 Possibility of Hazardous Reactions	None known.
10.4 Conditions to Avoid	None known.
10.5 Incompatible Materials	Strong oxidizing agents, strong acids, and alkalis.
10.6 Hazardous Decomposition Products	None known.

SECTION 11: Toxicological Information

11.1 Toxicological Effects

Acute Toxicity Estimates (ATEs) based on individual Ingredient Toxicity Data utilizing the "Additivity Formula."

Acute Toxicity-Oral-(Rat) mg/kg	(LD50: 3,300.33) May be harmful if swallowed.
Acute Toxicity-Dermal (Rabbit) mg/kg	(LD50: 3,546.10) May be harmful in contact with skin.
Acute Toxicity-Inhalation (Rat) mg/L/4hr	(LC50: 16.19) May be harmful if inhaled.
Skin Corrosion/Irritation	Causes skin irritation.
Serious Eye Damage/Irritation	Causes serious eye irritation.
Respiratory Sensitization	Not classified - the classification criteria are not met.
Skin Sensitization	May cause an allergic skin reaction.
Germ Cell Mutagenicity	Not classified - the classification criteria are not met.
Carcinogenicity	Not classified - the classification criteria are not met.
Reproductive Toxicity	Not classified - the classification criteria are not met..
Specific Target Organ Toxicity Single Exposure	Not classified - the classification criteria are not met.
Specific Target Organ Toxicity Repeated Exposure	Not classified - the classification criteria are not met.
Aspiration Hazard	Mat be fatal if swallowed and enters airways.

SECTION 12: Ecological Information

12.1 Toxicity

Acute Aquatic Toxicity:	Not classified - the classification criteria are not met.
Chronic Aquatic Toxicity:	Toxic to aquatic life with long lasting effects.
Toxicity Data on Soil:	No data available.
Toxicity on Other Organisms:	No data available.

12.2 Persistence and Degradability No data available.

12.3 Bioaccumulative Potential No data available.

12.4 Mobility in Soil No data available.

12.5 Other Adverse Effects No data available.

SECTION 13: Disposal Considerations
--

13.1 Waste Treatment Methods

Do not allow product to reach sewage systems. Dispose of in accordance with all local and national regulations. Send to a licensed waste management company. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container.

SECTION 14: Transport Information
--

14.1 Transport Information

Regulator	Class	Pack Group	Sub Risk	UN-Nr.
U.S. DOT (Non-Bulk)	Not Regulated - Not Dangerous Goods			
<i>Chemicals NOI</i>				
ADR/RID (International Road/Rail)				
<i>Environmentally Hazardous Substance, Liquid, n.o.s.</i>	9	III		UN3082
IATA (Air Cargo)				
<i>Perfumery Products</i>	3	III	Flammable Liquid	UN1266
<i>Environmentally Hazardous Substance, Liquid, n.o.s.</i>	9	III		UN3082
IMDG (Sea)				
<i>Perfumery Products</i>	3	III	Flammable Liquid	UN1266
<i>Environmentally Hazardous Substance, Liquid, n.o.s.</i>	9	III		UN3082

SECTION 15: Regulatory information

15.1 U.S. Federal Regulations

TSCA (Toxic Substance Control Act)

All components of the substance/mixture are listed or exempt.

40 CFR (EPCRA, SARA, CERCLA AND CAA)

This product contains the following components:

628-63-7 211-047-3 2-5% Amyl Acetate

15.2 U.S. State Regulations

California Proposition 65 Warning

This product contains the following components:

123-35-3(NFS) 204-622-5 0.1-1.0% beta-Myrcene (NFS)

15.3 Canadian Regulations

DSL/NDSL

100.00% of the components are listed or exempt.

SECTION 16: Other Information

16.1 GHS H-Statements Referred to Under Section 3

H227: Combustible liquid.

H302: Harmful if swallowed.

H312: Harmful in contact with skin.

H317: May cause an allergic skin reaction.

H335: May cause respiratory irritation.

H401: Toxic to aquatic life.

H410: Very toxic to aquatic life with long lasting effects.

H301: Toxic if swallowed.

H311: Toxic in contact with skin.

H316: Causes mild skin irritation.

H331: Toxic if inhaled.

H400: Very toxic to aquatic life.

H402: Harmful to aquatic life.

H412: Harmful to aquatic life with long lasting effects.

16.2 Total Fractional Values

(TFV) Risk

(1.59) Aspiration Hazard, Category 1

(40.00) Sensitization, Skin, Category 1B

(7.24) Aquatic Chronic Toxicity, Category 2

(TFV) Risk

(2.29) Skin Corrosion/Irritation, Category 2

(1.81) Eye Damage/Irritation, Category 2A

Notes:

This safety data sheet is based on the properties of the material known at the time the data sheet was issued. The safety data sheet is intended to provide information for a health and safety assessment of the material and the circumstances, under which it is packaged, stored or applied in the workplace. For such a safety assessment holds no responsibility. This document is not intended for quality assurance purposes.