

**SECTION 1: Identification of the Substance/Mixture and of the Company/undertaking**

- 1.1 Product Name:** Relaxation Fragrance Oil  
**Product Code:** 303-302X
- 1.2 Intended Use:** Compound used in customer substance/mixture/product.
- 1.3 Supplier:** Majestic Mountain Sage Inc  
2490 S 1350 W  
Nibley, Utah 84321 - United States of America  
T 435.755.0863 - F 435.755.2108  
[www.TheSage.com](http://www.TheSage.com)
- 1.4 Emergency Telephone Number**  
No additional information available.

**SECTION 2: Hazards Identification**

**2.1 Classification of the Substance or Mixture**

Skin Corrosion/Irritation, Category 2	H315: Causes skin irritation.
Skin Sensitization, Category 1	H317: May cause an allergic skin reaction.
Eye Damage/Irritation, Category 2A	H319: Causes serious eye irritation.
Reproductive Toxicity, Category 2	H361: Suspected of damaging fertility or the unborn child.
Aquatic Acute Toxicity, Category 2	H401: Toxic to aquatic life.
Aquatic Chronic Toxicity, Category 2	H411: Toxic to aquatic life with long lasting effects.

**2.2 Label Elements**

**Hazard Pictograms**



**Signal Word:** Warning.

**Hazard Statements**

H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H361	Suspected of damaging fertility or the unborn child.
H401	Toxic to aquatic life.
H411	Toxic to aquatic life with long lasting effects.

**Precautionary Statements**

**Prevention:**

P201	Obtain special instructions before use.
P202	Do not handle until all safety precautions have been read and understood.
P261	Avoid breathing mist or vapor.
P264	Wash thoroughly after handling.
P272	Contaminated work clothing must not be allowed out of the workplace.
P273	Avoid release to the environment.
P280	Wear protective gloves/eye protection/face protection.

**Response:**

P302+P352	IF ON SKIN: wash with plenty of water.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P308+P313	If exposed or concerned: Get medical advice/attention.
P333+P313	IF SKIN irritation or rash occurs: Get medical advice/attention.
P337+P313	If eye irritation persists: Get medical advice/attention.
P362+P364	Take off contaminated clothing and wash before reuse.
P391	Collect spillage.

**Storage:**

P405	Store locked up.
------	------------------

**Disposal:**

P501	Dispose of contents/container in accordance with local/regional/national/ international regulations.
------	--

**2.3 Other Hazards**

3.28% of the mixture consists of component(s) of unknown acute hazards to the aquatic environment. 4.71% of the mixture consists of component(s) of unknown long-term hazards to the aquatic environment.

**SECTION 3: Composition/Information on Ingredients**

**3.1 Mixtures**

<b>Chemical Name</b>	<b>CAS Number</b>	<b>%</b>
1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthalenyl)ethanone	54464-57-2	5 - < 10%
Dihydromyrcenol	18479-58-8	5 - < 10%
1-(5,6,7,8-Tetrahydro-3,5,5,6,8,8-hexamethyl-2-naphthyl)ethan-1-one	1506-02-2	3 - < 5%
Linalyl acetate	115-95-7	3 - < 5%
p-t-Butyl-alpha-methylhydrocinnamic aldehyde	80-54-6	3 - < 5%
1,3,4,6,7,8-Hexahydro-4,6,6,7,8,8-hexamethylcyclopenta-gamma-2-benzopyran	1222-05-5	1 - < 3%
3 and 4-(4-Hydroxy-4-methylpentyl)-3-cyclohexene-1-carboxaldehyde	31906-04-4	1 - < 3%
alpha-isoMethyl ionone	127-51-5	1 - < 3%
Cedarwood oil, Virginian	8000-27-9	1 - < 3%
Diethyl phthalate	84-66-2	1 - < 3%
Ethyl vanillin	121-32-4	1 - < 3%
Linalool	78-70-6	1 - < 3%
Phenethyl alcohol	60-12-8	1 - < 3%
Vanillin	121-33-5	1 - < 3%
2-Ethyl-4-(2,2,3-trimethyl-3-cyclopenten-1-yl)-2-buten-1-ol	28219-61-6	< 1%
Lemon oil	8008-56-8	< 1%
Grapefruit oil	8016-20-4	< 0.3%
Benzyl benzoate	120-51-4	< 0.2%
1-Octanol	111-87-5	< 0.1%
Acetic acid	64-19-7	< 0.1%
Alpha-Pinene	80-56-8	< 0.1%

Chemical Name	CAS Number	%
Benzaldehyde	100-52-7	< 0.1%
Benzyl acetate	140-11-4	< 0.1%
Benzyl alcohol	100-51-6	< 0.1%
Citral	5392-40-5	< 0.1%
Diphenyl ether	101-84-8	< 0.1%
p-Cresol	106-44-5	< 0.1%
Propionic acid	79-09-4	< 0.1%
Other components below reportable levels		50 - < 60%

#### SECTION 4: First Aid Measures

##### 4.1 Description of First Aid Measures

- General Information:** Take off all contaminated clothing immediately. If exposed or concerned: get medical advice/attention. Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Wash contaminated clothing before reuse.
- Inhalation:** Move to fresh air. Call a physician if symptoms develop or persist.
- Skin Contact:** Remove contaminated clothing immediately and wash skin with soap and water. In case of eczema or other skin disorders: Seek medical attention and take along these instructions. Wash contaminated clothing before reuse.
- Eye Contact:** Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention immediately.
- Ingestion:** Call a physician or poison control center immediately. Rinse mouth. Do not induce vomiting. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs.

#### **4.2 Most Important Symptoms/Effects, Acute and Delayed**

Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Skin irritation. May cause redness and pain. May cause an allergic skin reaction. Dermatitis. Rash.

#### **4.3 Indication of Immediate Medical Attention and Special Treatment Needed**

Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.

### **SECTION 5: Firefighting Measures**

#### **5.1 Extinguishing Media**

**Suitable:** Water fog. Foam. Dry chemical powder. Carbon dioxide (CO<sub>2</sub>).

**Unsuitable:** Do not use water jet as an extinguisher, as this will spread the fire.

#### **5.2 Specific Hazards Arising from the Chemical**

During fire, gases hazardous to health may be formed.

#### **5.3 Advice for Firefighters**

Self-contained breathing apparatus and full protective clothing must be worn in case of fire. In case of fire and/or explosion do not breathe fumes. Move containers from fire area if you can do so without risk. Use standard firefighting procedures and consider the hazards of other involved materials.

### **SECTION 6: Accidental Release Measures**

#### **6.1 Personal Precautions, Protective Equipment and Emergency Procedures**

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Avoid breathing mist or vapor. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see Section 8 of the SDS.

## 6.2 Methods and Materials for Containment and Cleaning Up

**Large Spills:** Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Prevent entry into waterways, sewer, basements or confined areas. Following product recovery, flush area with water.

**Small Spills:** Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use. For waste disposal, see Section 13 of the SDS.

## 6.3 Environmental Precautions

Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground. Inform appropriate managerial or supervisory personnel of all environmental releases.

## SECTION 7: Handling and Storage

### 7.1 Precautions for Safe Handling

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Avoid breathing mist or vapor. Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. Pregnant or breast-feeding women must not handle this product. Should be handled in closed systems, if possible. Provide adequate ventilation. Wear appropriate personal protective equipment. Avoid release to the environment. Observe good industrial hygiene practices.

### 7.2 Conditions for Safe Storage, Including Any Incompatibilities

Store locked up. Store in original tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).

## SECTION 8: Exposure Controls/Personal Protection

### 8.1 Control Parameters

#### **Occupational Exposure Limits:**

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit. At this time, the other constituents have no known exposure limits.

**US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)**

<b>Components</b>	<b>Type</b>	<b>Value</b>	<b>Form</b>
Acetic acid (CAS 64-19-7)	PEL	25 mg/m <sup>3</sup> 10 ppm	-
Diphenyl ether (CAS 101-84-8)	PEL	7 mg/m <sup>3</sup> 1 ppm	Vapor Vapor

**US. ACGIH Threshold Limit Values**

<b>Components</b>	<b>Type</b>	<b>Value</b>	<b>Form</b>
Acetic acid (CAS 64-19-7)	STEL TWA	15 ppm 10 ppm	-
alpha-Pinene (CAS 80-56-8)	TWA	20 ppm	-
Benzyl acetate (CAS 140-11-4)	TWA	10 ppm	-
Citral (CAS 5392-40-5)	TWA	5 ppm	Inhalable fraction and vapor
Diethyl phthalate (CAS 84-66-2)	TWA	5 mg/m <sup>3</sup>	-
Diphenyl ether (CAS 101-84-8)	STEL TWA	2 ppm 1 ppm	Vapor Vapor
p-Cresol (CAS 106-44-5)	TWA TWA	1 ppm 20 mg/m <sup>3</sup>	Inhalable fraction and vapor
Propionic acid (CAS 79-09-4)	TWA	10 ppm	-

**US. NIOSH: Pocket Guide to Chemical Hazards**

Components	Type	Value	Form
Acetic acid (CAS 64-19-7)	STEL	37 mg/m <sup>3</sup> 15 ppm	-
	TWA	25 mg/m <sup>3</sup> 10 ppm	
Diethyl phthalate (CAS 84-66-2)	TWA	5 mg/m <sup>3</sup>	-
Diphenyl ether (CAS 101-84-8)	TWA	7 mg/m <sup>3</sup> 1 ppm	Vapor Vapor
p-Cresol (CAS 106-44-5)	TWA	10 mg/m <sup>3</sup> 2.3 ppm	-
Propionic acid (CAS 79-09-4)	STEL	45 mg/m <sup>3</sup> 15 ppm 30 mg/m <sup>3</sup> 10 ppm	-

**US. Workplace Environmental Exposure Level (WEEL) Guides**

Components	Type	Value
1-Octanol (CAS 111-87-5)	TWA	265 mg/m <sup>3</sup> 50 ppm
Benzaldehyde (CAS 100-52-7)	STEL	17.4 mg/m <sup>3</sup> 4 ppm
	TWA	8.7 mg/m <sup>3</sup> 2 ppm
Benzyl alcohol (CAS 100-51-6)	TWA	44.2 mg/m <sup>3</sup> 10 ppm
Vanillin (CAS 121-33-5)	TWA	10 mg/m <sup>3</sup>

**Biological Limit Values:**

No biological exposure limits noted for the ingredient(s).

**Exposure Guidelines**

**US ACGIH Threshold Limit Values: Skin Designation**

Citral (CAS 5392-40-5)	Can be absorbed through the skin.
p-Cresol (CASE 106-44-5)	Can be absorbed through the skin.



**Appropriate Engineering Controls:**

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Provide eyewash station. Eye wash fountain and emergency showers are recommended.

**8.2 Individual Protection Measures, Such as Personal Protective Equipment**

<b>Eye/Face Protection:</b>	Chemical respirator with organic vapor cartridge and full face piece.
<b>Skin/Hand Protection:</b>	Wear appropriate chemical resistant gloves and clothing. Use of an impervious apron is recommended.
<b>Respiratory Protection:</b>	Chemical respirator with organic vapor cartridge and full face piece.
<b>Thermal Hazards:</b>	Wear appropriate thermal protective clothing, when necessary.
<b>Hygiene Measures:</b>	Observe any medical surveillance requirements. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Contaminated work clothing should not be allowed out of the workplace.

<b>SECTION 9: Physical and Chemical Properties</b>
--

**9.1 Information on Basic Physical and Chemical Properties**

<b>Appearance:</b>	Colorless to Pale Yellow
<b>Physical State:</b>	Liquid
<b>Form:</b>	Liquid
<b>Color:</b>	Not available
<b>Odor:</b>	Characteristic of name
<b>Odor Threshold:</b>	Not available
<b>pH:</b>	Not available
<b>Melting/Freezing Point:</b>	-90.04°F (-67.8°C) estimated
<b>Initial Boil Point/Range:</b>	Not available
<b>Flash Point:</b>	200°F (93.3°C) Closed cup

<b>Evaporation Rate:</b>	Not available
<b>Flammability (solid, gas):</b>	Not applicable
<b>Vapor Pressure:</b>	0.024 mm Hg
<b>Vapor Pressure Temperature:</b>	68°F (20°C)
<b>Vapor Density:</b>	Not available
<b>Relative Density:</b>	Not available
<b>Solubility(ies)</b>	
<b>Solubility (Water):</b>	NO
<b>Solubility (Other):</b>	Not available
<b>Auto-Ignition Temperature:</b>	710°F (375.67°C) estimated
<b>Decomposition Temperature:</b>	Not available
<b>Viscosity:</b>	Not available
<b>Explosive Properties:</b>	Not explosive.
<b>Oxidizing Properties:</b>	Not oxidizing.

## 9.2 Other Information

<b>Density:</b>	7.77 lbs/gal estimated
<b>Hydrocarbons Percent:</b>	1.299%
<b>Refractive Index:</b>	1.4638 - 1.4688
<b>Specific Gravity:</b>	0.918 - 0.958
<b>VOC (Weight %):</b>	2.868%

<b>SECTION 10: Stability and reactivity</b>
---

### 10.1 Reactivity

The product is stable and non-reactive under normal conditions of use, storage and transport.

### 10.2 Chemical Stability

Material is stable under normal conditions.

### 10.3 Possibility of Hazardous Reactions

No dangerous reaction known under conditions of normal use.

### 10.4 Conditions to Avoid

Avoid temperatures exceeding the flash point. Contact with incompatible materials.

### 10.5 Incompatible Materials

Strong oxidizing agents.

### 10.6 Hazardous Decomposition Products

No hazardous decomposition products are known.

## SECTION 11: Toxicological Information

### 11.1 Information on Likely Routes of Exposure

<b>Inhalation:</b>	Prolonged inhalation may be harmful.
<b>Skin Contact:</b>	Causes skin irritation. May cause an allergic skin reaction.
<b>Eye Contact:</b>	Causes serious eye irritation.
<b>Ingestion:</b>	Expected to be a low ingestion hazard.

**Symptoms Related to the Physical, Chemical, Toxicological Characteristics:** Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Skin irritation. May cause redness and pain. May cause an allergic skin reaction. Dermatitis. Rash.

### 11.2 Information on Toxicological Effects

Components	Species	Test Results
Benzaldehyde (CAS 100-52-7) <b>Acute</b> <b>Oral</b> LD50	Rat	1300 mg/kg
Benzyl acetate (CAS 140-11-4) <b>Acute</b> <b>Oral</b> LD50	Rat	2490 mg/kg
Benzyl alcohol (CAS 100-51-6) <b>Acute</b> <b>Oral</b> LD50	Rat	1230 - 3100 mg/kg
Citral (CAS 5392-40-5) <b>Acute</b> <b>Oral</b> LD50	Rat	> 2000 mg/kg

Components	Species	Test Results
p-Cresol (CAS 106-44-5) <b>Acute</b> <b>Dermal</b> LD50	Rabbit	300 mg/kg
<b>Acute</b> <b>Oral</b> LD50	Rat	207 mg/kg

\* Estimates for product may be base on additional component data not known.

**Skin Corrosion/Irritation:** Causes skin irritation.  
**Serious Eye Damage/Irritation:** Causes serious eye irritation.  
**Respiratory Sensitization:** Not a respiratory sensitizer.  
**Skin Sensitization:** May cause an allergic skin reaction.

**ACGIH Sensitization:**  
CITRAL, INHALABLE FRACTION AND Dermal Sensitization  
VAPOR (CAS 5392-40-5)  
TURPENTINE AND SELECTED Dermal Sensitization  
MONOTERPENES (CAS 80-56-8)

**Germ Cell Mutagenicity:** No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.  
**Carcinogenicity:** Not classifiable as to carcinogenicity to humans.

**IARC Monographs. Overall Evaluation of Carcinogenicity**  
Benzyl acetate (CAS 140-11-4) 3 - Not classifiable as to carcinogenicity to humans.

**OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)**  
Not regulated.

**US. National Toxicology Program (NTP) Report on Carcinogens**  
Not listed.

**Reproductive Toxicity:** Suspected of damaging fertility or the unborn child.

**Specific Target Organ Toxicity**  
**Single Exposure:** Not classified.

**Specific Target Organ Toxicity**  
**Repeated Exposure:** Not classified.

**Aspiration Hazard:** Not an aspiration hazard.

**Chronic Effects:**

Prolonged inhalation may be harmful.

**SECTION 12: Ecological Information****12.1 Ecotoxicity**

Toxic to aquatic life with long lasting effects.

Components	Species	Test Results
3 and 4-(4-Hydroxy-4-methylpentyl)-3-cyclohexene-1-carboxaldehyde (CAS 31906-04-4)	-	-
Dihydromyrcenol (CAS 18479-58-8)	-	-
Lemon oil (CAS 8008-56-8)	-	-
p-t-Butyl-alpha-methylhydrocinnamic aldehyde (CAS 80-54-6)	-	-

**12.2 Persistence and Degradability**

No data is available on the degradability of this product.

**12.3 Bioaccumulative Potential**

Partition Coefficient n-octanol/water (log Kow)	
1-Octanol	3
Acetic acid	-0.17
alpha-Pinene	4.83
Benzaldehyde	1.48
Benzyl acetate	1.96
Benzyl alcohol	1.1
Diethyl phthalate	2.47
Diphenyl ether	4.21
Ethyl vanillin	1.61
Linalool	2.97
p-Cresol	1.94
Phenethyl alcohol	1.36

Partition Coefficient n-octanol/water (log Kow)	
Propionic acid	0.33
Vanillin	1.37

**12.4 Mobility in Soil** No data available.

**12.5 Other Adverse Effects**

No other adverse environmental effects (e.g. ozone depletion, photo chemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

<b>SECTION 13: Disposal Considerations</b>
--

**13.1 Waste Treatment Methods**

**Disposal Instructions:** Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of contents/container in accordance with local/regional/national /international regulations.

**Local Disposal Regulations:** Dispose in accordance with all applicable regulations.

**Hazardous Waste Code:** The waste code should be assigned in discussion between the user, the producer and the waste disposal company

**Residual Waste:** Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see Disposal Instructions.)

**Contaminated Packaging:** Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.

## SECTION 14: Transport Information

### 14.1 Transport Information

**DOT** Not regulated as dangerous goods.

**IATA** Not regulated as dangerous goods.

**IMDG** Not regulated as dangerous goods.

**Transport in Bulk According to Annex II of MARPOL 73/78 and the IBC Code**

Not established.

## SECTION 15: Regulatory Information

### 15.1 US Federal Regulations

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

**TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)**

Not regulated.

**CERCLA Hazardous Substance List (40 CFR 302.4)**

Acetic acid (CAS 64-19-7)	Listed.
Diethyl phthalate (CAS 84-66-2)	Listed.
p-Cresol (CAS 106-44-5)	Listed.
Propionic acid (CAS 79-09-4)	Listed.

**SARA 304 Emergency Release Notification**

Not regulated.

**OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)**

Not listed.

**Superfund Amendments and Reauthorization Act of 1986 (SARA)**

<b>Hazard categories</b>	Immediate Hazard: Yes
	Delayed Hazard: Yes
	Fire Hazard: No
	Pressure Hazard: No
	Reactivity Hazard: No

**SARA 302 Extremely Hazardous Substance** Not listed.

**SARA 311/312 Hazardous Chemical** No.

**SARA 313 (TRI reporting)** Not regulated.

**Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List**  
p-Cresol (CAS 106-44-5)

**Clean Air Act (CAA) Section 112® Accidental Release Prevention (40 CFR 68.130)**

Not regulated.

**Safe Drinking Water Act (SDWA)**

Not regulated.

**Drug Enforcement Administration (DEA). List 1 & 2 Exempt Chemical Mixtures (21 CFR 1310.12(c))**

Benzaldehyde (CAS 100-52-7) 50% WV

**DEA Exempt Chemical Mixtures Code Number**

Benzaldehyde (CAS 100-52-7) 8256

**FEMA Priority Substances Respiratory Health and Safety in the Flavor Manufacturing Workplace**

Acetic acid (CAS 64-19-7) High Priority

Benzaldehyde (CAS 100-52-7) High Priority

Diphenyl ether (CAS 101-84-8) Low Priority

p-Cresol (CAS 106-44-5) Low Priority

Propionic acid (CAS 79-09-4) High Priority

## 15.2 US State Regulations

**California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65):**

This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

**US. California. Candidate Chemicals List. Safer Consumer Products Regulations (Cal. Code Regs, tit. 22, 69502.3, subd. (a))**

Diethyl phthalate (CAS 84-66-2)

p-Cresol (CAS 106-44-5)



### 15.3 International Inventories

Country(s) or region	Inventory name	On Inventory or exempt (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

\*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)  
A "No" indicates that one or more components of the products are not listed on the inventory administered by the governing country(s).

### SECTION 16: Other Information

#### 16.1 HMIS® Ratings

Health: 2  
Flammability: 0  
Physical hazard: 0  
Personal protection: B

#### 16.2 NFPA ratings

Health: 2  
Flammability: 0  
Instability: 0

**Notes:**

This safety data sheet is based on the properties of the material known at the time the data sheet was issued. The safety data sheet is intended to provide information for a health and safety assessment of the material and the circumstances, under which it is packaged, stored or applied in the workplace. For such a safety assessment holds no responsibility. This document is not intended for quality assurance purposes.