



SECTION 1: Identification of the Substance/Mixture and of the Company/Undertaking

- 1.1 Product Name:** White Sage Fragrance Oil
Product Code: 303-649X
- 1.2 Intended Use:** Compound used in customer substance/mixture/product.
- 1.3 Supplier:** Majestic Mountain Sage Inc
2490 S 1350 W
Nibley, Utah 84321 - United States of America
T 435.755.0863 - F 435.755.2108
www.TheSage.com
- 1.4 Emergency Telephone Number**
No additional information available.

SECTION 2: Hazards Identification

2.1 Classification of the Substance or Mixture

This mixture has not been tested as a whole. The effects, listed below, are based on evaluation of individual components in accordance with the provisions of the regulation(s) noted below.

Classification According to GHS

Flammable Liquids, Category 3
Aspiration Hazard, Category 1

Skin Corrosion/Irritation, Category 2
Sensitization, Skin, Category 1B

Eye Damage/Irritation, Category 2A
Target Organ Systemic Toxicity
Single Exposure, Category 2
Aquatic Acute Toxicity, Category 1
Aquatic Chronic Toxicity, Category 2

H226: Flammable liquid and vapor.
H304: May be fatal if swallowed and enters airways.
H315: Causes skin irritation.
H317: May cause an allergic skin reaction.
H319: Causes serious eye irritation.
H371: May cause damage to organs.

H400: Very toxic to aquatic life.
H411: Toxic to aquatic life with long lasting effects.

Classification OSHA (Provision 1910.1200 of Title 29)

Flammable Liquids, Category 3
Aspiration Hazard, Category 1

H226: Flammable liquid and vapor.
H304: May be fatal if swallowed and enters airways.

Skin Corrosion/Irritation, Category 2
Sensitization, Skin, Category 1B

H315: Causes skin irritation.
H317: May cause an allergic skin reaction.

Eye Damage/Irritation, Category 2A
Target Organ Systemic Toxicity
Single Exposure, Category 2
Aquatic Acute Toxicity, Category 1

H319: Causes serious eye irritation.
H371: May cause damage to organs.

H400: Very toxic to aquatic life.

Classification Other

Carcinogenicity

This mixture contains ingredients identified as carcinogens, at 0.1% or greater, by the following: None [X]
ACGIH [] IARC [] NTP [] OSHA []

2.2 Label Elements

Labeling (REGULATION (EC) No 1272/2008) Hazard Pictograms



Signal Word:

Danger.

Hazard Statements

H226	Flammable liquid and vapor.
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H371	May cause damage to organs.
H400	Very toxic to aquatic life.
H411	Toxic to aquatic life with long lasting effects.

Precautionary Statements

Prevention:

P233	Keep container tightly closed.
P235	Keep cool.
P240	Ground/bond container and receiving equipment.
P241	Use explosion-proof electrical/ventilation/light/equipment.
P242	Use only non-sparking tools.
P243	Take precautionary measure against static discharge.
P260	Do not breathe dust/fume/gas/mist/vapors/spray.
P264	Wash hands thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.
P271	Use only outdoors or in a well-ventilated area.
P272	Contaminated work clothing should not be allowed out of the workplace.
P273	Avoid release to the environment.

Response:

P301+P310+P331	IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician. Do NOT induce vomiting.
P302+P352	IF ON SKIN: Wash with soap and water.
P303+P361+P353	IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin with water/shower.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing.
P309+P311	If exposed or you feel unwell. Call a POISON CENTER or doctor/physician.
P333+P313	If skin irritation or a rash occurs: Get medical advice/attention.
P337+P313	If eye irritation persists: Get medical advice/attention.
P352	Wash with soap and water.
P362	Take off contaminated clothing and wash before reuse.
P363	Wash contaminated clothing before reuse.
P370+P378	In case of fire: Use Carbon dioxide (CO ₂), dry chemical, or foam for extinction. Do not use a direct water jet on burning material.
P391	Collect spillage.

2.3 Other Hazards

No data available.

SECTION 3: Composition/Information on Ingredients

3.1 Mixtures

This product is a complex mixture of ingredients, which contains among others the following substance(s), presenting a health or environmental hazard within the meaning of the UN Globally Harmonized System of Classification and Labeling of Chemicals (GHS):

CAS # Ingredient	EC#	Conc. Range	GHS Class.
125-12-2	204-727-6	20-30%	H227; H316; H401
<i>Isobornyl acetate</i>			
78-70-6	201-134-4	10-20%	H227; H303; H315; H317; H319; H402
<i>Linalool</i>			
470-82-6	207-461-5	5-10%	H226; H303; H316; H317
<i>Eucalyptol</i>			
5989-27-5	227-813-5	5-10%	H226; H304; H315; H317; H400; H410
<i>Limonene</i>			
98-55-5	202-680-6	5-10%	H227; H303; H315; H319; H401
<i>Terpineol</i>			
8007-35-0	232-357-5	5-10%	H316; H401; H411
<i>Terpineol acetate</i>			
120-51-4	204-402-9	2-5%	H302; H313; H400; H411
<i>Benzyl Benzoate</i>			
469-61-4	207-418-4	2-5%	H304; H316; H400
<i>alpha-Cedrene</i>			
77-53-2	201-035-6	2-5%	H227; H401; H411
<i>Cedrol</i>			
80-56-8	201-291-9	2-5%	H226; H302; H304; H315; H317; H400; H410
<i>pinene</i>			

CAS # Ingredient	EC#	Conc. Range	GHS Class.
91-64-5	202-086-7	2-5%	H302; H317; H402
<i>Coumarin</i>			
99-87-6	202-796-7	1-2%	H226; H303; H304; H316; H361; H401; H411
<i>p-cymene</i>			
99-85-4	202-794-6	1-2%	H226; H303; H304; H316
<i>gamma-Terpinene</i>			
464-49-3	207-355-2	1-2%	H226; H302; H315; H318; H332; H371; H401; H411
<i>Camphor</i>			
99-83-2	202-792-5	1-2%	H226; H304; H400; H410
<i>alpha-Phellandrene</i>			
115-95-7	204-116-4	1-2%	H227; H315; H317; H320; H402
<i>Linalyl Acetate</i>			
13466-78-9	236-719-3	0.1-1.0%	H226; H303; H304; H315; H317; H332; H401; H411
<i>delta-3-Carene</i>			
127-91-3	204-872-5	0.1-1.0%	H226; H304; H315; H317; H400; H410
<i>beta Pinene</i>			
586-62-9	209-578-0	0.1-1.0%	H227; H303; H304; H316; H317; H400; H410
<i>Terpinolene</i>			
81-14-1	201-328-9	0.1-1.0%	H351; H400; H410
<i>Musk ketone</i>			
105-87-3	203-341-5	0.1-1.0%	H315; H317; H401; H412
<i>Geranyl Acetate</i>			
106-24-1	203-277-1	0.1-1.0%	H303; H315; H317; H318; H402
<i>Geraniol</i>			

See Section 16 for full text of GHS classification codes which were not shown in Section 2.

Total Hydrocarbon Content (% w/w) = 20.23

SECTION 4: First Aid Measures

4.1 Description of First Aid Measures

Inhalation:	Remove from exposure site to fresh air and keep at rest. Obtain medical advice.
Eye Contact:	Flush immediately with water for at least 15 minutes. Contact physician if symptoms persist.
Skin Contact:	Remove contaminated clothes. Wash thoroughly with water and soap. Contact physician if symptoms persist.
Ingestion:	Rinse mouth with water and obtain medical advice.

4.2 Most Important Symptoms/Effects, Acute and Delayed

Symptoms:	No data available.
Risks:	Refer to Section 2.2 "Hazard Statements".

4.3 Indication of Any Immediate Medical Attention and Special Treatment Needed

Treatment:	Refer to Section 2.2 "Response".
-------------------	----------------------------------

SECTION 5: Firefighting Measures

5.1 Extinguishing Media

Suitable:	Carbon dioxide (CO ₂), Dry Chemical, Foam.
Unsuitable:	Do not use a direct water jet on burning material.

5.2 Special Hazards Arising from the Substance or Mixture

During Fire Fighting:	Water may be ineffective.
------------------------------	---------------------------

5.3 Advice for Firefighters

Further Information: Standard procedure for chemical fires.

SECTION 6: Accidental Release Measures

6.1 Personal Precautions, Protective Equipment and Emergency Procedures

Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.

6.2 Environmental Precautions

Keep away from drains, soil, and surface and groundwater.

6.3 Methods and Materials for Containment and Cleaning Up

Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapors. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

6.4 Reference to Other Sections

Not applicable.

SECTION 7: Handling and Storage

7.1 Precautions for Safe Handling

Apply according to good manufacturing and industrial hygiene practices with proper ventilation. Do not drink, eat or smoke while handling. Respect good personal hygiene.

7.2 Conditions for Safe Storage, Including Any Incompatibilities

Store in a cool, dry and ventilated area away from heat sources and protected from light in tightly closed original container. Avoid plastic and uncoated metal container. Keep air contact to a minimum.

7.3 Specific End Uses

No information available.

SECTION 8: Exposure Controls/Personal Protection

8.1 Control Parameters

Exposure Limits:

Component	ACGIH TWA ppm	ACGIH STEL ppm	OSHA TWA ppm	OSHA STEL ppm
80-56-8 <i>pinene</i>	20			
127-91-3 <i>beta Pinene</i>	20			
13466-78-9 <i>delta-3-Carene</i>	20			

Engineering Controls: Use local exhaust as needed.

8.2 Exposure Controls - Personal Protective Equipment

Eye Protection: Tightly sealed goggles, face shield, or safety glasses with brow guards and side shields, etc. as may be appropriate for the exposure.

Respiratory Protection: Avoid excessive inhalation of concentrated vapors. Apply local ventilation where appropriate.

Skin Protection: Avoid skin contact. Use chemically resistant gloves as needed.

SECTION 9: Physical and Chemical Properties

9.1 Information on Basic Physical and Chemical Properties

Appearance:	Liquid
Odor:	Conforms to Standard
Color:	Nearly Colorless to Yellow Tint (G0-1)
Viscosity:	Liquid
Freezing Point:	Not determined
Boiling Point:	Not determined
Melting Point:	Not determined
Flashpoint (CCCFP):	138°F (59.89°C)
Auto Flammability:	Not determined
Explosive Properties:	None expected
Oxidizing Properties:	None expected

Vapor Pressure (mmHg@20°C):	0.1487
%VOC:	30.93
Specific Gravity @ 25°C:	0.9310
Density @ 25°C:	0.9280
Refractive Index @ 20°C:	1.4780
Soluble In:	Oil

SECTION 10: Stability and Reactivity

10.1 Reactivity	None.
10.2 Chemical Stability	Stable.
10.3 Possibility of Hazardous Reactions	None known.
10.4 Conditions to Avoid	None known.
10.5 Incompatible Materials	Strong oxidizing agents, strong acids, and alkalis.
10.6 Hazardous Decomposition Products	None known.

SECTION 11: Toxicological Information
--

11.1 Toxicological Effects

Acute Toxicity Estimates (ATEs) based on individual Ingredient Toxicity Data utilizing the "Additivity Formula."

Acute Toxicity-Oral-(Rat) mg/kg	Not classified - the classification criteria are not met.
Acute Toxicity-Dermal (Rabbit) mg/kg	Not classified - the classification criteria are not met.
Acute Toxicity-Inhalation (Rat) mg/L/4hr	Not classified - the classification criteria are not met.
Skin Corrosion/Irritation	Causes skin irritation.
Serious Eye Damage/Irritation	Causes serious eye irritation.
Respiratory Sensitization	Not classified - the classification criteria are not met.
Skin Sensitization	May cause an allergic skin reaction.
Germ Cell Mutagenicity	Not classified - the classification criteria are not met.
Carcinogenicity	Not classified - the classification criteria are not met.

Reproductive Toxicity	Not classified - the classification criteria are not met.
Specific Target Organ Toxicity Single Exposure	May cause damage to organs.
Specific Target Organ Toxicity Repeated Exposure	Not classified - the classification criteria are not met.
Aspiration Hazard	May be fatal if swallowed and enters airways.

SECTION 12: Ecological Information

12.1 Toxicity

Acute Aquatic Toxicity:	Very toxic to aquatic life.
Chronic Aquatic Toxicity:	Toxic to aquatic life with long lasting effects.
Toxicity Data on Soil:	No data available.
Toxicity on Other Organisms:	No data available.

12.2 Persistence and Degradability No data available.

12.3 Bioaccumulative Potential No data available.

12.4 Mobility in Soil No data available.

12.5 Other Adverse Effects No data available.

SECTION 13: Disposal Considerations
--

13.1 Waste Treatment Methods

Do not allow product to reach sewage systems. Dispose of in accordance with all local and national regulations. Send to a licensed waste management company. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container.

SECTION 14: Transport Information**14.1 Transport Information**

Marine Pollutant: Yes. Ingredient of greatest environmental impact:
 469-61-4 2-5% alpha-Cedrene

Regulator	Class	Pack Group	Sub Risk	UN-Nr.
U.S. DOT (Non-Bulk)	Not Regulated - Not Dangerous Goods			
<i>Chemicals NOI</i>				
ADR/RID (International Road/Rail)				
<i>Environmentally Hazardous Substance, Liquid, n.o.s.</i>	9	III		UN3082
IATA (Air Cargo)				
<i>Perfumery Products</i>	3	III	Flammable Liquid	UN1266
<i>Environmentally Hazardous Substance, Liquid, n.o.s.</i>	9	III		UN3082
IMDG (Sea)				
<i>Perfumery Products</i>	3	III	Flammable Liquid	UN1266
<i>Environmentally Hazardous Substance, Liquid, n.o.s.</i>	9	III		UN3082

SECTION 15: Regulatory information**15.1 U.S. Federal Regulations****TSCA (Toxic Substance Control Act)**

All components of the substance/mixture are listed or exempt.

40 CFR (EPCRA, SARA, CERCLA AND CAA)

This product contains NO components of concern.

15.2 U.S. State Regulations

California Proposition 65 Warning

This product contains the following components:

123-35-3(NFS) 204-622-5 0.01-0.1% beta-Myrcene (Natural Source)

15.3 Canadian Regulations

DSL/NDSL

99.50% of the components are listed or exempt. The following components are NOT on the List:

211299-54-6 427-580-1 <= 13 ppm 4H-4a,9-Methanoazuleno[5,6-d]-1,3-dioxole,octahydro-2,2,5,8,8,9a-hexamethyl-,(4aR,5R,7aS,9R)-

SECTION 16: Other Information

16.1 GHS H-Statements Referred to Under Section 3 and Not Listed in Section 2

H227: Combustible liquid.

H302: Harmful if swallowed.

H313: May be harmful in contact with skin.

H317: May cause an allergic skin reaction.

H320: Causes eye irritation.

H351: Suspected of causing cancer.

H401: Toxic to aquatic life.

H410: Very toxic to aquatic life with long lasting effects.

H228: Flammable solid.

H303: May be harmful if swallowed.

H316: Causes mild skin irritation.

H318: Causes serious eye damage.

H332: Harmful if inhaled.

H361: Suspected of damaging fertility or the unborn child.

H402: Harmful to aquatic life.

H412: Harmful to aquatic life with long lasting effects.

16.2 Total Fractional Values

(TFV) Risk

(28.58) Aquatic Chronic Toxicity, Category 3

(6.42) Skin Corrosion/Irritation, Category 3

(3.38) Eye Damage/Irritation, Category 2A

(2.83) Aquatic Chronic Toxicity, Category 2

(1.97) Aspiration Hazard, Category 1

(1.33) Eye Damage/Irritation, Category 2B

(TFV) Risk

(12.00) Sensitization, Skin, Category 1B

(6.00) Sensitization, Skin, Category 1

(3.14) Skin Corrosion/Irritation, Category 2

(1.98) Aquatic Acute Toxicity, Category 1

(1.36) Target Organ Systemic Toxicity - Single Exposure, Category 2

(1.17) Aquatic Chronic Toxicity, Category 4

Notes:

This safety data sheet is based on the properties of the material known at the time the data sheet was issued. The safety data sheet is intended to provide information for a health and safety assessment of the material and the circumstances, under which it is packaged, stored or applied in the workplace. For such a safety assessment holds no responsibility. This document is not intended for quality assurance purposes.